

Darley®



pg 6
Thermal Imaging



pg 176
Handheld Lights



pg 2
EV Solutions



pg 66
Hose



Welcome

Over the years, much has changed, but our unwavering commitment to the fire service for nearly 120 years remains steadfast. We deeply value our relationship with you, appreciate the trust you've placed in us, and thank you for the opportunity to serve you.

We invite you to explore our latest catalog, #278, crafted for today's fire and public safety professionals. This edition showcases a selection of customer favorites, best-sellers, and top-rated products, most of which are available for immediate delivery from our warehouses. If you can't find what you need, visit us at shop.darley.com or contact one of our industry experts.

We are grateful for the trust you've shown us in the past and extend a warm welcome to our new customers. If we ever fall short of your expectations, please let me know personally.

Sincerely,

Paul C. Darley
President & Chief Executive Officer
PaulDarley@darley.com
708.273.6920

Trusted Brands, and a Lot More



The Darley Difference

- Darley Dollars Loyalty Program
- Bulk discounts
- Online quoting
- Price matching
- Unmatched customer service. Call 630-735-3500

See What's New

NEW

Dragon Fire X2S Gloves

Turnout Gear
pg 20



Rocky Code Red Fire Boots

Turnout Gear
pg 24



Perimeter Solutions Foam

Foam
pg 125



Streamlight Survivor Pivot

Handheld Lights
pg 178



Order Online at Shop.Darley.com

- Darley Dollars Rewards Program: Earn 3% back on every purchase as Darley Dollars, which you can use for future online purchases.
- Wide Selection of Products: Choose from a wide range of firefighting equipment, rescue gear, tools, and supplies from top brands.
- User-Friendly Online Experience: Enjoy features like self-service shopping, live chat assistance, click-to-quote, order tracking, and shopping list management.
- Dedicated Support: Benefit from a dedicated sales support team focused on expanding products and services.
- Trusted Provider: Darley has been a trusted firefighting and rescue equipment provider since 1908.



EV Solutions

pg 2-5

EV Plug
Fire Blankets
EV Nozzles

Thermal Imaging

pg 6-8

Batteries
Thermal Imagers

UxS and Sim-T

pg 9-10

Unmanned Systems
Simulated Training

Turnout Gear

pg 11-34

ARFF Gear
Gloves
Boots
Gear Bags
Faceshields/Goggles
Gear Accessories & Bags
Helmets
Hoods
Accessories

Wildland

pg 35-45

Backpack Pumps
Hand Tools
Hose Accessories
Ignition Devices
Packs
Safety Equipment
Wildland Clothing

Active Shooter Response

pg 46-47

Body Armor
Ballistic Helmets
IFAK & Trauma Kits
Plate Carriers
Plates

Hazmat

pg 48-55

Decon
Gas Detection
Non-Sparking Tools
Personal Protection
Spill Containment

Air Systems

pg 56-60

Cylinders
PASS Devices
SCBA Cleaning/Storage

Ventilation

pg 61-65

Accessories
PPV Fans
Smoke Ejectors

Hose

pg 66-78

Attack Hose
Booster Hose
Forestry Hose
Hose Accessories
Large-Diameter Hose
Rack Hose
Suction Hose
Supply Hose

Pumps

pg 79-89

Accessories
Davey Portables
Diesel Portable
Engine Driven
Fast Attack Skids
Front/Rear Mounted
Gasoline Portable
Midship Mounted
Modules
Ohler Pumps
PTO

Nozzles

pg 90-101

Handline Nozzles
Master Stream
Piercing Nozzles
Playpipes

Monitors

pg 102-106

Forestry/Wildland
Master Stream
Manual
Portable
Remote Controlled

Water Supplies

pg 107-114

Hose Testers
Hydrant Testing
Pump Testing
Strainers & Accessories
Water Tanks

Adapters & Valves

pg 115-124

Caps
Gaskets
Storz Adapters
Threaded Adapters
Valves

Foam

pg 125-133

CAFS Systems
Foam Concentrate
Foam Nozzles
Foam Systems
Eductors
Testing Kits

Rescue Tools

pg 134-152

Axes
Bolt Cutters
Confined Space
Halligans
Mounts
Pike Holes
Saws

Rescue Equipment

pg 153-163

Rope Rescue
Gear Accessories
Vehicle Rescue
Water Rescue

EMS

pg 164-169

Burn Care
Defibrillators
Face Shields
First Aid Kits
Gloves
Immobilization
Masks
Thermometers

Traffic Control

pg 170-173

Barricades
Flares & Beacons
Safety Vests
Traffic Cones
Warning Signs
Flashlights
Helmet Lights
Lanterns
Portable Scene Lights

Handheld Lights

pg 174-179

Flashlights
Helmet Lights
Lanterns
Portable Scene Lights

Badges

pg 180-181

Badges
Badge Centers

Station Supplies

pg 182-186

Cleaning & Decon
Dryers
Hose Handling
Salvage Covers
Smoke Training
Storage Racks

Apparatus Equipment

pg 187-201

Apparatus Valves
Battery Chargers
Camera Systems
Ejection Units
Emergency Lights
Equipment Mounts
Ground Ladders
Hose Handling
Reels
Salvage Covers
Sirens
Vehicle Accessories
Water Level Indicators

Fire Protection

pg 202-203

Extinguishers
Extinguisher Brackets

Tactical Pumpers

pg 204-209

Terms & Order Form

pg 210-211

Terms & Conditions
Badge Order Form

Index

pg 212-215

Defense Capabilities

pg 216



Contract 02012024-WSD

Electric Cars Can Move Unexpectedly During Accidents. Establish Scene Safety with the Emergency Plug.



Scan to buy now



Emergency Plug®

NEW

The Emergency Plug® (Plug) has been developed to prevent unpredictable vehicle movement by most Full or Hybrid Electric Vehicles (EVs) in an emergency situation as well as during regular maintenance. Please note that the Plug is not compatible with the Hummer EV or Chevy Blazer EV.

Though every Plug requires different signals, our Plug simulates the different charging protocols of each EV, we are able to guarantee the Plug's suitability for 100% of all EVs that comply with the safety protocols of the UN ECE R100 regulation. By providing continuous visual feedback from the Plug about whether the EV is still able to drive away or not, we can ensure the safety of users throughout the emergency situation or during the entire maintenance procedure, quickly creating and maintaining a safe working environment. Please note that the EV plug is not compatible with the Hummer EV or Chevy Blazer EV.

- Prevents an electric car from unintended movement
- Universal, works on any vehicle
- Blue light shows when it's safe to approach
- Won't expose you to high voltage
- Eliminates or significantly reduces the time spent in a dangerous working environment
- Easy to plug and unplug at any time
- Car's 12-volt electrical system will still work (ex: windows, lights, seats)
- Free firmware updates and extra warranty

BP816 | Emergency Plug | \$925




If It's Blue, It's Safe for You

Constant Blue Color Indicator

The Emergency Plug will illuminate a constant blue color when it is connected to the charging port and has contact with the EV. This indicates the EV is in its charging safety mode and cannot be moved under its own propulsion.



Unique 2-sided design suitable for use on all EVs.



Electric Vehicle Fire Response

Darley's car fire blankets are a simple, fast, efficient and safe solution for controlling fires in electric, hybrid and combustion engines.



Benefits

- Fire is contained under the blanket, reducing the amount of toxic gas and fumes released
- Significantly reduce smoke damage, prevent the spread of fire to surrounding vehicles and property
- Contain and control any type of car (and electric vehicle) fire within seconds

Darley Car Fire Blanket

- Secure solution that handles fire in electric/hybrid/combustion engine automobiles
- Suitable for most vehicle sizes (Custom sizes available)
- Available as standard or heavy duty car fire blankets
- Includes waterproof smart bag, carried as a backpack

BP822 | Standard Car Fire Blanket | 68 lbs. | 20' x 30' | \$1,650
 BP818 | Heavy Duty Car Fire Blanket | 62 lbs. | 20' x 26' | \$1,800
 BP821 | Heavy Duty Car Fire Blanket | 71 lbs. | 20' x 30' | \$2,000



E bike fire blankets also available at shop.darley.com

How to Use 1) Ensure blanket is sized appropriately for the vehicle. Unroll Blanket. Center it behind the car or from the deployment direction. 2) Grab red handles, raise them high in the air and briskly walk the blanket over the burning vehicle. 3) Center the blanket over the vehicle using the marking points on the blanket. 4) If blanket is caught on sharp edges do not pull or the blanket can rip. 5) Secure the blanket if necessary using a rope or weighted objects so the blanket stays on the vehicle 6) The blanket is deployed. Monitor with thermal imaging camera. View full instructions and additional notes for use on electric vehicles online.



Note: The car fire blanket is not approved for magnesium fires.

Turtle Fire System EV Nozzle



The Turtle Fire System is engineered to operate safely, reliably, and effectively under a burning vehicle while delivering 500+ GPM directly onto the battery case. Founded in response to the growing concern of electric vehicle fires, The Turtle Fire System addresses the need for a safe and effective water delivery system.

- Operates unmanned, reducing exposure to fire and harmful toxic gasses
- Low-profile design easily deployed under a vehicle
- Head: 24 $\frac{1}{2}$ " L x 18" W x 3 $\frac{1}{2}$ " H, ship. wt. 40 lbs.
- Pipe: 58" x 2 $\frac{1}{2}$ ", ship. wt. 36 lbs.



The Mini Turtle™ Fire System

Compact and powerful, The Mini Turtle™ Fire System delivers up to 300+ GPM, operates unmanned, and is perfect for tight spaces and limited water supplies.

- 33% smaller and collapsible
- Easily and rapidly deployed under a low-profile electric vehicle
- Head: 24 $\frac{1}{2}$ " L x 16 $\frac{1}{2}$ " W x 2 $\frac{1}{2}$ " H, ship. wt. 32 lbs.
- Pipes: 27 $\frac{3}{4}$ " x 1 $\frac{1}{2}$ ", 27 $\frac{3}{8}$ " x 1 $\frac{1}{2}$ ", ship. wt. 18 lbs.



BR032 | Turtle Fire System Standard Size | \$3,135.95

BR033 | Turtle Fire System Mini Size | \$2,635.95

DA-EV Tank®



The DA-EV Tank® is a portable, foldable solution for managing EV fires, designed to prevent thermal runaway and re-ignition by submerging the vehicle in water.


The DA-EV Tank® is an essential tool for firefighters, specifically engineered to tackle the increasing challenge of electric vehicle (EV) fires. As EVs become more prevalent, the risk of fires caused by thermal runaway in EV batteries is a growing concern. This innovative tank provides a practical and effective solution, allowing firefighters to safely manage and extinguish EV fires. By submerging the vehicle in water, the DA-EV Tank prevents re-ignition, ensuring the safety of both the crew and the public.

The DA-EV Tank® Replacement Liner is a crucial component designed to maintain the effectiveness and longevity of your DA-EV Tank. This replacement liner ensures that your tank remains in optimal condition and provides a reliable and durable solution for continued use in firefighting operations.

- Double-hinged design enables the tank to be set up around the vehicle, keeping firefighters safe from the hot vehicle
- Vinyl walls and flooring with 2" aluminum frame
- 10, 24" stainless-steel piano hinge
- Capacity: gross 4,000 gallons
- Open: 24' L x 10' W x 29" H
- Folded: 72' L x 15' W x 29" H
- Ship. wt. 550 lbs.

BR011 | Fol-Da-Tank DA-EV Tank® | \$5,120.95

BR012 | DA-EV Tank® Replacement Liner | \$1,274.95





NEW

Electric Vehicle Battery Cooling Unit

Electric vehicles present unique challenges for firefighters during emergencies. EV batteries are challenging to access and even harder to cool down, as the energy generated during thermal runaway can lead to re-ignition or the spread of fire from cell to cell. To combat these challenges, Ziamatic has developed Vehicle Cooling Units that aid firefighters in safely handling electric vehicle fires.

- 1/16" diameter holes
- 83 holes per 3' section
- Wide 140° spray pattern
- 3 5/16" ground clearance (less than 4")

BP842 | \$708.95

- 4' x 8' coverage
- 40-60 GPM flow rate
- 83 spray holes

BP843 | \$1,318.95

- 7' x 8' coverage
- 84-119 GPM flow rate
- 166 spray holes



Transformer Nozzle System EV-Kit

The Transformer Nozzle System EV-Kit aids in supplying water to the underside of an EV where the battery is located. The system is more than 7' long and weighs 14.9 lbs. fully assembled.

With the included nozzle, a wide and fully-filled pattern can be achieved, capable of flows up to 150 GPM at 100 PSI. The twist-grip shutoff valve enables flow regulation without requiring an extra shutoff valve.

NEW

Includes

- Three port junction block with striking cap
- Cellular nozzle with fully filled wide pattern
- 4 - 19" extension tubes
- Twist-grip shutoff valve
- Heavy-duty carrying bag with compartments



Supply Water to the Underside of an EV




BP830 | Transformer Nozzle System EV-Kit | \$1,835.95



Ultrasharp Images

Featuring FSX™ Flexible Scene Enhancement



Scan to shop FLIR

FLIR K65 Thermal Imaging Camera Kit

FSX™ realtime digital processing results in ultrasharp images defining extraordinary structural attributes, edges, and other instantly recognizable details.

Clear and Crisp Thermal Images

The maintenance free uncooled microbolometer sensor produces detail rich images at 320 x 240 pixels. Thermal images are displayed on a large bright 4" LCD for easier navigation and the ability to make more efficient, accurate decisions.

NFPA® Compliant

The K65 is an advanced, feature rich thermal imaging camera which is fully compliant with the National Fire Protection Association® (NFPA) 1801 2021 Standard for Thermal Imagers covering usability, image quality, and durability for firefighting.

Expanded Warranty

All new K-Series cameras are protected by our exclusive FLIR 2-5-10 Warranty that includes 2-years of coverage on batteries, 5-years on the camera, and 10-years on the detector.

Rugged & Reliable

The K-Series is designed to meet tough operating conditions. They withstand drops from 2 meters onto a concrete floor, are water resistant (IP67) and fully operational up to +260°C/+500°F for 5 minutes.

Produce ANALYTICAL Reports: Store up to 200 thermal images
Easy-to-Use; Even with Gloves On
In-Camera Video Storage



K65 is NFPA Compliant

BL505 in-truck charger. Camera sold separately.

BL810 | FLIR K65 Thermal Imaging Camera Kit - NFPA Compliant | \$4,995
BL505 | FLIR In-Truck Charger | \$550



Streamlined High Performance

Featuring FSX™ Flexible Scene Enhancement



FLIR K33 & K53 Thermal Imaging Camera Kits

Streamlined High Performance Made Even More Affordable

FLIR offers two affordable, easy-to-use options which do not sacrifice FLIR's renowned clarity, reliability, and performance.

Firepower Simplified

Don't need all the bells and whistles...the K33 and K53 are the cameras of choice when you're looking for high image quality with simple, straight-forward operation that is ready for action.

- One glove-friendly on/off button quickly fires up the camera in TI-Basic mode
- An easy trigger pull freezes an image on the K33 or capture stills and video on the K53
- 2-bay charging station makes it a cinch to stay prepared

Uncompromising Resolution

Both the K33 and K53 offer high-resolution thermal imaging with real-time FSX Flexible Scene Enhancement for intensified detail for greater visibility.

- K33's 240 × 180 thermal imaging matches the resolution of the K45
- K53's 320 × 240 resolution equals the image quality of the K55 and K65
- Bright 4" LCD shows smooth 60Hz thermal image that keeps up with the action

BN318 | FLIR K33 Thermal Imaging Camera Kit with FSX™ | \$2,995

BN319 | FLIR K53 Thermal Imaging Camera Kit with FSX™ | \$3,995

BL505 | FLIR In-Truck Charger | \$550



Thermal Imaging

Situational Awareness Camera

The FLIR K2 is a rugged, reliable, and extremely cost effective thermal imaging camera. The affordable price makes powerful thermal imaging more accessible to more firefighters.



BN475 in-truck charger. Camera sold separately.

FLIR K2 TIC with MSX® Multi-Spectral Dynamic Imaging

MSX® Multi-Spectral Dynamic Imaging

The K2 uses FLIR's patented MSX technology that embosses key details from the built-in visible camera onto thermal images, providing extra perspective to help you stay oriented and safer while saving others.

Compact and Easy to Use

FLIR K2's design makes it light and easy to attach to turnouts. A single large button activates the camera even with heavy gloves on.

Rugged & Reliable

Engineered to survive tough operating conditions, the K2 withstands a 2m drop onto concrete, is water resistant (IP67) and is fully operational up to +500°F (for up to 3 minutes.)

Multiple Image Modes

FLIR K2 can be set to one of seven different thermal imaging modes dependent upon the camera's primary use.

Rugged, Compact, & Water-Resistance for Demanding Fieldwork

The FLIR K1 is a robust, compact thermal camera designed to provide an additional layer of situational awareness during critical moments. Ideal for commanders, officers, and inspectors, this camera allows for a comprehensive 360° assessment in complete darkness and through smoke with an integrated flashlight and the ability to display 160 x 120-pixel thermal images.



FLIR K1™ Situational Awareness Camera

- 160 x 120 pixel IR detector
- MSX® image enhancement
- 57° x 44° field of view
- Integrated 300-lumen flashlight
- Drop-resistant to 2m (6 ft)
- IP67 rating
- Save up to 10k visual and thermal image sets
- Up to 5.5 hours of power from a built-in rechargeable Li-ion battery, charged via USB-C
- Warranty: 2-years parts and labor, 10-years for the detector, after camera registration

BP081 | FLIR K1 | \$499

BN082 | FLIR K2 Thermal Imaging Camera with MSX® | \$999

BN475 | FLIR In-Truck Charger | \$250

BN723 | FLIR K2 Battery | \$207.99





Trust Darley to Provide the Newest Member of Your Team

The Darley Difference

-  10+ years of experience selling and supporting Unmanned Systems
-  1000s of aerial, underwater and ground robots sold to multiple first responder agencies
-  Actively on Department of Defense and Federal Agency contracts
-  Close relationships with Blue UAS manufacturers
-  Consultative – not transactional (tell us your need; we'll design your solution)
-  Hardware and software packages
-  Worldwide training and technical support
-  Connected and engaged customer base for networking and learning
-  NDAA compliant drone technology

Whether by air, ground, or sea, Darley is here to serve your needs.





Scan to learn more or request a demo
 Contact uxs@darley.com



Our Partners



Plus, many more



Connect With Darley to Augment Your Team's Training Needs

The Darley Difference

- 5+ years of experience selling and supporting Simulated Training Systems
- Partnered with trusted suppliers offering a diverse portfolio of Sim-T solutions for first responders and warfighters
- Consultative - not transactional (tell us your needs; we'll design your solution)
- Hardware and software packages, and training packages
- Worldwide training and technical support
- Connected and engaged customer base for networking and learning

Simulated Training is an Essential Resource for All Teams. Whether Fire, EMS, Police, or Warfighters, Darley is here to serve your needs.



Scan to learn more or request a demo

Contact simt@darley.com



Our Partners

FLAIM

VirTra

JFTAYLOR



MOTH+ IMMERSIVE FLAME TRAINING.

LASER SHOT SIMULATIONS

RiVR Link

FAAC

V-ARMED

And many others

Streamlined Design with Ergonomic Features

Darley Innotex Exclusive Custom Energy Gear

- Gold Outer Shell with single metabolic zone
- Armor AP™ Nomex®/Kevlar® blend
- Stedair® 4000 moisture barrier
- Glide Ice™ Pure thermal liner
- Streamlined design/ergonomic features
- 3" NFPA pattern lime/gray micro-perforated reflective trim
- Black PCA reinforced knees

Coat Features

- 32" coat w/Action Back & zipper closure
- 2 - 8" x 9" semi-bellows pockets
- 9" x 3" x 2" radio pocket w/mic clip
- Nomex® wristlet w/thumb loop
- Flashlight holder

Pant Features

- 2 - 10" x 10" x 2" semi-bellows pockets
- Inner hook & loop closure
- Hook and D-ring outer closure
- Low-rise waist with adjustable belt
- Enhanced Mobility Knee™
- PCA reinforced cuffs and knees



Exclusive Innotex Features

Airflow™ vented shoulder
& back protection



[Contact us for specifications and custom options](#)

Optimum Breathability

Fire-Dex AeroFlex Custom Gear

In the line of duty, one of the biggest dangers faced is heat stress. As your core temperature rises, you lose the ability to make sound decisions and think critically.

Fire-Dex has discovered that traditional gear fails to cool you down where you need it the most. That's why they developed AeroFlex™, a new era of turnout gear that supercharges the breathability of your garment and encourages airflow to reduce the risk of heat stress and cardiac related issues

- Breathability - Gear allows moisture vapors to escape
- Sweat Evaporation - Supports core temperature regulation
- Wicking - Draws sweat away from skin and disperses it
- Convection - Air currents carry heat away from the body

Set Features

- VaporLite™ panels
- AeroVent™ technology
- Omnidex™ coat shoulder align with body's natural hinge points
- 3D Flex on pant knees for free range of motion
- TECGEN 71 outer shell



Lightweight & Flexible **Exclusive** Fire-Dex **TECGEN71** Outer Shell

TECGEN71 Gear

As an industry, we have been trained to think that you have to sacrifice thermal protective performance (TPP) in order to achieve maximum total heat loss (THL). A game changer for the fire industry, Fire-Dex FXR turnouts are specifically designed to minimize firefighter stress and fatigue through Active Posture Design™, allowing for full range of motion - especially while wearing your SCBA!



We're Here for You

Need sizing assistance and help selecting the right gear for your department?

Connect with your product expert at 1.800.4DARLEY



The Perfect Balance of Breathability, Comfort, TPP & THL

Ensemble Features

- Lightweight & flexible TECGEN71 outer shell
- Stedair® 4000 moisture barrier
- CoreCXP thermal liner with superior wickability
- Thermoplastic zippers
- 3" NYC Scotchlite™ lime/silver trim
- PCA reinforced cuffs
- 30" coat

RIP Twill Construction

The proven strength of 60/40 Kevlar®/Nomex® on the face of the fabric, while creating a super structure of the TECGEN® fiber inside. This combination provides a lightweight solution, weighing in at 6.5 oz/yd.

Double Lock Stitching

Fire-Dex uses lock stitching on all major seams, cuffs, and reinforcements, with 4 rows of lock stitch on all reflective trim and hook & loop closure material.

Superior Pockets

All bellows pockets are reinforced with Kevlar® for the best cut resistance. All Radio Pockets are fully lined with moisture barrier, including the pocket flap. All pocket flaps are extra long to ensure complete closure, no matter the bulk inside.



Designed to Lessen Heat Stress

A structural firefighting outer shell designed to lessen heat stress by reducing weight and increasing flexibility. TECGEN71 features a rip twill weave that combines the proven durability of DuPont™ Kevlar®/Nomex® and the unique benefits of the TECGEN fiber. TECGEN71 is the first of its kind to address this growing health concern with innovative technology aimed at providing the perfect balance of breathability, comfort, TPP and THL, all while offering an overall reduction in composite weight.

Seamless Collar

Comfort and NFPA compliant protection without the need for a throat tab

Omnidex™ Shoulder

Eliminates coat rise and sleeve retraction by moving the shoulder seam to the natural bending point, allowing for optimal SCBA positioning

Athletic Pant Design

Provides natural movement and comfort in a forward firefighting position

DexFlex™ Knees & Elbows

Move freely and reduce resistance with naturally-bent knees and elbows

TECGEN71 Composites vs. Typical Combinations



20% Lighter



70% More Flexible



45% Thinner



50% Higher Total Heat Loss

Without Sacrificing Thermal Protective Performance

Coat Features

- 30" coat length
- Zipper with hook and loop closure
- Combo handwarmer/semi-bellows pockets
- Radio pocket with double notched flap
- Flashlight holder
- Mic clip above radio pocket
- Optional lettering available

Customization
available at
additional charge

Pant Features

- Zipper with hook and loop closure
- 2 take-up straps at waist
- Semi-bellows pockets
- Padded knees
- Deluxe H-Back padded suspenders with cam-lock

Specify Size: S-3XL

BP164 | TECGEN71 Coat 6.5 oz. | Black | \$3,012.95

BP165 | TECGEN71 Coat 6.5 oz. | Gold | \$2,856.95

BP166 | TECGEN71 Pants 6.5 oz. | Black | \$2173.95

BP167 | TECGEN71 Pants 6.5 oz. | Gold | \$2,057.95

Don't miss
TECGEN51
in Wildland
+ more gear on
shop.darley.com



Measuring Instructions

shop.darley.com/turnoutmeasuring

Coat	Chest	Sleeve	Pants	Waist	Inseam
S	38"	32"	S	32"	29"
M	42"	34"	M	36"	29"
L	46"	35"	L	40"	29"
XL	50"	35"	XL	44"	29"
2XL	54"	36"	2XL	48"	29"
3XL	58"	36"	3XL	52"	29"



Save 15% With Our Darley Armor APM Gear Package



Increase Your Protection & Comfort

How does one achieve absolute performance utilizing the same fibers (meta-aramid, para-aramid) used in Fusion™ and TenCate Advance™...and not increase the cost 25-50%? The answer lies in Filament Twill Technology™. Like PBI Max™, Armor AP is powered by DuPont™ Kevlar® filament in a twill weave. The result is a lighter weight outer shell (6.5 oz.) with improved comfort/flexibility, improved strength and durability, and equal to improved protection.

Resist Tearing and Maximize Your Mobility

DuPont™ Kevlar® filament allows Armor AP to resist tearing for a longer period of time than traditional outer shells like Fusion™ and TenCate Advance™...improving durability.

Based on the Fire-Dex FXM pattern, you get better comfort and flexibility that leads to better mobility. Better mobility can make all the difference in a life threatening situation. Firefighters wearing other outer shells don't need to sacrifice mobility any longer...Darley Armor APM is the answer.




Scan to shop
your package



Loaded with Features to Exceed Your Needs

- Lightweight Armor AP outer shell
- Stedair® 3000 moisture barrier
- CoreCXP thermal liner
- Removable DRD
- Overlapping collar
- Radio pocket
- Zipper with Velcro® closure
- Semi-bellow, handwarmer pockets
- Thumb straps
- Reflective trim
- Moisture barrier & liner
- High back pants & suspenders
- Large bellows pockets
- Arashield pant cuffs & knees
- Available in black, gold (shown) or khaki

Customization
available for an
additional charge



Built for Improved Comfort, Mobility, Strength & Durability

Lightweight, Utilizing Filament Twill Technology™

The Best Dupont Nomex®/Kevlar® Outer Shell Blend

For at least two decades, fire departments choosing outer shells made of 40% DuPont™ Nomex®/60% DuPont™ Kevlar® have been limited to stiff and uncomfortable gear...until now. Utilizing the groundbreaking Filament Twill Technology™, the Armor AP outer shell fills the needs of firefighters who prefer improved mobility, durability, and improved protection at an economical price. Armor AP is a 6.5 oz. outer shell with absolute performance.



Measuring Instructions
shop.darley.com/turnoutmeasuring

Coat	Chest	Sleeve	Pants	Waist	Inseam
S	38"	32"	S	32"	29"
M	42"	34"	M	36"	29"
L	46"	35"	L	40"	29"
XL	50"	35"	XL	44"	29"
2XL	54"	36"	2XL	48"	29"
3XL	58"	36"	3XL	52"	29"

Note: Coat Length: Front - 29", Back - 33".
Optional lettering available for an added fee.

Customization
available for an
additional charge

Package Includes Gear + Hood, Helmet, Gloves, Boots & Bag



Save
15%

Package Savings of \$616!

BP570	Darley Armor APM Gear Coat	S-3XL	Black, Gold or Khaki	\$1,617.95
BP571	Darley Armor APM Gear Pants	S-3XL	Black, Gold or Khaki	\$1,269.95
BP008	H41 Interceptor Hood w/Stedair® PREVENT	One Size	Gray	\$176.95
BP977	UST-LW™ Helmet w/ReTrak Integrated Visor & 6" Brass Eagle	One Size	Black, Red, Yellow or White	\$465.95
BL943	Pro-Tech 8 Fusion Pro Gloves	S-XXXL	Black	\$82.00
BP956	Rocky Code Red Structure Composite Toe Fire Boots	7-16	Black	\$397.95
BN532	Ripstop 3XL Turnout Gear Bag	3XL	Khaki	\$101.95

Gear Purchased Separately

\$4,112.70

Darley Armor APM Gear Package Price

\$3,495.80

Head-to-Toe Solution at a Special Package Price

Darley Champion™ Gear Package

Darley now offers a head-to-toe solution for your turnout gear needs at a special package price. Our Champion™ gear is built to hold up in the toughest of conditions and is loaded with all the features you expect including plenty of large pockets and clips for your tools and communication equipment, reinforced knees, double-stitched seams and comfortable overlapping collar. Your safety is most important so we've included bright, reflective 3M™ Scotchlite™ triple trim, a fire resistant Nomex® IIIA outer shell and Drag Rescue Device per the latest NFPA safety standard.

- Overlapping collar
- 2 - Mic clips
- Radio pocket
- Embroidered patch
- Coat closure
- 2 - Patch pockets
- Reflective trim
- Removable DRD
- Coat liner
- Suspenders
- 32" coat
- Reinforced knees
- Pants closure
- 2 - Bellows pockets
- Take-up straps
- and more!

Customization available for an additional charge

Halligan sold separately



Coat	Chest	Sleeve	Pants	Waist	Inseam
S	38"	32"	S	32"	29"
M	42"	34"	M	36"	29"
L	46"	35"	L	40"	29"
XL	50"	35"	XL	44"	29"
2XL	54"	36"	2XL	48"	29"
3XL	58"	36"	3XL	52"	29"
4XL	62"	37"	3XL	56"	29"

Measuring Instructions: shop.darley.com/turnoutmeasuring

Package Includes Gear + Hood, Helmet, Gloves, Boots & Bag

Save 15%



Package Savings of \$434!

BK407	Darley Champion™ Gear Coat - Nomex®	S-4XL	Black, Tan, Yellow, Black, Navy, or Red	\$1,295.95
BK408	Darley Champion™ Gear Pants - Nomex®	S-4XL	Black, Tan, Yellow, Black, Navy, or Red	\$863.95
AK020	Nomex® Hood	One Size	White	\$39.95
AM003	Fire-Dex® 911™ Helmet	One Size	Black, Red, Yellow or White	\$317.95
BH127	Darley Gold Gauntlet Gloves	S-XL, Jumbo	Gold	\$100.95
BB009	Hellfire™ Felt Insulated Rubber Boot	Size 7-14, 15 Width: M, W, XW	Black	\$199.95
BK200	Firefighter Gear Bag w/Carrying Strap	One Size	Red w/Black Trim	\$77.95

Gear Purchased Separately

\$2,895.70

Darley Champion™ Gear Package Price

\$2,461.35

Exclusive Energy Design

Innotex RDG 40 Gear

- Outer Shell—Gold Pioneer™ Kevlar/Nomex blend
- Stedair® 3000 moisture barrier
- Defender® M NP thermal liner
- 3" NFPA pattern lime/gray micro-perforated reflective trim
- Pocket pull-tabs
- Reflective seam piping

Coat Features

- Shorter front—longer back coat w/ Action Back & zipper closure
- 2 - 8" x 9" semi-bellows pockets
- 8" x 4" x 2" radio pocket w/mic clip
- Nomex® wristlet w/thumb hole
- Flashlight holder

Pant Features

- 2 - 10" x 10" semi-bellows pockets
- Inner zipper closure
- Low-rise waist with adjustable belt
- Enhanced Mobility Knee™
- PCA reinforced cuffs and knees




Specify Size: S-3XL

View Size Chart at shop.darley.com

BL530 | Nomex®/Kevlar® Turnout Coat | Khaki | \$1,645.95

BL531 | Nomex®/Kevlar® Turnout Pants | Khaki | \$1,132.95



Accessories sold separately



Quality Gear on a Budget

Innotex RDG 10 Gear

- Outer Shell—Brigade™ 750
- Stedair® 3000 moisture barrier
- Q-8 thermal liner
- 3" NFPA pattern lime/gray micro-perforated reflective trim

Coat Features

- 3" BR 1™ four-layer collar
- 2 - 8" x 10" semi-bellows pockets
- Nomex® wristlet thumb hole
- 8" x 4" x 2" radio pocket with mic loop

Pant Features

- 2 - 10" x 10" semi-bellows pockets
- 7.5" x 8" inside left pocket with 1" x 3" hook and loop attachment
- Removable H-back suspenders
- Waist adjustment straps with buckles



Specify Size: S-3XL

View Size Chart at shop.darley.com

BL526 | Nomex® Turnout Coat | Yellow | \$1,443.95

BL527 | Nomex® Turnout Pants | Yellow | \$936.95



Turnout Gear

Superior Mobility with Unrestricted Movement

7oz. Aluminized PBI Attack™ Turnout Gear

The Attack™ Proximity Series is Lakeland Fire's traditional style of turnout gear. New MTS® patterns have revolutionized the way Attack feels and wears. Superior mobility is key, with unrestricted movement while crouching, bending, or reaching. You can customize your MTS® Attack™ gear to fit your needs and company requirements.

Coat Features

- 35" coat length
- Q8 thermal liner
- Ergonomically curved sleeves
- 5" deep sleeve wells
- Zipper/Velcro® closure standard
- "Easy Grip" DRD (Drag Rescue Device)
- 10" x 10" x 2" coat expansion pockets
- NFPA 1971

Pant Features

- Q8 thermal liner
- Pant liner inspection port
- Take-up straps with high temp Delrin buckles
- Pockets optional
- Reverse boot cut
- Stedair 3000 moisture barrier
- NFPA 1971- Current edition



View the full list of features on shop.darley.com

Specify Size: S-2XL

BK262 | 7oz. Aluminized PBI Attack™ Turnout Coat | \$1,522.95

BK264 | 7oz. Aluminized PBI Attack™ Turnout Pants | \$1,115.95

Aluminized Cover Helmet

The Aluminized Cover Helmet provides all of the improved fit, ride, components and tough "FYR Glass" shell. "Lite Force Plus Proximity" is certified to meet these requirements. Ship. wt. 5 lbs.

- Standard "Prox" configuration with adjustable throat protector
- Shroud/ear flaps have breathable W.L. Gore moisture barrier and "Protective Comfort" quilted FR cotton facecloth thermal liner
- Gold-coated, 6" faceshield
- Helmet cover



AS306 | Aluminized Cover Helmet | \$737.95

Proximity / Bunker Boots

- Athletically designed for performance and agility
- Specially designed profiled boot accommodates the largest legs fitting comfortably under proximity pants
- Goodyear welt is made to withstand the harsh proximity environment
- Improved heel pocket and comfortable molded insert defend against heel slippage while stabilizing and minimizing back and leg strain
- Vibram® lug soles with FIRE&ICE™ compound are cemented and security stitched
- Steel bottom plate and shank
- Double radiant layers and aluminized shield
- Full height bootie with 7.5 oz. of Virgin Kevlar® felt quilted to Cambrelle® and laminated to Crosstech



Specify Size: 7-13, 14, 15, 16 Specify Width: D, E, EEE

MBK254 | Proximity / Bunker Boots | \$949.95 pr.

FIREWALL® ARFF Gloves

- Crosstech® Direct Grip® glove liner
- Aluminized PBI®/ Kevlar™ knit
- 2-ply Nomex® wristlet
- Breathable
- Meets NFPA 1971- Current edition



AW114 Specify Size: S-2XL

FIREWALL® ARFF Gloves | \$326.95 pr.

Pro-Tech 8 Gloves



Multi-Layer Design & Exclusive Knuckle Guard



Pro-Tech 8 Vision™ Structural Firefighting Gloves

- Water-resistant outer shell made of FR treated water buffalo hide
- Triple certified Porelle® PTFE moisture barrier protects against chemical and viral threats
- Glows in the dark: RIT Rescue Bands support downed firefighter rescue and high-vis need situations
- Reinforced eight-layer knuckle guard featuring 100% Kevlar® fused with silicon carbide
- Superior wet-and-dry grip: Water buffalo hide and stitched down palm delivers exceptional grip
- Enhanced dexterity: Finger sidewalls feature DuPont™ Kevlar® and Nomex®
- Easy to don and off: Using modacrylic inner liner and durable leather pull tab
- Resists pullout: Inner liner is sewn and bonded at each fingertip for maximum resistance to pullout
- NFPA 1971-2018- Current edition certified materials for professional-grade hazard protection

Specify Size: S-2XL

BP486 | Pro-Tech 8 Vision™ Structural Firefighting Gloves | \$68.00 pr.

BP486



BL943



BL944



Pro-Tech 8 Fusion Pro & Titan Gloves

Pro-Tech 8 gloves have an exclusive multi-layer knuckle guard system to provide unmatched thermal protection and cut/puncture resistance.

- Advanced multi-layer design reinforces vulnerable areas and features exclusive knuckle guard
- Fully lined with Kevlar® for added cut resistance
- Flexible finger sidewalls of Kevlar® and Nomex® maximize dexterity
- NFPA 1971-Current edition compliant fire-retardant moisture and blood borne pathogen barrier
- Palm layers stitched down with high-burst Kevlar® thread to strengthen grip
- BL943: Fully knitted 100% modacrylic inner liner for easy on and off. Stays soft and flexible after drying.
- BL944: 100% Nomex® inner liner. Fully reinforced leather inner cuff. Goatskin/Kevlar®.

Specify Size: S-2XL

BL943 | Pro-Tech 8 Fusion Pro Gloves | \$82.00 pr.

BL944 | Pro-Tech 8 Titan Gloves | \$97.00 pr.

Turnout Gear

Dexterity, Durability, & Protection

Dex-Pro Gloves



- Ergonomic keystone thumb
- Top grain cowhide
- Goatskin fourchettes
- Leather reinforcements
- Military-grade DuPont™ Nomex® thermal liner sewn with Tex-80® Nomex® thread
- Vapor Flex™ moisture barrier
- Reverse grain cowhide
- Liner-Loc™ technology
- 60+ TPP



Specify Size: S-XXL

BL690 | Dex-Pro Gloves - Wristlet | \$156.95/pr.

BL691 | Dex-Pro Gloves - Gauntlet | \$146.95/pr.

Structural Fire Gloves Kangaroo Leather

NEW



- Reliable protection against heat and flames
- Engineered to withstand extreme temperatures
- Cut resistant
- Textured surface enhances grip
- Premium Kangaroo Leather
- Excellent breathability and moisture-wicking properties
- Gauntlet-style cuff offers additional protection
- NFPA 1971-2018- Current edition certified

Specify Size: S-XXL

BP966 | Majestic Fire Glove - Gauntlet | \$126.95/pr.

BP967 | Majestic Fire Glove - Wristlet | \$136.95/pr.

Dragon Fire X2S Fire Gloves

New Look



- Wide wrist opening for easy don and doff
- Unequaled wet grip strength
- Strategic wear and grip pads on finger tips/thumb
- Excellent cut/rip/abrasion resistance
- Smooth leather finish, streamlined vapor barrier, and thermal lining for better dexterity
- TPP rating of greater than 60
- Certified to NFPA 1971- Current edition standard

Specify Size: S-XXL

BP998 | Gauntlet Dragon Fire X2S Fire Gloves | \$110.95/pr.

BP999 | Wristlet Dragon Fire X2S Fire Gloves | \$116.95/pr.

Ringers Structural Gloves



- Durable Eversoft® thermal split cowhide leather on top and palm of the gloves
- Kevlar® stitching for maximum structural durability
- Porelle® insert for optimum breathability and waterproof barrier
- Lined with Kovenex® for thermal and flame resistance
- Seamless fingertip construction for flexibility and dexterity

BP004 | Gauntlet Ringers Structural Gloves | \$106.95

Elk/Pig NFPA Gloves



- Grain elk hide and Shelby abrasion-resistant brushed pigskin
- Gore™ RT7100 glove barrier fabric
- NFPA & CE compliant
- Heavy-weight
- Fire retardant
- Shelby “Black Line” Nomex® wristlet

Specify Size

Cat:#	Description	Size	Price
BD144	Elk/Pig NFPA Wristlet Gloves	XL only	\$146.95/pr.
BD145	Elk/Pig NFPA Gauntlet Gloves	S or L only	\$163.95/pr.

Pigskin Firewall® Gloves



Wash and Wear Pigskin Firewall® Gloves last 4x longer than others. Outer shell stays soft and supple even after repeated soakings. Gloves come with a sewn-in, breathable, liquid-proof barrier for bacteria and chemicals. Meets the highest requirements in terms of durability and abrasion resistance. AC542 and BA003 meet NFPA 1971 - Current edition. Ship. wt. 1 lb.

- Nomex® knitwrist
- Vapor barrier (NFPA only)
- Gunn cut seamless palm
- Thermal lining
- OSHA and NFPA styles available

Specify Size: S-XL

AC542	Pigskin Firewall Gloves, NFPA Wristlet	\$133.95/pr.
BA003	Pigskin Firewall Gloves, NFPA Gauntlet	\$127.95/pr.

Darley Gold Gloves



- Offers unmatched comfort, protection and performance
- Gore RT7100 waterproof, breathable barrier system is the same proven technology used by many of the leading turnout gear manufacturers
- Best in class technology means better dexterity, no liner pull-outs and performance even after exposures in hot structural environments
- Heavy weight Koala tanned outer shell will remain soft after repeated soakings, 100% dunk tested

Specify Size: S-XL, Jumbo

BH127	Darley Gold Gauntlet Gloves	\$100.95/pr.
-------	-----------------------------	--------------



Koala Gloves



- Shelby® Koala tanned, split cowhide
- Gore™ glove barrier fabric
- Fire retardant
- Wing thumb
- Nomex® wristlet
- Breathable barrier
- Sewn in liner/barrier systems
- NFPA/CE compliant
- Ship. wt. 1 lb.

Specify Size: S-XL

AW122	Koala Wristlet Gloves	\$126.95/pr.
BA002	Koala Gauntlet Gloves	\$121.95/pr.





Superior Support & Protection

Calf-Fit System™

Black Diamond X2-Boots

- Fire retardant, genuine heavyweight FireTuff™ leather
- CROSSTECH® fabric with Omaha lining is a high performance, wicking fabric, originally developed for aggressive military applications
- Stitch-down "Stroble" lining
- 3-Point Heel Lock System: Exclusive for fit and comfort
- 3M Scotchlite™ Flame-resistant fluorescent and reflective material for added visibility
- Rubber toe cap for high-abrasion and steel toe HI 500
- Oblique Comfort Toe meets or exceeds ASTM standard
- Tri-density, multi-fit, removable comfort footbed with TPU arch support, anti-microbial, breathable and shock absorption
- NFPA 1971- Current edition for Structural Firefighting and NFPA 1992- Current edition for Liquid Splash
- Adjustable insole fits three widths: M, W, & EW



Specify Size: 7-11, 12, 13, 14

BK274 | Black Diamond X2-Boots | \$369.99

Easy Don and Doff with Pull Handles

Fire-Dex® FDXL200 Leather Boots

- Visibility with bright reflective 3M™ Scotchlite™ trim
- Feel extra comfort & protection with shin cushioning & Flame Stop leather—made from the finest U.S. steer
- Additional flex points at the ankle eliminate pitch points and allow for a larger range of motion
- Long-lasting support with a naturally-shaped, shock absorbent sole that features toe & heel springs to reduce impact zones
- Extreme durability with Nomex® and Kevlar® lining.



Specify Size: 8-11, 12, 13, 14 Specify Width: M, W or XW
BP212 | Fire-Dex® FDXL200 Leather Boots | \$520.95

Triple-Layer Waterproof Lining

NEW

Station 1™ 9" Leather Boots

- GORE® Crosstech® triple-layer waterproof lining is blood-borne pathogen resistant
- Full grain, flame/cut-resisting leather
- Steel triple-rib logger shank
- Exclusive Vibram® ATS outsole
- Cement construction
- Certified to meet NFPA 999 EMS & NFPA 1977- Current edition Wildland
- Not designed for NFPA 1971 structural fire fighting
- Ventilated collar with climate control



Specify Size: 7-14, 15 Specify Width: M,W and XW
MBK125 | Station 1™ 9" Leather Boots | \$334.00





Structural and Bunker Boots



14" Structural Bunker Boots

- Height: 14"
- GORE® crosstech® triple-layer moisture barrier projects against blood-borne pathogens
- Black prime waterproof, flame-resisting, and cut-resisting leather
- StedAir® waterproof, blood-borne pathogen compliant, breathable membrane
- Wrap-around shin guard
- Ankle lock system keeps ankle firmly in place
- Non-metallic composite safety toe
- Reflective high-visibility 3M™ Scotchlite™ piping won't darken in high temperatures
- NFPA 1971- Current edition certified

View the full list of features on shop.darley.com



BL617



MBG100

Specify Size: 7-16 Specify Width: M, W, XW

BL617 | 14" Knockdown Elite Structural Bunker Boots | \$472.00

MBG100 | 14" Structural - Power OR14 Bunker Boots | \$377.00

Hellfire™ Boots

Hellfire™ series provides superior protection for structural and fire fighting. Ship. wt. 6 lbs.

- Upper: Flame-resisting, heat-resisting rubber
- Construction: Vulcanized
- Insole: Removable superknit covered polyurethane footbed
- Midsole: Stainless steel, puncture-resisting bottom plate
- Shank: Steel triple ladder shank
- Outsole: Hellfire™ traction lug
- Double reinforced pull loops and cushioned shin guard
- Light-reflecting instep and heel patches
- Abrasion-resisting rubber T-Toe
- NFPA 1971 & 1992- Current edition certified

View the full list of features on shop.darley.com



BB009



MAZ250

Specify Size: 7-14, 15 Specify Width: M, W, XW

BB009 | Hellfire™ Structural Boots | \$199.00

MAZ250 | Insulated Hellfire™ Boots | \$249.00

Choose From Both **Leather** or **Rubber** Styles

Insulated Kevlar®/Nomex® Lined Boots

Insulated light weight boots feature Kevlar®/Nomex® lining and are equipped with a shinguard for additional ladder-rung shin protection. Roomy steel toe provides extra comfort, and steel bottom plates and shanks offer unmatched impact/compression and puncture protection. Height: 16"



Specify Size: 7-15 1/2, 16 Specify Width: N, M, or W
BL105 | Insulated Kevlar®/Nomex® Lined Model 1500 Boots | \$352.95

Honeywell

31" Insulated Hip Boots

- Steel, toe cap, midsole and shank
- Natural rubber compound
- Rugged, rubber outsole, anti-slip, abrasion resistant
- Internal mid-way pull on loops
- Wool felt lining
- Height: 31"
- Non-NFPA certified



Specify Size: 7-14 Whole Sizes Width: Medium
BL662 | 31" Insulated Hip Boots | \$204.99



Unparalleled Protection and Comfort

NEW

Rocky Code Red Structure NFPA Rated Composite Toe Fire Boot

- Height: 14"
- Slip-resistant outsole
- Removable polyurethane footbed
- Lightweight, yet strong toe cap
- Protects against fire, heat, and hazardous material
- Reflective accents
- NFPA 1971- Current edition



Specify Size: 7-16 Half Sizes Specify Width: M, W, and XW
BP956 | Rocky Code Red Structure Composite Toe Fire Boot | \$397.95

Mission Essential Bags



Accessories Not Included

Larger Than ANY Competition

Premium Turnout Bag with Wheels

- Fully molded top, bottom and sides
- Largest zippers available
- Retractable luggage-style handle
- Larger and wider wheels than similar bags
- Rear and bottom are reinforced with diamond embossed waterproof neoprene
- Rubber reinforced corners and high-stress areas
- Large top flap opens the full length
- Hi-Vis lime-yellow/silver triple reflective trim
- Reflective tape stitched into all Firefighter webbing and handle
- Embroidered Maltese Cross logo
- Dimensions: 32" L x 18" W x 18" H

Specify Color: Red or Black

BL430 | Premium Turnout Bag with Wheels | \$181.95

BL429 | X-Large Turnout Bag | \$63.95

Heavy-Duty Bag

X-Large Turnout Bag

- Multiple pockets and compartments
- Padded shoulder strap
- Reflective stitching
- Heavy-duty zippers
- 600 denier polyester outer shell fabric
- Grab-n-go pull strap with grabber
- Overall Size: 16" H x 25" L x 15" W
- Side Pockets: 16" H x 2" D x 15" W
- Total Capacity: 7,280 cu. in.



BL430



BL429



Hold All of Your Gear, Boots, and Helmet Comfortably

Quad-Vent Turnout Gear Bag

Lightning X Products has been making quality public safety bags for nearly 20 years, improving upon existing bag designs. The LXFB45M uses Quad-Vent Technology that features four uniquely shaped mesh vents located at each corner of the turnout gear compartment to promote cross ventilation. This keeps your gear fresh and helps prevent mildew from forming. Our competitors only offer a bag with one vent, in the rear of the bag...how is air supposed to flow through just one vent? The Quad-Vent bag is large enough to hold all of your gear, boots and helmet comfortably – without being so big that it becomes cumbersome to carry around.

Specify Color: Red, Fluorescent Yellow or Black

BP197 | Quad-Vent Turnout Gear Bag | \$75.95

Extra Large, Rugged, Reflective, and Looks Good

Ripstop 3XL Turnout Gear Bag

The Lightning X Ripstop 3XL Turnout Gear Bag is made to match the look and durability of your turnout gear by using heavy duty RIPSTOP nylon in a golden/tan color variation. This fabric ensures that any punctures don't turn into a large tear that ruins your bag. It's large enough to hold all of your turnout gear, helmet, SCBA mask, jumpsuit and other items.

Tan Camo Red Black

BN532 | Ripstop 3XL Turnout Gear Bag | \$96.95 | \$103.95 | \$87.95 | \$94.95



BP197



BN532

Gear Bags

With or Without Wheels

Fire Fighter Gear Bag

- One of the biggest gear bags in the industry
- Now available with wheels
- Overall Size: 29" L x 16" W x 17" H
- Main Compartment: 18" L x 16" W x 17" H
- 4 additional pockets including an extra large helmet pocket
- Reflective trim along straps and on bottom
- Vented main compartment with Velcro® front closure



BK200 | Fire Fighter Gear Bag with Carrying Strap | \$77.95
 BK201 | Fire Fighter Gear Bag with Wheels | \$114.95

Two Style Options

Darley Turnout Gear Bag

- Available in two sizes, this bag is designed to hold your gear. Features a front outside zippered pocket to carry smaller items
- Standard bag measures 13¹/₂" L x 13" H x 24" W
- Extra large bag has 25% more room measuring 13¹/₂" L x 16" H x 24" W
- Available in choice of plain red, red with Maltese Cross or Royal Blue with Star of Life. Ship. wt. 3 lbs.



AJ093 | Darley Turnout Gear Bag | \$98.95
 AJ027 | X-Large Royal Blue Darley Turnout Gear Bag | \$117.95

Boot Style Turnout Gear Bag

- 2" wide nylon webbing
- 550 cubic feet larger
- Maltese Cross
- Lime triple trim
- Reinforced bottom
- Nylon strap grabber
- ID window

17" x 18" x 20 1/2"



BL414 | Boot Style Turnout Gear Bag | \$50.95

Strongest Shell on the Market

Lite Force Plus Modern Helmets

- 42% more resistant to impact penetration than helmets made of fiberglass
- FYR-Glass Technology - Provides a helmet that is lighter, lower ride, more comfortable and better fitting
- High Heat Performance - No other shell finish stands up to high heat like FYR-Glass
- 8-point suspension and wider interior for superior comfort and fit
- Headband/ratchet fits the largest range of hat sizes of any NFPA helmet on the market, with position depth adjustments
- Accessories - Padded adjustable ratchet system, protective Nomex® earflaps, combo adjustable chin strap, Reflexite® trim
- Meets and exceeds NFPA 1971-2007- Current edition
- Ship wt. 4 lbs.



Specify Color: Red, Black, Yellow, White

AR321 | Lite Force Plus Helmet with Goggles | \$379.95

AR320 | Lite Force Plus Helmet with Faceshield | \$340.95

BL251 | Lite Force Plus Low Rider Helmet with Goggles | \$377.95

BL252 | Lite Force Plus Low Rider Helmet with Faceshield | \$341.95

Solid, Dependable, & Comfortable

Fire-Dex™ 911™ Helmet

Helmet shell is made of the lightest fiberglass composite offering superior protection against high temperature and chemical hazards. Its unique foam impact insert assembly provides even more top and side protection. Long lasting, easy-to-clean, high-gloss, flame-retardant finish resists scratches and UV rays. Replaceable 4" PPC wrap around face shield features an easy-to-operate tension adjustment and plastic bracket to provide maximum dielectric protection. Meets current NFPA standards.

- Colored fiberglass compression molded shell
- Fiberglass shell has superior flame and heat resistance
- Thermal impact cap is a low density injection mold
- 2 pieces that are inseparable
- 6 way overhead suspension straps allowing for a more customized helmet "ride"
- 3 piece headband with easy adjustments



Fire-Dex

Specify Color: Red, Black, Yellow, White

AM003 | Fire-Dex® 911™ Helmet | \$317.95

Reinforced, High-Temperature Resistant

Cairns 660C Fiberglass Helmet

Cairns' patented shell release helps reduce the chance of neck injury by allowing the shell to release, leaving the impact cap behind for protection under severe upward impact. Beneath the shell is a high-temperature foam cap for increased thermal and impact protection. Headband features adjustable front for perfect fit between helmet and SCBA mask and 3-position rear ratchet adjustment. Other features include full brim, high-temperature edge trim, faceshield wing protectors, Nomex® chinstrap with quick-release and postman slide, Nomex® neck/ear protector and 4" Tuffshield faceshield. Helmet fronts sold separately. Meets NFPA 1971.

Specify Color: Red, Black, Yellow, White, Blue

AA843 | Cairns 660C Fiberglass Helmet | \$326.95

AF093 | Cairns 660C Replacement Faceshield | \$74.95



See pages 174-175
for Helmet Lights



FireDome® FX Helmet- Fiberglass

Firefighters frequently exposed to chemicals and hydrocarbons appreciate the FireDome® FX with a resin-bonded fiberglass outer shell. Fiberglass helmets are more resistant to chemical attack and more stable at extreme temperatures than those made of thermoplastic. Meets NFPA 1971- Current edition standard. Ship. wt. 5 lbs.

Specify Color: Red, Black, Yellow, White, Blue, Orange, Lime
 AF086 | FireDome® FX Helmet with Faceshield | \$379.95
 AS354 | FireDome® FX Helmet with Goggles | \$391.95



FireDome® PX Helmet- Thermoplastic

Firefighters who need a more durable helmet choose the FireDome® helmet with injection-molded thermoplastic outer shell. Constructed with a high-heat thermoplastic providing greater impact and penetration resistance than fiberglass; plus it's more reliable with repeated heat exposures. Meets NFPA 1971- Current edition. Ship. wt. 5 lbs.

Specify Color: Red, Black, Yellow, White, Blue, Orange, Lime
 AF088 | FireDome® PX Helmet with Faceshield | \$383.95
 AS027 | FireDome® PX Helmet with Goggles | \$395.95



FireDome® LT Helmet

The FireDome® LT structural fire helmet is the result of 20 years of Bullard engineering, polymer technology and expertise. The Bullard Tough LT comes standard with the all-new and innovative, patented Quick-Attach Blade System, that permits the firefighter to simply press on or off either a blade-mounted faceshield or blade-mounted goggles in seconds. This helmet can also be enhanced with a variety of optically correct visors, goggles, and neck protectors to equip your fire department with complete head, face and neck protection to meet your specific applications. With the new compact design and lower center of gravity, the LT keeps weight evenly distributed and holds the helmet stable on the head. Meets NFPA 1971- Current edition. Ship. wt. 5 lbs.

Specify Color: Red, Black, Yellow, White, Blue, Orange, Lime
 AW498 | FireDome® LT Helmet with Faceshield | \$309.95
 AW499 | FireDome® LT Helmet with Goggles | \$319.95



Super Lightweight Fire Helmet

Traditional Style Fire Helmet with 6" Brass Eagle

- Scotchlite Reflective Striping* retains reflectivity to 500° F (260° C)
- Tough Thermoglas® Outer shell with super matte finish
- M-Pact Plus molded inner liner helps to protect against heat rise and falling objects
- Chinstrap with postman's slide is easy to adjust and secure
- Brass D-ring to help hang your helmet on virtually any size hook
- Meets NFPA 1971 Standard
- Molded nylon inner liner with polyurethane foam thermal barrier

Specify Color: Red, Black, Yellow, White

- BP620 | UST-LW™ Helmet w/4" faceshield & 6" Brass Eagle | \$397.95
 BP977 | UST-LW™ Helmet w/Bourke Eyeshield & 6" Brass Eagle | \$465.95
 BP622 | UST-LW™ Helmet w/ReTrak Integrated Visor & 6" Brass Eagle | \$422.95
 BP623 | UST-LW™ Helmet w/Detachables ESS IZ2 Goggle & 6" Brass Eagle | \$408.95



Sure-Lock® Ratchet Headband
 Made Exclusively by Bullard

Easy Operation and Energy Efficient

Structural Fire Helmet with TrakLite® Lighting System

The Structural Fire Helmet with TrakLite® Lighting System is designed to provide superior protection, comfort, and functionality for firefighters. With its innovative features and durable construction, this helmet is a long-term investment for any fire department.

- TrakLite® integrated lighting with eight bright white LEDs
- Cost-effective maintenance
- The U-Fit™ ratchet headband offers 12 custom comfort settings
- Removable leather ratchet cover, brow pad and ear/neck protector
- One-hand quick-release chin strap
- Eye and face protection shield
- Durable outer shell providing comfort and protection for the ear and neck area.
- NFPA 1971- Current edition compliance



Powered by Four
 AAA Batteries

Specify Color: Gloss White, Yellow, Red, Black, Orange, Lime-Yellow, Blue

- BK091 | Structural Fire Helmet w/TrakLite® Lighting System | \$459.95



Lighter, Lower Ride, More Comfortable and Better Fitting

Ben Franklin 2 Plus Traditional Helmet

You can't beat the combinations of a traditional styled helmet with the strongest outer shell on the market by Morning Pride. Ship. wt. 4 lbs.

- Strongest Shell on the Market - Test show that FYR-Glass is 42% more resistant to impact penetration than helmets made of fiberglass
- High Heat Performance - No other shell finish stands up to high heat like FYR-Glass
- 8-point suspension and wider interior gives wearer superior comfort and fit
- More Sizes, More Adjustability - Our headband/ratchet will fit the largest range of hat sizes of any NFPA helmet on the market, plus for position depth adjustments
- Accessories - Screaming eagle, padded adjustable ratchet system, protective Nomex® earflaps, combo adjustable chin strap, Reflexite® patches (Leather shield not included)
- Meets and exceeds NFPA 1971, 2000 - Current edition

Specify Color: Red, Black, Yellow, White

- AR319 | Ben Franklin 2 Plus Helmet with Goggles | \$492.95
- AR318 | Ben Franklin 2 Plus Helmet with Faceshield | \$457.95
- BL249 | Ben Franklin 2 Plus Low Rider Helmet w/Goggles | \$492.95
- BL250 | Ben Franklin 2 Plus Low Rider Helmet w/Faceshield | \$454.95



BL249

High-Temperature, Cracking, and Chipping Resistant

NEW

Cairns 1836 Traditional Style Helmet

The Cairns 1836 Fire Helmet is a lightweight, traditional-style helmet designed for structural firefighting. Built for durability and comfort, it combines modern safety features with a classic look. This helmet is ideal for professional firefighters who need reliable head protection in high-heat, high-impact environments. Helmets include with standard liner, clear Defender® Visor, Yellow Nomex Earflaps, 6" Silkscreen eagle, Reflexite lime yellow.

- Embedded RFID tag
- Slid-Lok system
- TenCate Tecasafe® Plus TechT4™ with COOLDERM™
- NFPA 1851 compliant - Current edition
- 15 1/4" L x 8" H x 12" W
- 3.35 lbs.

Specify Color: Black, Yellow, Red, White

- BR105 | Cairns 1836 Helmet | \$498.95



Superior Flame and Heat Resistance

Fire-Dex® 1910 Traditional Style Helmet

The 1910 features a fiberglass compression molded shell with superior flame and heat resistance, thermal impact cap, ratchet adjustment, and an adjustable headband that fits all SCBAs. SEI Certified to meet or exceed NFPA 1971 - Current edition. Ship. wt. 5 lbs.



Specify Color: Red, Black, Yellow, White

- BL363 | Fire-Dex® 1910 Helmet with 4" Visor | \$381.95
- BL364 | Fire-Dex® 1910 Helmet with Innerzone 3™ Goggles | \$397.95

Hard Coated, Anti-Fog

A-Tac® Firefighter's Goggles

Protective goggles designed to specifically protect the firefighter in structural, wildland and other emergency situations. A-Tac® firefighter's goggles pass the NFPA 5000 5-minute heat exposure test. Fits over prescription, safety and sunglasses. Can be removed from the helmet, without tools and worn directly on head. Includes goggle clips for both traditional and contemporary helmets. Meets NFPA and ANSI. Ship. wt. 1 lb.

AM058 | A-Tac® Firefighter's Goggles | \$85.95



Highly Impact Resistant

Innerzone 3™ With Wraparound Straps

The ESS Innerzone 3™ features a wrap-around strap system that secures to structural helmets with two Velcro® tabs. Designed to protect eyes during extrications, USAR, and other hazardous situations that demand primary eye protections. The Innerzone 3™ is fully NFPA compliant, including the 500° 5-minute NFPA oven test. NFPA 1971 – Current edition.

- Functions well with all major structural firefighting helmet designs
- Patented Speed Clip™ strap system for quick, easy adjustment
- 2-piece strap system made of 26mm-wide, high-memory woven Nomex®
- Frame made from high heat-resistant materials
- Full-perimeter ventilation and filtration system
- Lenses feature ESS ClearZone™ anti-fog and anti-scratch coating
- Lenses provide 100 UVA/UVB protection and precise optical clarity for distortion-free vision
- Lenses Exceed the impact requirements of ANSI Z87.1-2010+

BC014 | Innerzone 3™ with Wraparound Straps | \$61.95

BL467 | FirePro1971 FS Goggles | \$61.95



ESS



BL467



BC014

Eye and Upper Face Protection

Bourke Eye Shield

Made of extremely tough polycarbonate plastic. Offers excellent eye and upper face protection, yet won't trap smoke. Mounts easily and snugly on helmet brim. Lens holders are aluminum, other parts stainless steel. Hinged feature allows instant protection. Uses two brass screws to hold shield to brim. Ship. wt. 1 lb.

Best
Seller



Specify Color: Clear, Smoke, Amber, or Yellow
R726 | Bourke Eye Shield | \$58.95

Choose Between 4" and 6" Faceshields

PX/FX Replacement Faceshields

4" Faceshield

- Hard-coated PPC
- Enhanced optics
- Mounting hardware not included

6" Faceshield

- Hard-coated polycarbonate
- Mounting hardware not included



AF091 | Replacement Faceshield 6" | \$103.95

AF092 | Replacement Faceshield 4" | \$107.95

NFPA Particulate Blocking Hoods

INNOTEX® GRAY™ Hoods Made with Stedair® PREVENT

Developed to meet the requirements of NFPA 1971 and offers particulate blocking layers of protection

3 Layer Approach

The INNOTEX GRAY™ Hoods use a 3 layer approach similar to Turnout Gear. The two inner layers are laminated together to increase comfort and reduce bulk.

Particulate Blocking Layer

INNOTEX GRAY™ Hoods use a proprietary version of Stedair® PREVENT, which blocks carcinogenic particulates 0.1 µm to 1.0 µm (microns) by greater than 99%.

Air Permeability

The INNOTEX GRAY™ Hoods are air permeable, which means air can pass through them. Body heat can dissipate, helping reduce the risk of increased body temperature.



Specify Size: M/L or XL
BN698 | INNOTEX GRAY™ Particulate Blocking Hood 25 | \$143.95

Cobra™ BarriAire Gold™ Hoods

Superior Comfort, Increased Protection, and Maximum Durability

Lightweight inner layer of DuPont™ Nomex® Nano flex fabric inhibits penetration of harmful contaminants and carcinogenic particulates between 0.1 and 1.0 microns.

BN721 Complete Coverage

Particulate coverage includes entire head except for Sure-Fit™ panel at crown. Front and back bib extends particulate barrier coverage beyond critical areas as identified by NFPA - Maximum Protection.



BN722 Critical Coverage

Particulate coverage from base of the neck and around entire head except for Sure-Fit™ panel at crown. All critical areas of particulate penetration as identified by NFPA have particulate barrier.



BN721 | PGI BarriAire Complete Coverage Hood | \$152.95
BN722 | PGI BarriAire Critical Coverage Hood | \$139.95

HALO 360 C6

NEW

Protection For Firefighters

The Majestic HALO 360 C6 Particulate Hood is designed to provide comprehensive protection for firefighters. Made with Ultra C6 material, this hood effectively blocks over 99% of particulates throughout the entire hood, ensuring crucial protection from harmful substances.

- Double seam head
- Extra-long length, notched shoulder design
- 23" total length
- Interlock C6 premium weight

BP965 | HALO 360 C6 Particulate Blocking Hood | \$80.95



H41 Interceptor™ Hood with Stedair® PREVENT

Unmatched Breathability

Choose the H41 Interceptor™ to reduce the absorption of carcinogens in the highly-permeable skin around your face and neck. This 2-layer hood features an inner layer of Stedair® PREVENT with one outer layer of 8oz. Nomex® 100%.

- Maintains excellent flame and heat resistance
- Exceeds NFPA 1971- Current edition requirements for TPP, THL and burst strength
- Built for durability
- Mask not included

BP008 | H41 Interceptor™ Hood w/Stedair® PREVENT | \$176.95



Darley Hood

Darley has teamed with PGI to develop a new standard in hood protection. We've selected Para-Tek FR™ as a proprietary Tri-Blend that leverages the benefits of three fibers, high strength Para-Aramid, Lenzing® and High Tenacity Nylon. The end result is a lightweight, breathable hood that offers exceptional flame and heat resistance.

- TPP rating of 35.1 after five washings
- Provides double layer coverage of neck, upper chest, shoulders and shoulder blades
- Improved styling for better fit and coverage
- UL classified to NFPA 1971- Current edition



BL577 | Darley Hood | \$44.95

Our Best Hood Deal

Nomex® Blend Hood

Our most popular NFPA hood at an affordable price point. This hood is made of 20% Nomex/80% Lenzing FR fabric with rib knit construction. Single one piece design with notched shoulders for safe head and neck protection.

- Thermal protective rating of 29.4
- One-piece construction with notched shoulder
- 18" overall length



AZ152 | Nomex® Hood | \$25.95

Protective Hoods That Go on Easy & Seal Tight

Features easy sealing face opening that fits snugly for maximum protection and keeps its shape even after repeated usage; elastic face opening stretches to 15" for easier donning. Flat seams won't dig and seamless chin area provide for added comfort. Full 13" double layer head for better face and neck protection. Double 8" back bib and 6" front bib keeps hood from coming untucked. Lenzing is a permanently flame resistant fiber that wears like cotton and helps wick moisture.



AK022

Notched Shoulder

AK020 | Nomex® Hood | \$39.95

AK022 | PBI Light Brown Hood | \$49.95

Flame Resistant Fabric That Won't Burn

Cobra™ Carbon Shield™ Hoods

Carbon Shield™ is a flame resistant fabric based on carbon fiber technology. If exposed to extreme heat or flame, fabric glows but won't burn. Retains a certain tenacity at temperatures exceeding 2300° for over 90 seconds.



AW115

One Size Fits All

AW017 | Ultimate™ Carbon Shield™ Hood | \$47.95

AW115 | Classic™ Carbon Shield™ Hood | \$36.95

Optimal Protection

Ultra C6 Hood

The new carbon tri-blend Ultra C6 has been engineered to address the concerns and needs in the safety world. Its unique mix of fibers maximizes the inherent performance properties of each fiber to provide optimal protection and comfort. Enhanced comfort adds to functionality and improves performance and efficiency.



Color: Black

BH029 | Ultra C6 Hood | \$44.95

Easy-Sealing Face Opening

P84 Hood

Features easy-sealing face opening that fits snugly for maximum protection and keeps its shape even after repeated usage. Elastic face opening stretches to 15" for easier donning. Flat seams won't dig and seamless chin area provides for added comfort. Hood is 2-piece construction, notched shoulder bib design. 21" length.



Specify Color: Red, Black, Yellow, Navy or Gray

AK021 | P84 Hood | \$48.95

Custom Accountability Tags

Be sure all firefighters are accounted for! Heavy-duty trigger snap attaches to turnout gear and is easily opened while wearing gloves. Guaranteed against breakage for 10 years. Inscribe up to 3 lines, 13-22 characters per line. Yellow and white tags inscribed with black lettering, all other colors feature white lettering. Dimensions: 3 1/2" x 2 1/8". Ship. wt. 1 lb.



AF084 | Accountability Tags | \$10.95/ea.

Leather Shields with Passport

The shield and passport allow fire departments to know the locations of their firefighters at all times. Each passport shield comes with a removable, Velcro® center piece Passport bearing the firefighter's name. When they take a position, they remove the passport and places it on the engine. Shields are custom-made and non-returnable. Ship. wt. 1 lb. AR032 available in 4" or 6".



Shield Ordering Form Can Be Found Online at www.shop.darley.com/ordering

AR032 | Leather Shields with Passport | \$66.95
AR03402 | Passport Only | \$30.95

Best Seller



Authentic Leather Helmet Shields

Made the old-fashioned way, these shields combine tightly sewn layers of first rate, 100% genuine leather throughout with meticulous detailing. No other leather shield is finer. Shields are custom-made and non-returnable. Available in both 4" or 6" sizes and your choice of color for shield, panel, lettering and center piece, as well as different configurations. Ask your Darley representative for a Shield Ordering Form. Ship. wt. 1 lb.

Shield Centers

A variety of shield centers are available at an additional cost.



Shield Ordering Form Can Be Found Online at www.shop.darley.com/ordering

AR031 | Authentic Leather Shield | \$59.95
AR03401 | Center Ornament for 4" Shield | \$18.95
AR035 | Center Ornament for 6" Shield | \$23.95
AR036 | Center Decal for 4" and 6" Shield | \$10.95

Personalized Crescents

Try our personalized crescents! Each personalized crescent comes with white background and your choice of color letters (minimum order 25).



Specify Personalized Title
AF095 | Personalized Crescents | \$9.95/ea.

Crescents

- White background with black letters



Specify Title
R714 | Crescents | \$9.95/ea

Crescent Titles

Firefighter	First Responder
Captain	Firefighter/EMT
Chief	Fire Rescue
Deputy Chief	Engineer
Lieutenant	EMT
Rescue	Reserve
Asst. Chief	Fire Marshal
Battalion Chief	Safety Officer
Paramedic	

Protective Gear

WildFire Protective Headgear

Designed specifically to meet the requirements of wildland firefighters. They offer fire fighters protection, versatility, comfort, and value. Made of high-heat thermoplastic which offers superior impact protection and penetration resistance in non-structural, high-heat environments. In addition, they deliver added electrical insulation required for ANSI Z891-1986 Class A & B helmet specifications. Features include glare-reducing texture, shell-bonded goggle retainer clips for secure storage of eye protection and reflective strips for increased wearer visibility through smoke at night. Accepts a full range of mounting brackets for face shield visors or face shield screens. Meets NFPA 1971- Current edition. Ship. wt. 1 lb.

- More secure suspension attachments
- Adjustable headband for custom fit
- Larger replaceable pillowed brow pad
- Seamless suspension straps

Specify Color: Red, Black, Yellow, White, Blue, Orange, Lime

AC511 | Cap Style Helmet | \$77.95

AC512 | Full Brim Hat Helmet | \$83.95

AC513 | Nomex® Ear/Neck/Face Protector | \$59.95

BD016 | Nomex® Shroud | \$60.95



Shown with
optional
BD016



AC513



Advanced Eye Protection

FirePro™ Wildland Goggles

All ESS FirePro™ goggles exceed ANSI Z87.1+, US Federal OSHA. NFPA 1977- Current edition standard on Protective Clothing and Equipment for Wildland Fire Fighting.

- Interchangeable lenses
- Durable face padding
- Speed-clip straps
- Extra-wide field of view
- 2.8mm lenses
- ClearZone FlowCoat anti-fog and anti-scratch lens coatings
- Anti-microbial face padding
- Rx available



Snap-On/Off™
Mounts

BK003 | ESS FirePro-FS™ - One Piece Strap | \$65.95

BK004 | ESS FirePro-EX™ - Two Piece Strap | \$65.95



Heat and Flame Resistant

FirePro-1971™ FS Goggles

The FirePro-1971™ FS goggles feature a one-piece, wraparound strap that easily secures to any helmet with Velcro® tabs. This system keeps the goggles on hand at all times, with the flexibility of quickly removing them if needed.

- NFPA compliant 1971-2013- Current edition - including the 5-minute, 500°F oven test
- U.S. Federal OSHA compliant
- Exceeds the requirements of ANSI Z87.1-2010
- All components are heat and flame resistant

BL467 | FirePro-1971™ FS Goggles | \$61.95



Head to Toe Protection

Pro-Tech 8 Wildland Gloves

- Designed and constructed for protection during wildland firefighting activities
- 100% full grain cow hide
- Modacrylic inner liner for extra protection and comfort is sewn in at each fingertip
- Kevlar® high burst thread throughout
- Reflective trim
- Meets current NFPA standards



Specify Size: S-XXL

BN616 | Pro-Tech 8 Wildland Gloves | \$42.00


Wildland Firefighting Gloves

Constructed of heavy-weight, abrasion resistant pigskin with wristlet for wildland and rescue applications. Keystone design allows for natural thumb movement and better dexterity. Seams are lock stitched and sewn with Kevlar® thread. CE Compliant. Meets NFPA 1977 - Current edition standard on Protective Clothing and Equipment for Wildland Fire Fighting.



Specify Size: M or L

BK209 | Wildland Firefighting Gloves | \$73.95



Extreme Protection for all Wildland Firefighting Operations

The Hot Shield Wildland Firefighter Face Mask offers the extreme protection against burns to the face/neck with the added benefit of blocking and reducing the inhalation of smoke and ash particulate. Multiple layers of patented CarbonX help maintain the crucial airspace firefighters want and human skin needs to survive extreme temperatures.

- One size fits all (hook & loop fasteners behind neck)
- Extreme thermal protection (radiant heat or direct flame) of major portions of the face and neck
- Reduction of inhalation of airborne particulate by means of a screening mesh and a disposable filter with exhalation valve
- One year materials and workmanship warranty
- Main Users: Firefighters and other workers that are subject to direct flame, radiant heat, smoke and airborne particulate hazards in an outdoor environment and where use of a SCBA is either impractical or impossible



BK088 | Hot Shield Wildland Firefighter Face Mask | \$99.95

BK089 | Filters for Face Mask | \$32.95/Case of 10



9" Power EMS/Wildland Boots

- Full-grain, flame-cut-resisting leather
- Flexible Lenzi L-Protection® puncture-resisting insole material
- Shaft vapor exhaust vents
- NFPA 1977 and 1999- Current edition certified



Specify Size: 7-14, 15 Specify Width: M, W, XW

MBK125 | 9" Power EMS/Wildland Boots | \$334.00



Tools to Get the Job Done



H755

Fire Broom

The hardwood handle, stiff textured Palmyra fiber and metal cap are locked under tons of pressure to prevent loose handles and fiber fallout. Bonded red finish, inside and out, to resist chipping, flaking and rusting. This broom has been designed to exceed the rigorous demands of fire suppression work while being light enough to be easily carried to remote areas; it's used by fire fighters under the harshest of conditions. Overall length: 53³/₄". Ship. wt. 3 lbs.

H755 | Palmyra Fire Broom | \$24.95



E252

Fire Swatter

The flexible swatter beats the air away from the flames, smothering the fire instantly. Made of rubber treated belting 12" x 15". Riveted to a shank cleated on the underside. Shank is driven into the ferruled end of a 60" ash handle, with rivet through ferrule and shank. Ship. wt. 2 lbs.

E252 | Fire Swatter | \$75.95



AJ463

Forestry "McLeod" Fire Tool

- Combination hoe/rake
- 3¹/₂" teeth
- Bolted blade
- 48" wood handle
- Ship. wt. 6 lbs.

AJ463 | Forestry "McLeod" Fire Tool | \$115.95



D114

Steel Fire Rake

In forest fire and prairie fire fighting this tool is valuable for raking fire lines, cutting underbrush and weeds, cleaning ditch-banks, etc. Soft steel eye and back with TEMPERED steel blades or teeth. Price includes 60" fitted ash handle. Ship. wt. 5 lbs.

D114 | Steel Fire Rake | \$65.95



X586

Pulaski Axe

The Pulaski Axe is a special forest fighting tool. Along with the standard single bit edge, there is also a special Mattock blade for dirt grubbing and trenching. Comes with polished red finish and 36" hickory handle. Ship. wt. 5 lbs.

X586 | Pulaski Axe | \$76.95

Enhanced Comfort with High Levels of Thermal Protection

TECGEN51 Multipurpose Gear

When a call comes in, research indicates that 90% of the time it's not a structure fire. Why wear hot, bulky turnout gear on every call if you don't have to? Dual-certified TECGEN51 is all you need for your calls, including wildland, extrication, MVAs traffic control and incident command - for a third of the cost of traditional turnout gear. Reduce exposing your valuable turnout gear to hazards such as rips, tears, contamination and UV light degradation. Choose TECGEN51. TECGEN® brand fire resistant garments are UL certified to exceed NFPA 1951 (Technical Rescue) and NFPA 1977 (Wildland Firefighting).

Technology

TECGEN® fabrics are made with a high density TECGEN® fiber blend and para-aramid in a comfortable and durable construction. TECGEN® fiber is an inherently flame resistant fiber providing advanced heat and flame protection capabilities. This technology allows us to develop fabrics that offer high levels of thermal protection (TPP) and breathability (THL). You no longer have to sacrifice one for the other.

Heat Stress

Whether carrying heavy equipment, dragging hoses or removing car doors, the intense physical activities associated with firefighting can cause firefighters' bodies to generate increased heat. TECGEN51 is ideal for departments looking for gear that offers enhanced comfort, high levels of thermal protection and a solution that is designed to help prevent heat stress.

- NFPA 1951 (Technical Rescue) and NFPA 1977 (Wildland FF)
- Engineered to protect you without weighing you down
- Active posture design
- Provides enhanced mobility for confined spaces
- Repels Moisture: Helps keep you cool and dry
- Breathable: High THL rating allows body heat to escape
- Flexible TECGEN® fiber provides increased durability over typical carbon-based fibers

Deluxe Gear has all the same features as standard gear plus:

- 2" Reflective Triple Trim
- STEDSHIELD® FR reinforced elbows, knees with replaceable padded inserts and cuffs
- Pass-through pockets on pants
- Thermoplastic zipper
- Articulated knee
- Handwarmer pockets on coat



Test	NFPA 1977	NFPA 1951	TECGEN® FABRIC
Radiant Protective Performance (RPP)	> = 7	N/A	15+
Thermal Protective Performance (TPP)	N/A	> = 10	15.6
Total Heat Loss (THL)	> = 450 w/m2	> = 650 w/wm2	779 w/m2
Flame Resistance (After 100 Launderings)	< 4"	< 4"	< .5"
Heat And Thermal Shrinkage	< = 10%	< = 10%	1% x 2.1%
Tear Resistance	> = 5 lbs.	> = 6.75 lbs.	32 lbs.
Cleaning Shrinkage	< 5%	< 5%	.9% x 1.8%
Breaking Strength	N/A	> = 90 lbs.	221 lbs.
Abrasion Resistance Test	N/A	> = 50 lbs.	110 lbs.
Water Absorption Test (After 10 Washes)	N/A	< = 15%	5.4%

A Cool, Comfortable, Cutting Edge Alternative to Turnout Gear



Coat Features:

- 3 1/2" x 8" x 3" pocket with mic tab
- 6 1/2" x 5 1/2" patch pocket w/ flap closure on right chest
- 2 - 7" x 7" cargo hand pockets
- 2" 3M Scotchlite® triple trim
- Bi-wing back design for ease of movement
- Full width collar closure
- Glove interface adjustments

Pant Features:

- Comfortable and efficient BDU design 4" waist adjustment via take up straps
- Belt loops accommodate 2" belt
- 2 - 8 1/2" x 8 1/2" cargo pockets w/flaps located on outside legs
- Front hand pockets
- 2 - rear pockets
- 2" 3M Scotchlite® triple trim
- Boot interface / leg take up adjustments
- 12" zippered leg openings for easy donning over boots
- Suspender loops

Coat	Chest	Sleeve	Pants	Waist	Inseam
S	33"-36"	33"	S	27"-30"	26"-38"
M	37"-40"	34"	M	31"-34"	26"-38"
L	41"-44"	35"	L	35"-38"	26"-38"
XL	45"-48"	36"	XL	39"-42"	26"-38"
2XL	49"-52"	37"	2XL	43"-46"	26"-38"
3XL	53"-56"	38"	3XL	47"-50"	26"-38"
4XL	57"-60"	38"	4XL	51"-54"	26"-38"
5XL	61"-64"	38"	5XL	55"-58"	26"-38"

Specify Color: Tan or Black Specify Size: S-5XL

Specify Inseam: 26", 28", 30", 32", 34", 36", or 38"

BN235 | TECGEN® 51 - Coat - Standard | \$479.95

BN236 | TECGEN® 51 - Pants - Standard | \$427.95

BN237 | TECGEN® 51 - Coat - Deluxe | \$590.95

BN238 | TECGEN® 51 - Pants - Deluxe | \$590.95



TECGEN 51

Fire Dex

Fireline™ DELUXE™ Jumpsuit

The DELUXE™ Jumpsuit has the best features of our DELUXE™ Coat and Pant combined into one. Meticulously engineered to provide unrestricted freedom of movement and unsurpassed comfort and protection. Complete protection in a convenient one-piece jumpsuit.

- Full length two-way self-locking zipper front closure covered by a self-fabric storm flap with five intermittent spaced hook and loop closure system
- Elasticized waistband with adjustable side take-up straps
- Radio pocket on left chest with hook and loop flap closure and mic holder loop set above flap
- Cell phone/pager pocket on right breast with hook and loop flap closure and D-Ring loop at pocket bottom
- Extra deep front slash pockets with hook and loop flap closures
- Two large rear pockets with hook and loop flap closures
- Gusseted leg and sleeve cuffs are elasticized and have adjustable hook and loop closures
- Extra-long leg zippers
- 2" wide 3M Scotchlite™ Reflective Material-9587 Fluorescent Lime/Yellow
- Meets or exceeds NFPA 1977- Current edition Standard on Protective Clothing and Equipment for Wildland Fire Fighting
- Meets CAL-OSHA Requirements – Passes Fed. Test 191, Method 5903.2; CAL-OSHA Sections 3406(d)



Size	Chest
S	34"-36"
M	38"-40"
L	42"-44"
XL	46"-48"
2XL	50"-52"
3XL	54"-56"
Inseam	
Short	5'4"-5'7 1/2"
Regular	5'8"-6' 1/2"
Tall	6'1"-6'4"

Specify Size: S-XL XXL XXXL
 BL008 | Yellow Nomex® III Fireline™ DELUXE™ Jumpsuit | \$771.95 | \$848.95 | \$925.95
 BP147 | Yellow Tecasafe Fireline™ DELUXE™ Jumpsuit | \$681.95 | \$755.95 | \$820.95

The Most Comfortable Fabric For Wildland Garments On The Market!

Fireline™ Wildland Gear

Coat Features:

- 3M™ Scotchlite™ Flame-Resistant Retro Reflective lime/yellow 2" wide triple trim
- Large cargo pockets with hook/loop flap closures
- 4" high collar, no bulky throat strap, hanger loop at neck
- Double pull Zytel FR50 Delrin zipper
- Adjustable cuffs incorporate hook/loop tab
- Radial sleeve design allows full arm movement
- Radio pocket with hook/loop closure
- Seamless shoulders



Pant Features:

- Self-locking double pull Zytel FR50 Delrin zipper
- Corrosion-resistant anodized brass snap at waist and anodized carbon steel ladder buckle with cotton take-up straps
- Self material waistband with elasticized back and seven 2" wide belt loops
- Optional knee pad made from super soft 100% flame-resistant closed cell Neoprene
- Welt-style rear pockets have spade-style flaps
- 3M™ Scotchlite™ Flame-Resistant Retro reflective lime/yellow

Coat	Chest	Pants	Waist	Inseam
S	34"-36"	S	27"-31"	Regular 28"-32"
M	38"-40"	M	31"-35"	Long 32"-35"
L	42"-44"	L	35"-39"	
XL	46"-48"	XL	39"-43"	
2XL	50"-52"	2XL	43"-47"	
3XL	54"-56"	3XL	47"-51"	

Color: Yellow Specify Size: S-XL XXL XXXL
 BD028 | 6 oz. Nomex® IIIA FireLine™ Coat | \$507.95 | \$561.95 | \$614.95
 BD029 | 6 oz. Nomex® IIIA FireLine™ Pants | \$517.95 | \$552.95 | \$643.95
 BP145 | 7 oz. Tecasafe IIIA FireLine™ Coat | \$441.95 | \$490.95 | \$531.95
 BP146 | 7 oz. Tecasafe IIIA FireLine™ Pants | \$468.95 | \$517.95 | \$564.95

Coat Options

BD030 | Reflective 3" High Silver Scotchlite™ Iron-On Letters | \$3.95/ea.

Pant Options

BD031 | Knee Pads - FR Neoprene | \$8.95/pr.

FireLine™ Shirt

Designed in accordance to the U.S. Forest Service Specifications. Generously patterned to allow unrestricted range of motion and comfort. Can be worn by itself as a shirt or layered over your favorite tee as a lightweight jacket.

- 3" high shirt style collar with 3" hanger loop at neck
- Two large patch style breast pockets with hook and loop flap closures
- Left pocket includes pen/pencil slot
- Set-in style sleeves with adjustable hook and loop tab closure at cuffs
- Extra large melamine button front closure
- Shirt tails are extra-long and squared off
- Meets or exceeds NFPA 1977- Current edition Standard on Protective Clothing and Equipment for Wildland Fire Fighting
- Meets CAL-OSHA Requirements – Passes Fed. Test 191, Method 5903.2; CAL-OSHA Sections 3406(d). Complies with OSHA Rule 29 CFR Part 1910, 269



Specify Size: S-XL

BL002 | Yellow Nomex™ IIIA Plain Weave Fireline™ Shirt | \$132.95

BP148 | Yellow Tecasafe IIIA Plain Weave Fireline™ Shirt | \$99.95

Relaxed Fit for Maximum Mobility and Comfort

Double Duty™ BDU Pants

PGI's Double-Duty™ pants are dual classified to NFPA 1975 and 1977-Current edition standards by Underwriters Laboratories for use as both station wear and wildland firefighting PPE. Now you can get the best of both worlds – a good looking and comfortable station wear pant which is great for working around the station or being worn in public yet rugged and protective enough to be worn on the fireline. PGI's signature relaxed fit and functional design is sure to make the Double-Duty™ BDU pant a station wear favorite.

- Rear of waistband is elasticized for maximum freedom of movement and comfort
- Oversized double needle top stitched bellowed cargo pockets on thighs with hook and loop closures
- Contoured front slash pockets have extra deep bags
- Two large rear double needle top stitched patch pockets with hook and loop flap closures
- Corrosion-resistant brass snap at waist
- Double reinforced crotch panel extends wear life
- Adjustable hook and loop ankle straps backed with self-fabric
- Meets or exceeds NFPA 1977- Current edition Standard on Protective Clothing and Equipment for Wildland Fire Fighting
- Compliant with NFPA 70E- Current edition – Meeting the performance specifications of ASTM – F-1506 for wearing apparel used by electrical workers exposed to arc and related thermal exposures
- Meets CAL-OSHA Requirements – Passes Fed. Test 191, Method 5903.2; CAL-OSHA Sections 3406(d)
- Complies with OSHA Rule 29 CFR Part 1910, 269



Pants	Waist	Inseam
S	27"-30"	28"
M	31"-34"	30"
L	35"-38"	32"
XL	39"-42"	34"
2XL	43"-46"	36"
3XL	47"-50"	38"

Specify Color: Yellow or Green

Specify Size: S-XL XXL XXXL

BL005 | Yellow Nomex™ Double Duty™ Fireline™ Pants | \$384.95 | \$418.95 | \$455.95

BL006 | Green Nomex™ Double Duty™ Fireline™ Pants | \$364.95 | \$452.95 | \$488.95

BP149 | Yellow Tecasafe Double Duty™ Fireline™ Pants | \$291.95 | \$316.95 | \$348.95

BP150 | Green Tecasafe Double Duty™ Fireline™ Pants | \$301.95 | \$331.95 | \$362.95



Fire Shelter with Case

No wildland firefighter should be without a personal fire shelter. In an emergency situation, the fire shelter could save a life. The shelter meets Forest Service specs. Changes from the prior standard include the addition of a shelter floor and quick-grab handles for faster deployment. Training/Practice Fire Shelters are not fire resistant and should not be used as a fire shelter. Ship. wt. 5 lbs.

- Standard deployed: 86" L x 15 1/2" H x 31" W
- Large deployed: 96" L x 19 1/2" H x 33" W



- AB397 | Fire Shelter with Case (Standard Size) | \$646.95
- BP019 | Fire Shelter with Case (Large) | \$725.95
- BP020 | Training/Practice Fire Shelter (Standard) | \$324.95
- BP021 | Training/Practice Fire Shelter (Large) | \$338.95

Corrosion-Resistant Neoprene Coated Nylon Bag

Collapsible Back Pump

Lightweight, collapsible bag holds 5 gallons of water, conforming to the shape of your back. Watertight and reinforced construction means you stay dry. Straps won't rip, mildew or twist while in service. Oil-proof, 44" hose with stainless steel, monel and brass connections, connects 18" pump. Hose has rustproof quick connectors. The new 4" ABS polymer cap makes it much easier to fill with less time; replaces the old 2.5" metal cap. The seams have doubled in strength with a new ultrasonic welding process. Ship. wt. 5 lbs.

Best Seller



- U235 | Collapsible Back Pump | \$183.95

Ranger Rigid-Pak Brush Pump

Thick walled polyethylene plastic tank will take rough handling and harsh environments. Non-slosh rounded design keeps the unit comfortable, balanced and steady. The full padded pillow comforts that impinging feel of other tanks. The unit is completely corrosion resistant. It will not rust like galvanized steel models and is less expensive than stainless steel tanks. Adjustable padded shoulder straps are rugged yet fit comfortably and distribute the weight evenly down your back. Tank holds 5 gallons. Ship. wt. 2 lbs.

AS242 Features:

- Aluminum base and quick-release strap keeps your Ranger Brush Tank secure on your apparatus



- AS241 | Ranger Rigid-Pak Brush Pump | \$306.95
- AS242 | Ranger Carrying Bracket | \$169.95

Darley Drip Torch

- 14" closed, 25 $\frac{1}{2}$ " assembled
- 6" diameter
- 1 $\frac{1}{4}$ gallon capacity
- Fuel trap in spout prevents flashback
- Breather valve sealed outlets and oil proof gaskets prevent fuel spills
- Reversible burner for easy storage
- Check valve to protect against flashback
- Heavy duty, lightweight aluminum body
- Red body complies with new OSHA regulations (29 CFR 1910.114)
- Meets DOT regulations for transport of flammable fuel UN#IBL-Y-150 and Forest Service Specification 5100-614
- Ship. wt. 6 lbs.



W439 | Darley Drip Torch | \$233.95

W440 | Truck Mounting Bracket | \$87.95

Smokechaser Pro

- Padded shoulder straps, back panel and waist belt
- 5 gallon capacity
- Large filler cap is located on top of the bag
- Two grab handles making filling easier
- USFS approved, quick priming pump
- FEDCO brass hand pump



BP026 | Smokechaser Pro | \$243.95

Durable and Lightweight

Drip Torch - 1 Liter

The Vallfirest 1L Drip Torch is ideal for crews transported by helicopter and control vehicles, it excels in backburns, burnouts, and hazard-reduction burning

- Weight with handle: 1 lb.
- 3.5" diameter
- 10.6" height closed
- High-density polyethylene and anodized aluminum
- Superior durability and impact resistance
- 360 Burner ensures perfect operations at all times
- More extended fuel tank and burner
- Reversible double-threaded cap design facilitates compact transportation and quick assembly



BP900 | Drip Torch - 1 Liter | \$184.95

Ergonomic Design

VFT PRO 5 Gallon Backpack Fire Pump

The VFT PRO 5 Gallon Backpack Fire Pump is a comprehensive water pack for various firefighting operations. Crafted with extensive experience in body mechanics, load transfer, and ergonomics, it offers maximum performance and the comfort and safety needed for long days of wildfire fighting.

- Padded shoulder straps
- Resistant Cordura 1000 material
- Dual-gallonage nozzle
- 5 gallon capacity



BP894 | VFT PRO 5 Gallon Backpack Fire Pump | \$212.95

NEW



Wildland

Key Pencil Line Hose

Lightweight Circular Woven Firehouse Technology

Lightweight, circular woven fire hose technology incorporating high tensile, all polyester woven jacket, lined with high tensile NSF polyurethane. This workhorse hose packs tight and features brass GHT threaded couplings with strain reliefs.

- Dependable high tensile, NSF 61 approved polyurethane liner
- Exceeds U.S. government federal specification 4210-01-167-1061



50' 100'
 BP151 | 5/8" Key Pencil Line Hose | \$83.95 | \$160.95
 BP152 | 3/4" Key Pencil Line Hose | \$99.95 | \$166.95

Wildland Hose Clamp

C&S Supply has designed a new Wildland Hose Clamp. Offering a much more rigid design, the clamp is capable of withstanding the most brutal and rough operations, yet is user friendly enough to quickly accomplish the task at hand.

- Knuckle guard with wide opening for use with gloves
- Step plate to assist opening while on a charged hose line
- Long bars on the top and bottom for maximum leverage
- Curved clamping area aids in collapsing the hose
- Integrated spanner wrench
- Lightweight and compact
- For use with 1" and 1 1/2" single jacket hose
- Dimensions: 10 3/4" x 3 3/4" x 1 1/2"
- Made in the USA
- Ship. wt. 3 lbs.



BN004 | Wildland Hose Clamp | \$143.95
 BN544 | Hi-Viz Wildland Hose Clamp | \$174.95

1 1/2" NH Female Barrel Strainer with Poppet

- High performance design
- Pump capacity
- Lightweight



BP144 | 1 1/2" NH Female Barrel Strainer with Poppet | \$145.95

Gated Wye Valves

Rugged lightweight wye valves divide one line into two; female inlet with two male outlets. Constructed of high-quality aluminum and plastic with hard-coated threads. Valves are quarter turn. Meet or exceed GSA requirements for use by the US Forest Service. Ship. wt. 4 lbs.



Specify Any Thread Combination: NST or NPSH
 AM076 | Gated Wye, 1" Inlet x 2-1" Outlets | \$331.95
 AM077 | Gated Wye, 1 1/2" Inlet x 2-1" Outlets | \$346.95
 AM075 | Gated Wye, 1 1/2" Inlet x 2-1 1/2" Outlets | \$346.95
 AM078 | Gated Wye, 2 1/2" x 2-1 1/2" Outlets | \$341.95

Forestry Wye

Male adapters are easily removed for adjustments of seats.

- 1 1/2" female inlet x two 1 1/2" male outlets
- Ship. wt. 3 lbs.



BK219

BK218 | 1" NSTF x (2) 1" NSTM Forestry Wye | \$214.20
 BK219 | 1 1/2" NSTF x (2) 1 1/2" NSTM Forestry Wye | \$214.20
 BK220 | 1 1/2" NSTF x (2) 1" NSTM Forestry Wye | \$214.20

Forestry Nozzles and Valves

Tee Valve

1 $\frac{1}{2}$ " NH X 1" NPSH

The hardcoat anodized lightweight valve configured with a 1 $\frac{1}{2}$ " female NH rigid inlet, 1 $\frac{1}{2}$ " male NH outlet and 1" male NPSH branch outlet. The branch outlet shall have a stainless steel valve with a Nylon handle. The unit shall have a unique serial number and be covered by a five-year warranty.

- Weight: 1 lb.

BP493 | Tee Valve 1 $\frac{1}{2}$ " NH X 1" NPSH | \$117.95



Gated Wye Long Valve Handles

1 $\frac{1}{2}$ "F Swivel Rocker X (2) 1 $\frac{1}{2}$ "M

The lightweight wye configured with a 1 $\frac{1}{2}$ " female NH swivel inlet and two (2) 1 $\frac{1}{2}$ " male NH outlets. The outlets shall have 1/4 turn polymer ball valves with long Nylon handles. For corrosion resistance the valve body shall have a hardcoat anodized finish. The unit shall have a unique serial number and be covered by a five-year warranty.

- Weight: 2.1 lbs.

BP494 | Gated Wye 1 $\frac{1}{2}$ "F Swivel x (2) 1 $\frac{1}{2}$ "M | \$251.95



Ultra-Lightweight and Extremely Durable

1" 10/30 GPM Bumperless Nozzle

Dual Range Nozzles give the operator more control with both a low flow and a high flow rate setting. Crafted from anodized aircraft aluminum, S&H Dual Range nozzles are ultra-lightweight and extremely durable. Adjustable fog and straight stream patterns with a twist shut-off provide superior control. These nozzles are designed to meet or exceed U.S. Forest Service Performance Specifications (FSS). Weight: 1 lb.

- Available in NP (NPSH) or NH (NST) Thread
- Anodized aluminum construction
- Fog and Straight stream with twist shut-off
- Meets Forest Service Specifications (DLA)

BP519 | 1" NH Dual Range 10/30 GPM Bumperless | \$103.95
BP520 | 1" NPSH Dual Range 10/30 GPM Bumperless | \$103.95



Forestry Nozzle

Small lightweight nozzle designed for the rugged simplicity needed for forestry/wildland applications and any application where low flow is necessary. A dual flow adjustable pattern nozzle with a simple twist operation allows you to switch to various settings. Ship. wt. 1/2 lb.

- Dual Flow: 10 and 30 gpm
- 1" rigid female inlet
- Durable, lightweight Pyrolite
- Small, compact design - 4" length
- Operating Pressure: 100 psi

BB097 | Forestry Nozzle | \$166.95



Active Shooter Response

Fire Armor First Responder Vest

With the new NFPA 3000 recommendations of NIJ Certified Level IIIA Ballistic Protection for Active Shooter/ Hostile Event Responses (ASHER), the "First Responder" was developed for Fire & Medical personnel responding to Active Shooter events, Mass Casualty Incidents and dangerous domestic calls.

Developed and designed by Firefighter/Paramedics that work in the industry, who wanted to provide the best Ballistic Protection to our brothers and sisters in a "One Size Fits Most" design, alleviating the need for agencies to have multi-sized vest or making time consuming size adjustments when seconds count.

The system is designed to look like "Bunker Gear", as an external "wear over the shirt or uniform" design, it provides maximum Ballistic Protection in front, back and side coverage, utilizing NIJ 0101.6 Certified Level IIIA soft armor as well as the ability or option of adding 10" x 12" NIJ Certified Level III+ (see below). No matter who is sitting in the "seat", the goal is to ensure all responders have a properly fitted vest.

Carrier System:

- Carrier System is constructed of 2 parts (1 front panel and 1 rear panel) for universal sizing ranging from 20" up to a 60" waist
- Carrier is constructed of 1000d Cordura™ Nylon material
- Enlarged/integrated front "Bunker Gear" style pocket for Individual First-Aid Kits and/or radio with internal elastic to secure items
- Heavy duty Drag Rescue Device (DRD) handle
- Fully adjustable, closed cell foam-padded shoulders with channels for optional ballistic shoulder inserts
- 360° of 3M™ Hi-Viz reflective tape and 3M™ reflective ID lettering
- Top loading hard armor insert pockets on the front and rear capable of accepting either full size or shooters cut rifle armor



Ballistic Panel Inserts:

- 2-piece NIJ 0101.6 Certified ballistic panel inserts also consist of a front and a rear panel, the rear panel is constructed with "wings" to provide maximum "flank" coverage on all sides
- Integrated 10" ballistic cummerbund
- Provides 360° of NIJ Certified Level IIIA Ballistic coverage
- Weight: Approximately 12 lbs.

Legend Options

- Fire
- Fire-Rescue
- EMS
- RTF
- Custom legend (11 character limit including spaces)



Specify Color: Coyote, Black, Red or Navy

Specify Legend And Lettering Color (3"): Red/Orange, Lime Yellow

Specify Triple Trim Color: Red/Orange, Lime Yellow

BP117 | Fire Armor First Responder Vest | \$749.95

BP326 | Modular Fire Plate Carrier (No Ballistics, See Plates Below) | \$350.00

Level III+ Star 647 Steel Plates

We do more than just protectively coat our very own armor. We're also passionate advocates for what will serve Police, Fire and EMS personnel best in the field. That commitment also means our armor is tested by an independent 3rd party, ensuring our warranty will always stand between them and an emergency. Because having the right kind of armor, means the difference between uncertainty and knowing they are prepared.

- 5mm thickness
- NIJ III 0101.06 Certified (P5mmSAN600)
- 10 year warranty
- Maximum durability
- Multi-hit capability
- Standard black color
- Single curve
- Dimensions: 10" x 12"

Specify Cut: Full Size or Shooters

BP283 | Level III+ Steel Plates | 6.3 lbs | Full Size or Shooters | \$119.95



Prioritize Safety With Active Shooter Response Gear

PASGT Ballistic Helmets

The PASGT/PST SC 650 Ballistic Helmet by United Shield International is a top-tier protective gear designed specifically for law enforcement and military personnel. Crafted from advanced high-strength multi-layered Aramid composites, this helmet offers exceptional bullet resistance and minimal deformation, all while maintaining a lightweight profile of approximately 3 lbs.

- Superior Protection:
 - Meets NIJ 0106.01 Level IIIA standards, providing robust defense against 9mm and .44 magnum ammunition
 - Fragmentation protection from V50 450m/sec (1480 fps) to V50 700m/sec (2300 fps) as per STANAG 2920 and US MIL STD 662F.
- Enhanced Stability:
 - Features a 4-point adjustable harness, suede-covered chin cup, and nape strap for improved head stability and comfort.
- Optimized Design:
 - The helmet's wider cut around the ears and collar reduces interference from other equipment, ensuring better operational efficiency.



Comfort in the most demanding situations

Size	Circ	Dia
S	18-20"	5 ¹ / ₂ - 6 ¹ / ₄ "
M	20-22"	6 ¹ / ₄ - 7"
L	22-24"	7-8"
XL	24-26"	8-9"



Specify Color: Black, Tan, Olive Drab Green

Specify Size: S-XL S-L XL

BP996 | PASGT Ballistic Helmet | \$450.00 | \$500.00

Active Shooter Casualty Response

Active Shooter Event Casualty Response Kit

This kit is designed to deliver the most critical "point of wounding" supplies for First Responders, Fire Rescue or EMS personnel. Shoulder strap and carry handles allow easy on-scene transport options, and internal organizer pockets can accommodate additional supplies if desired. Dimensions: 8"x8"x12".

Includes:

- 1 - Quiklitter™
- 4 - Cat tourniquet
- 3 - Halo chest seal
- 2 - 4" trauma dressings
- Additional supplies



Specify Color: Black or Olive Drab

BN185 | Active Shooter Event Casualty Response Kit | \$418.95

Rescue Essentials Quiklitter™

The Rescue Essentials Quiklitter™ is the lowest-cost emergency stretcher available. It features ten large handholds, allowing for easy patient handling. With a load capacity tested to 500 lbs., it can be employed for everyday use, Mass Casualty and Disaster Preparedness, as a Backboard cover and Strapping Support System, as a Patient Transfer System to move the patient from the backboard to the hospital gurney, as a Gurney Sheet, as a Search and Rescue Gurney, as a Patient Transfer System to move the patient from the bed to a chair and back, or as a Seated Patient Evacuation System. The Quiklitter™ is constructed of water-resistant coated non-woven material, is latex-free, and is rated to 500 lbs.

BN181 | Rescue Essentials Quiklitter™ | \$21.95



Hazmat

Chemical, Flash, Radiant – Three Hazards, One Suit

Frontline® 500 NFPA 1991 Chemical Suit

Now get triple assurance with a single suit certified to NFPA 1991 base plus optional Flash Fire and Liquefied Gas requirements. Frontline® 500 offers three-way protection – broad chemical holdout, plus flame resistance and superior radiant heat protection for the additional hazards encountered in a chemical flash-fire. With Frontline® 500, Kappler's got your back – and – your front.

- Single garment eliminates need for typical 2-suit NFPA 1991 configuration
- Combines chemical, flash-fire and radiant heat protection in a single suit
- Seams are sewn and double heat-sealed/taped for added protection
- Unique 2NI™ glove system prevents inner glove inversion when removing hands
- Removable knitted Kevlar overglove, plus field-replaceable 2NI® Glove System which eliminates inner glove inversion
- Highly flexible 48" gas-tight AquaSeal® zipper facilitates easier donning and doffing

Sizing:

- Small/Medium: 5'3" – 5'7", 120-160 lbs.
- Large/X-Large: 5'7" – 6'2", 160-220 lbs.
- 2X-Large/3X-Large: 6'2" – 6'5", 220-300 lbs.

BL630 | Frontline® 500 NFPA 1991 Chemical Suit | S/M \$2,908.95 | L/XL \$2,908.95 | 2X/3X \$3,199.95



Large, expanded
view face shield
improves field of vision



Boots
not
included

Interceptor® Level A Deluxe Suit

Interceptor® is the apex of Lakeland Industries' chemical protective clothing line. There is an Interceptor® suit for your needs; gas, vapor, aerosol, liquid or particulate protection. Interceptor® offers dependable protection, superior performance and patented garment features that have been proven over a broad range of chemical challenges in a wide range of environments.

- Patented ShurSeal Teflon® visor process permanently seals the visor into the suit with no sewing involved so that liquids can't penetrate the visor edge
- Teflon® outer layer on visor prevents impairment of vision due to chemical contact
- Seams sealed inside and out for maximum protection
- Fully encapsulated front entry vapor-protective level A deluxe suit

Specify Size: S-XXL

BL067 | Interceptor® Level A Deluxe Wide-View Suit | S-XL \$1,246.95 | XXL \$1,308.95

Universal Pressure Test Kit

Universal Test Kit for Lakeland Interceptor or other brand chemical suits. Features an integrated air compressor, magnehelic gauge, timer and quick disconnects for ease of use and testing. It's everything you need to keep your encapsulated suit in top working order.

BL073 | Universal Pressure Test Kit | \$2,529.95



Digital Pressure Test Kit

Kappler's automated Digital Pressure Test Kit improves the efficiency and accuracy of gas-tight garment tests for both ASTM and CE methods. Kappler's unique design features a digital readout for more accurate testing, while a large LCD touchscreen allows easy test criteria selection and data input.

- Press START and the test is performed automatically, allowing the user to handle other duties.

BP669 | Digital Pressure Test Kit | \$4,898.95



Suits for Every Coverage



Kappler Durachem® 500

Certified to NFPA 1994 Class 1 and Class 2, DuraChem 500 offers CBRN/Hazmat protection in a tactical style garment. In addition to the Chem-Bio requirements, which include warfare agent testing, the 2018 edition of the NFPA 1994 standard also includes general Hazmat response to expand the applications for DuraChem 500. Designed as a 'multi-use, single-exposure' garment, it is a smart, budget-friendly alternative to expensive reusables.

- DuraChem 500 includes dual certification to NFPA 1994 for both Class 1 and Class 2 Kevlar gloves required for Class 1 are included with every suit
- Provides tactical CBRN protection in non-encapsulating suit
- Economically priced versus expensive reusable garments
- NFPA 1994-2018 Edition now covers both CBRN and Hazmat
- Design features include rubber gasket for tight respirator fit and rear-entry to facilitate doffing and reduce cross-contamination

Specify Color: Navy, Khaki

Specify Size: S-XXXL

BP667 | Hazmat Suit, Durachem® 500 Front Entry Class 1 & 2 | S-XL \$1,628.95 | 2X-3X \$1,791.95

BP668 | Hazmat Suit, Durachem® 500 Rear Entry Class 1 & 2 | S-XL \$1,628.95 | 2X-3X \$1,791.95

Zytron® 500 Vapor Suit

The classic emergency responder choice for top level protection hazmat response and other demanding situations. Now with an extensive chemicals-tested list numbering in the hundreds, it's no wonder that responders around the world trust Z500 garments for ultra-demanding Level A and Level B applications.

- Greater than 8-hour holdout against hundreds of chemicals, with proven holdout against Chemical Warfare Agents (CWA)
- NFPA 1994 Class 2-2012- Current Edition
- New patent-pending AntiFog Expanded-View Visor System

BP415 Features:

- NFPA 1994 Class 2 -2012- Current Edition
- Removable knitted Kevlar overgloves

Specify Color: Charcoal, Orange

Specify Size: S-XXXL

BP670 | Hazmat Suit, Zytron® 500 | S-XL \$1,126.95 | 2X-3X \$1,240.95

BP415 | Hazmat Suit, Zytron® 500, Class 2 | S-XL \$1,426.95 | 2X-3X \$1,568.95

Kappler Durachem® 200

DuraChem® 200 is multi-purpose, high-visibility FR apparel with added protection against Chemical, Biological, Arc Flash, Steam and Hot Water, and Molten Metal Splash hazards. It offers breathable, launderable protection for a wide range of applications for daytime or nighttime work. Certified to or compliant with seven key industry safety standards, it helps simplify PPE selection and inventory with a multi-hazard apparel solution.

- Launderable Hi-Vis FR protection, plus Chemical, Thermal, Arc Flash, Steam and Hot Water, and Molten Metal Splash protection
- Breathability reduces heat stress and improves worker comfort
- 24/7 facility-wide protection for day or night work applications
- Multi-purpose garment with flexible hood options simplifies PPE selection and inventory

Specify Color: Navy, Yellow

Specify Size: S-XXXL

BP671 | Hazmat Suit, DuraChem® 200 | S-XL \$1,368.95 | 2X-3X \$1,506.95



Hazardous Protection

Chem-Tape®

An innovative solution for added protection in liquid chemical situations. It has been tested and proven against warfare agents and many other chemicals. Ship. wt. 1 lb.

AK036 | Chem-Tape® | \$46.95/roll



Butyl Rubber Gloves

When every second counts, first responders need reliable protection they can trust. Guardian® Butyl Short Rubber Gloves are engineered to meet the rigorous demands of bio-chemical warfare protection, ensuring safety and performance in the most critical situations.

- Length: 14 inches
- Thickness: 35 mil
- Material: Butyl rubber
- Color: Black
- Cuff Style: Rolled beaded cuff for easy donning and doffing
- Grip: Textured surface for enhanced grip

Specify Size: XS-XL

BR053 | Butyl Rubber Gloves | \$70.95/pr



The Finest Boot Made for Hazardous Materials Handling

HAZMAX® Boots

- 16" boot height
- Meets NFPA 1991- Current edition for chemical permeation resistance requirements
- Meets requirements for the optional chemical and biological certification
- Steel safety toe: Built in Steel toe complies with ASTM F2413-05 for impact and compression
- Full steel midsole
- Steel ladder shank: Provides arch protection and support
- One-piece injection molded construction, eliminates seams
- Boots are constructed of a high viscosity and flexible PVC alloy
- Non-absorbent polyester lining for easy cleaning and quick drying
- Replaceable cushioned insoles
- Cut off bands
- Kick off lug
- Ship. wt. 7 lbs.

Specify Size: Mens 6-15

AW038 | HAZMAX® Boots | \$187.95



HazProof® Boots

With the growing reality that chemical warfare agents are now a threat to the civilian population, domestic preparedness programs are developing rapidly. The HazProof® boot, made of special polymer material, has also been tested to Military Standard 282 and will provide protection against certain chemical warfare blister and nerve agents! Certified to NFPA 1991- Current edition for chemical and hazmat cleanup, emergency response, and domestic preparedness.

- Injection molded seamless construction for 100% liquid-proof protection
- Larger foot area is engineered to accommodate the extra bulk of an encapsulated suit
- Smooth exterior surface for easy decontamination
- Stretch fastener closure system allows for easy on/off while wearing gloves
- ANSI spec. Z41 PT99 M I/75 C/75 EH, for steel toe impact and compression, and electrical protection
- Steel mid-sole meets and exceed ANSI Z41 PT 99 PR
- Steel shank provides firm arch support
- Blown closed cell EVA mid-sole for all day cushion comfort
- Sure grip cleated outsole has excellent abrasion and slip resistance

Specify Size: 7-13

BH108 | HazProof® Boots | \$111.95



Simple Operation Gas Detectors

GasAlert Max XT II

Honeywell BW™ Max XT II reliably monitors up to four hazards and combines straightforward one-button operation with a robust, motorized pump for intelligent, remote sampling, ideal for confined spaces. The Honeywell BW™ Max XT II is fully compatible with MicroDock II automated test and calibration system.

- Integrated sampling pump
- Continuous LCD shows real-time gas concentrations
- One-button operation with robust, motorized pump
- Equipped with standard data-logging and event logging
- Monitors HS2, CO, O2 and combustibles
- Best in class block detection with semi-conductor pressure sensor

Simple Automatic
Calibration Procedure



BN731 | GasAlert Max XT II | \$1,127.95

GasAlertMicroClip Gas Detector

The industrial GasAlertMicroClip is the world's most popular multi-gas portable detector, delivering long runtime and reliability – plus small size, low cost and the easiest user experience.

- GasAlertMicroClip X3 for extended reliability with 3-year warranty
- GasAlertMicroClip XL for standard operation with 2-year warranty
- Guaranteed to run an entire shift – even at -4°F (-20°C)
- IP68 rating – unmatched water protection
- Compact, lightweight and easy to use



BL319 | GasAlertMicroClip XL 4 Gas Detector – 2 Year Warranty | \$778.95

BN728 | GasAlertMicroClip X3 4 Gas Detector – 3 Year Warranty | \$882.95

Calibration Equipment

BN726 | Quad-gas: (CO, 100 ppm), LEL-50%, H2S-25PPM, O2-18%, BAL-N, 34L | \$215.95

BN737 | Calibration Gas Regulator (SS 0.5LPM) | \$160.95

Maintenance-Free Single-Gas Detectors

Single Gas BW Clip

The BW Clip Series of single-gas detectors provides up to three years maintenance-free operation: just turn on the device and it runs continuously – no need for sensor and battery replacement or battery charging. That means great reliability and no downtime.

- Automatic logging of the 35 most recent gas events and bump test results
- Designed for a range of harsh environments and extreme temperatures
- Automated self-test of battery, sensor and electronics

Single Gas BW Clip

BN292 | Single-Gas CO BW Clip Monitor* – 24 month warranty | \$142.95

BN730 | Single-Gas CO BW Clip Monitor* –36 month warranty | \$293.95



* This unit cannot be returned once it has been activated.

Sensit® Gold Series Gas Detectors

Sensit Gold gas detection instruments are designed to provide personal protection from potentially hazardous conditions and help you quickly find the source of combustible gases.

- AS076: SENSIT® EX-CO – detects combustibles and carbon monoxide
- AS078: SENSIT® EX-CO Plus – detects combustibles, carbon monoxide, and oxygen
- AS080: SENSIT® 4 Gas – detects combustibles, carbon monoxide, oxygen, and hydrogen sulfide

AS076 | SENSIT® GOLD Series 2 Gas Detector with Pump | \$1,592.95

AS077 | Calibration Kit for AS076 | \$359.95

AS078 | SENSIT® GOLD Series 3 Gas Detector | \$2,028.95

AS079 | Calibration Kit for AS078 | \$359.95

AS080 | SENSIT® GOLD Series 4 Gas Detector with Pump | \$2,592.95

AS081 | Calibration Kit for AS080 | \$831.95

- Internal pump
- Push button operation
- Field calibration
- LED warning lights
- Operation memory
- Infrared download
- Bright LCD display



Hazmat

MAXIWEDGE Kit

This kit offers greater versatility by increasing leak sealing solutions to problems resulting from punctures, gashes, slits and slashes in tanks, cylinders and containers both mobile and stationary. Gas, liquid and bulk material leaks can now be controlled until more permanent solutions are available. When soaked in liquid, softwood will slightly swell forming a tighter seal.

- | | | |
|--|--|--|
| Wedges Included: | Plugs Included: | Also Includes: |
| <ul style="list-style-type: none">• 7 - $5/8$" x 1" x 8"• 5 - $1/2$" x 10" x 10"• 7 - $5/8$" x 2" x 8"• 3 - 4" x 4" x 18"• 7 - $5/8$" x 3" x 8"• 7 - 3" x 3" x 12"• 7 - 2" x 3" x 12"• 7 - 1" x 3" x 12"• 7 - $1/2$" x 2" x 10"• 7 - $1/2$" x 1" x 10"• 7 - $1/2$" x 3" x 10" | <ul style="list-style-type: none">• 10 - 1" x 3"• 10 - 2" x 4"• 10 - 3" x 8"• 1" x 5" x 10" | <ul style="list-style-type: none">• Non-spark mallet• Carrying crate• Kit (Case) |

Dimensions:
24" x 15.5" x 15.5"
• Kit Weight: 39 lbs.

BK124 | MAXIWEDGE Kit | \$707.95



Darley Economy Leak Control Kit

This kit includes 38 wood plugs, 15 wood wedges, a rubber mallet and comes in a durable fabric drawstring bag.

Plugs Included:

- 15 - 1" x $1/4$ " x 3"
- 10 - 2" x $1/4$ " x 4"
- 10 - 3" x $1/4$ " x 8"
- 3 - 5" x 1" x 10"

Wedges

Included:

- 5 - 3" x 1" x 12"
- 5 - 3" x 2" x 12"
- 5 - 3" x 3" x 12"



BN742 | Darley Economy Leak Control Kit | \$413.95

Poly Drum Spill Kits

- 40 - 3" x 46" General purpose socks
- 200 - Green universal sorbent pads
- 10 - Hazardous pillows
- 12 - 3" x 10' haz socks
- 5 - Disposal bags with ties
- 2 pr. - Nitrile gloves
- 1 pr. - Goggles
- 1 - Emergency Response Guidebook
- 1 - 95 gal. yellow poly over pack with screw lid



BH061 | Poly Drum Spill Kit | \$642.95

Emergency Spill Kit

- 1 - $1\frac{3}{4}$ lb. Super sorbent shaker carton
- 12 - 3" x 4' Haz socks
- 2 - Pairs of P.V.C. gloves
- 2 - Disposable suits with hoods and boots
- 100 - Univ. green sorbent pads
- 2 - Pairs of goggles
- 8 - Disposable bags
- 1 - Roll of caution tape
- 1 - 3.3 lbs. Cob fractions
- 1 - Respirator
- 1 - Emergency Response Guide Book
- 1 - 30 gal. blue poly drum

BH063 | Emergency Spill Kit | \$356.95



Hazardous Materials Patch and Plug Response Kits

The Series "AE" is a collection of over 40 common components for emergency and temporary leak stoppage due to punctures, gashes, cracks and surface rotting. Series "C-1" Pipe Plugger with Valve Kit - Allows hazardous materials to be temporarily contained, piped off to alternate location or flared. Series "C-2" External Pipe Leak kit - Has unlimited uses in municipalities, chemical plants, manufacturing facilities or anywhere a pipe line is used. Contains pipe bandages covering nominal pipe sizes from 1/2" to 4".

Series "AE" Kit Includes:

- Sheet metal screws with neoprene compression seals
- Tubeless tire repair kit
- OSHA-approved 200' roll of barricade tape
- 8" x 12" piece of solid neoprene
- 22" piece of foam material
- Lead wool epoxy putty that hardens like steel, hot or cold hose repair tape, basic tool set for patching
- Twin "T" stainless plate with foam
- 8" x 2" stainless backed neoprene patch-hardwood cribbing
- 2 - 22' nylon straps and buckles
- 2 - "T" bolt crack patches
- 6 - Surface plugs for curved surfaces, wedged wooden plugs covered with felt
- 2 - Ball plugs
- Carrying case
- Ship. wt. 33 lbs.

Series "C-1" Kit Includes:

- 20' vinyl tube, tool kit
- 10 - Standard pipe plugs
- 3/4" regulating valve
- Carrying case
- Ship. wt. 35 lbs.

Series "C-2" Kit Includes:

- 10 - Pipe bandages for covering pipe sizes from 1/2" to 4"
- Soft and hard neoprene liner material and comes complete with your choice of standard or non-sparking tools
- Carrying case
- Ship. wt. 33 lbs.



AE



C-1



C-2

Contain Hazardous Leaks

- AB975 | Series "AE" Kit with Standard Tools | \$718.95
- AF132 | Series "AE" with Non-Sparking Tools | \$997.95
- AB976 | Series "C-1" | \$791.95
- AF032 | Series "C-2" with Standard Tools | \$556.95
- AF105 | Series "C-2" with Non-Sparking Tools | \$915.95

Classifier Kits

First Step: Identify the Spill

With these classifier kits, chemicals or elements of waste water can be classified quickly. Each kit uses classifier strips which change color when in contact with the unknown liquid. Just match that color on the classifier color chart to classify the type of chemical present. Each kit contains six classifier strips, polypropylene thread, one pair of nitrile gloves, and a reusable classifier chart, all in a convenient carrying tube. Ship. wt. 1 lb.



- AA803 | Chemical Classifier Kit | \$69.95
- AB912 | Wastewater Classifier Kit | \$91.95

Plug N Dike

Plug N Dike premix paste instantly sticks to metal drums and fuel tanks. This paste stops leaks during emergency spills, protecting workers and the environment.

- Low-temp mixture works in down to 5° F (-15° C)
- Bentonite Glycol mix provides excellent chemical resistance for fuel leaks
- Ready to use and sticks to dirty or rusty surfaces
- Not recommended for plugging containers of antifreeze, acids, caustics, or oxidizers



- BP921 | Plug N Dike, 8 lbs. Low Temp Pre-Mix | \$105.95
- BP922 | Plug N Dike, 1 lb. Low Temp Pre-Mix | \$18.95

Syntho-Plug Football/Golfball

Syntho-Plug is a football/golfball shaped, polyurethane impregnated, water activated foam plug used to temporarily stop the flow from a leak in anything from spill containment and marine thru-hull damage. Initially pliable to insert into a void and quickly expands and hardens to fill the void. It can even be applied below the water line.

- Ready to use
- Simple and effective
- No mixing, no mess
- Hardens in minutes

1.5" Diameter



6" Height



BP120



BL406

- BL406 | Syntho-Plug Football | \$168.95
- BP120 | Syntho-Plug Golfball | \$75.95

Chlorine Institute Emergency Kits

Emergency Kit "A"

For 100-150 lb. Chlorine Cylinders

The emergency kit "A" contains devices to stop leaks at the valve, fusible plug, and in the side walls of chlorine 100 and 150 lb. cylinders which conforms to specification DOT 3A480. Two instruction booklets explaining application of each device are included. Includes accessory equipment and tools which are labeled and color coded. Kit is packaged within a heavy-duty plastic box measuring 35" x 13 3/4" x 14". Ship. wt. 115 lbs.



AF033 | Emergency Kit "A" | \$3,331.95

Emergency Kit "B"

For One-Ton Containers

The emergency kit "B" contains devices to stop leaks at the valves, fusible plugs, and side walls of chlorine one-ton containers which conform to specifications DOT 106A500X. Two instruction booklets explaining application of each device are included. Will contain leaks in container valves, will seal leaks in container side wall and will contain leaks in container fusible plugs. Includes accessory equipment and tools which are labeled and color coded. Packaged in a heavy-duty plastic box measuring 35" x 13 3/4" x 14". Ship. wt. 113 lbs.



AF034 | Emergency Kit "B" | \$3,551.95

Emergency Kit "C"

For Tank Cars & Tank Trucks

The emergency kit "C" contains devices to stop leaks at the safety valve or angle valves of chlorine tank cars and trucks. Conforms to DOT 105A500W and MC331 specifications, for chlorine service. 2 instruction booklets explaining application of devices are included. Will contain leaks in tank car angle valves and the safety relief valve. Includes accessory equipment and tools which are labeled and color coded. Kit is packaged within a heavy-duty plastic tool box measuring 36" x 18 1/2" x 20". Ship. wt. 168 lbs.



AF035 | Emergency Kit "C" | \$4,015.95

Gasket Kits

All gaskets are molded from EPDM elastomer. The AF767 kit is for application with kit "A" to stop leaks in SO2 containers. The AF768 kit will stop leaks in one-ton containers when using kit "B" and the AF769 kit will stop leaks in tank cars when using kit "C". Ship. wt. 6 lbs.

- AF767 | Sulfur Dioxide Cylinder Gasket Kit with 4 Gaskets | \$488.95
- AF768 | Sulfur Dioxide One-Ton Container Gasket Kit with 6 Gaskets | \$673.95
- AF769 | Sulfur Dioxide Tank Car & Tank Truck Gasket Kit with 4 Gaskets | \$659.95



AF769

Decontamination Equipment

Standard Decontamination Shower System

Specifications:

- Total Output: 15 gpm (2.5 gpm per shower head)
- Dimensions:
Assembled 42" x 36" x 84"; unassembled 74" x 27" x 27"
- Single Water Inlet: Standard garden hose
- Approximate Set-up Time: 3-4 minutes
- Ship. wt. 192 lbs.

Features:

- Unique quick-connects for fast assembly
- Fully collapsible design
- Six shower heads plus an independent hand-held sprayer
- Heavy-duty, chemical-resistant privacy enclosure
- Translucent roof panel to allow light into shower
- Stores and transports in two easy-to-carry vinyl bags



System Includes Shower, Pool, Elevation Grids and Carrying Bags

BA061 | Standard Decontamination Shower System | \$4,868.95

Quick Response™ Shower System

Designed for field response, the Quick Response™ Shower is durably constructed to withstand frequent training, and compact enough to fit in a portable carry bag. System includes Quick Response™ Shower, compact pool, elevation grid and vinyl carrying bag. Ship. wt. 96 lbs.

Shower Features:

- Unique quick-connects for fast assembly
- 3 shower heads plus an independent hand-held sprayer
- Tough construction for frequent training and use
- Vinyl bag for storage and transport

Shower Specifications:

- Total Output: 7.5 gpm
- Dimensions:
Assembled 43.2" x 46.8" x 88.8"; unassembled 49" x 15.5" x 9.5"
- Single Water Inlet: Standard garden hose
- Approximate Set-up Time: 2-3 minutes



BA062 | Quick Response™ Shower System | \$2,978.95

Rehab Shelter Package

All DQE rehab products support the NFPA 1584- Current edition Rehab Standard to make it easier to maintain high activity levels while ensuring emergency responder safety.

Contents:

- Rehab Area Shelter
- Rehab Area Folding Table
- Rehab Relaxation Folding Table
- Rehab Relaxation Chair (Qty. 4)
- Folding Chair (Qty. 2)
- Army cot
- Rehab area toolbox
- LED work light
- Extension cord
- Sack-It clean up dispenser
- Storage bin



BP617 | Rehab Shelter Package | \$3,211.95

DECON/pak™

The DECON/pak™ is a self-contained agent proportioning and rinse application system helping to provide simple and gross decontamination of firefighting personnel and equipment.

- Flow is controlled by a twist grip valve that also functions as a carrying handle. Cleaning agents are added through the large, easy-open fill port that includes a debris screen
- Large selector for agent proportioning from 0.1 to 0.5% for cleaning agent* or set to rinse with water only
- Stores easily in tight compartment spaces

* Contact your turnout gear manufacturer for cleaning agent recommendation for your gear.



BN720 | DECON/pak™ | \$1,271.95

Air Systems

Dräger PSS® 5000 & 7000 Self-Contained Breathing Apparatus

Comfort, Durability, Safety and Performance in the Harshest Environments

The Dräger PSS® 5000 and 7000 are ergonomically advanced SCBA that offer increased comfort, safety and performance. With a wide range of configurable features, such as bi-lateral hose routing and quick cylinder connection, the PSS 5000 meets your needs wherever breathing protection is required. The ergonomic PSS 7000 combines trusted pneumatics, flexible fit, and quick cylinder connection, freeing you to concentrate on the task at hand.

Dräger



Proven Technology

- Outstanding resistance to heat, impact and chemicals
- Easy maintenance and service
- Meets or exceeds all NFPA 1981 and 1982 standards (most current)

Integrated Systems & Increased Versatility

- Electronics and air hoses are integrated into the back plate
- Adjustable backframe along with freedom of movement with waist pad assembly – add extreme ergonomics

Easy Maintenance & Low Cost of Ownership

- Harness & waist pad assembly: does not absorb liquids or chemicals and is highly resistant to abrasion and heat. Cleaning is reduced to minimal effort.
- Standard batteries: 5 AA for the back plate, 1 CR123 for the HUD
- Longest battery life in the industry: rated at 1 hr./day for 365 days
- No annual manufacturer-required or recommended overhaul



BN456: PSS 7000 With Sentinel 7000 Shown

Carry handles
Rated up to 600 lbs. pull force to use as a drag handle

SENTINEL 7000 Gauge with integrated personal alert safety system (pass)
Communicates wirelessly with HUD

Pivoting lumbar support waist belt
Allows free movement while holding the SCBA firmly in position


Optional buddy breather
Keeps an emergency breathing supply system within easy reach

Quick connect cylinder attachment
Enables a secure change out of cylinders in less than 10 seconds



Heads up Display (HUD)

FPS 7000 Mask with HUD



BN457: PSS 7000 With Sentinel 7000

- BN452 | PSS 5000 w/Sentinel 7000, FPS 7000 Mask w/HUD | 30 min.
- BN453 | PSS 5000 w/Sentinel 7000, FPS 7000 Mask w/HUD | 45 min.
- BN456 | PSS 7000 w/Sentinel 7000, FPS 7000 Mask w/HUD | 30 min.
- BN457 | PSS 7000 w/Sentinel 7000, FPS 7000 Mask w/HUD | 45 min.
- BN458 | 30 min 4500 PSI Cylinder
- BN459 | 45 min 4500 PSI Cylinder
- BN460 | FPS Communication Amplifier
- BN461 | 40" Buddy Breather with Pouch

Breathing Air Cascade Systems

4500 PSI & 6000 PSI Pigtailed Systems

With a pigtailed system, each cylinder is connected together with a tee connection and a 24" flexible pigtail. To cascade this system when filling SCBA cylinders, the operator must open and close each storage cylinder valve individually as needed. Cylinders are DOT Approved. Fill hoses not included.

System	Price w/Rack	Price w/out Rack	System Includes:
4500 PSI System			
AJ362 2 Cylinder	\$3,626.95	\$2,856.95	<ul style="list-style-type: none"> • Cylinders with valve and cap • Seal-tight inlet cap • 24" flexible pigtail between each cylinder • Steel storage rack (also available without rack)
AJ363 3 Cylinder	\$5,079.95	\$4,201.95	
AJ364 4 Cylinder	\$6,541.95	\$5,537.95	
AJ365 5 Cylinder	\$7,945.95	-	
6000 PSI System			
AJ368 2 Cylinder	\$5,898.95	-	
AJ370 4 Cylinder	\$11,192.95	\$10,188.95	
AJ371 5 Cylinder	\$13,786.95	\$12,713.95	



Bauer Oceanus Compressor Systems

A Portable, Economical, Compact, High Pressure Compressor

This pressure-lubricated 5000 psi compressor is ideal for the emergency response team that requires a highly portable compressor for filling SCBA or SCUBA cylinders. Standard equipment includes the compressor, 4.9 SCFM Charging Rate, the Bauer Triplex Purifier, a snorkel for the intake, and your choice of one-phase electric, three phase electric or gasoline engine all mounted on a stainless steel base. The gasoline powered model features a Subaru engine, a pressure shutdown switch, and hour meter. Suitable for use with a maximum of a 2 cylinder, 4500 psi cascade system. Automation package includes magnetic starter, pressure switch, auto drains and 10' of power cord. Ship. wt. 200 lbs.

**NEW
LOW
PRICE**



AZ457	Gasoline-Powered Bauer Oceanus Compressor System	\$8,013.95
AZ458	One-Phase 220-240 Volt Bauer Oceanus Compressor System	\$9,000.95
BH068	Automation Package for AZ458 (Highly Recommended. Call for Details)	\$9,107.95



Enclosed Fill Stations

These heavy-duty steel NFPA compliant fill stations protect the operator and bystanders in the event of an SCBA cylinder rupture while filling. These each have an inlet gauge, Fill Pressure Regulator, regulated pressure gauge, 1 fill valve and gauge per fill position. Each fill line is equipped with hand tight universal fill connector to fit all standard SCBA cylinders 2216, 3000, and 4500 psi. The SCBA cylinder holders are lined to prevent scuffing of the cylinders. Painted with a durable powder coat finish. Ship. wt. 800 lbs.

AZ456	1 Cylinder	No Cascade Controls	\$9,986.95
AM025	2 Cylinder	No Cascade Controls	\$11,262.95
AM026	2 Cylinder	Four Cascade Controls	\$16,056.95
AM027	3 Cylinder	No Cascade Controls	\$13,502.95
AM028	3 Cylinder	Four Cascade Controls	\$18,242.95



Thread Saver®
Prevent Valve Damage

Damaged valve threads can disable your SCBA. The Thread Saver® is the most inexpensive way to help prevent damage. This simple plastic device slips easily onto the valve orifice to keep elements such as ice, dust or dirt away; plus they glow in the dark for easy identification.

Ship. wt. 1 lb.



AR068 | Thread Saver® | \$7.95

Aluminum and Carbon Bottles

30, 45 and 60-Minute



Dräger

- AS085 | 30-Minute 2216 psi Aluminum Bottle | \$721.95
- AZ493 | 30-Minute 2216 psi Carbon Bottle | \$942.95
- AS086 | 30-Minute 4500 psi Carbon Bottle | \$968.95
- AS087 | 45-Minute 4500 psi Carbon Bottle | \$1,099.95
- AZ494 | 60-Minute 4500 psi Carbon Bottle | \$1,184.95

SCBA Replacement Cylinders

Pro-Lite Cylinders has been manufacturing DOT, TC & ISO Certified carbon fiber cylinders for over 25 years. Millions of these cylinders have been sold Worldwide and thousands sold to the US fire departments without a single failure or recall. Pro-Lite Cylinders include the 3" luminescent band and o-ring of charge.

- D.O.T. and TC approved
- Lifetime Warranty
- Valves sold separately

4 Cylinder order minimum

- BP528 | 30 min. LP | Low Press., 2216 psi | All Makes & Models of LP SCBA | \$656.95
- BP529 | 30 min. LP | Low Press., 2216 psi | MSA Specific (call for details) | \$656.95
- BP530 | 30 min. LP | High Press., 4500 psi | All Makes & Models of HP SCBA | \$656.95
- BP531 | 45 min. LP | High Press., 4500 psi | Low Profile All Makes & Models of HP SCBA | \$ 735.95
- BP532 | 45 min. LP | Stubby Sized, 4500 psi | All Makes & Models of HP SCBA | \$735.95
- BP533 | 60 min. LP | High Press., 4500 psi | All Makes & Models of HP SCBA | \$897.95

Superior Quality:
15-yr. Life Expectancy



NEW

Cylinder Mate Mobile Unit

- 300-lb capacity wheels
- All units bolted together for added stability
- 2 - 11" commercial grade urethane handles
- Front wheel locks



- BH027 | Fits (12-Pack) 30-40 minute bottles | \$2,297.95
- BL668 | Fits (16-Pack) 30-40 minute bottles | \$2,965.95
- BN586 | Fits (12-Pack) 60 minute bottles | \$2,509.95
- BN587 | Fits (16-Pack) 60 minute bottles | \$3,213.95

Plastic Air Cylinder Storage Rack

Keep your SCBA cylinders organized and protected with these heavy-duty, stackable racks. Ship. wt. for rack 4.1 lbs. Ship wt. for strap 0.4 lbs.

Two units shown together with straps. Units sold separately.

- One-piece molded plastic construction
- Easily link to build honeycomb grids
- Fits all makes/models of air cylinder
- Holes allow for air flow and water runoff
- Mounts horizontally or vertically



- BG527 | Plastic Air Cylinder Storage Rack | \$128.95
- BG528 | Straps | \$21.95



SCBA Care & Maintenance

Training Regulator BlastMask®

NEW

BlastMask® training regulators attach to your facepiece and simulate real-world SCBA breathing without draining your cylinders, or your budget. And now with new enhancements, including a bypass valve and slide latch that mimics SCBA functionality, it's even more true to life. So you can train like it's real. And be tactically fit when it counts.

- Easy Air Bypass Valve: Instant access to full air with a half turn
- Rugged Slide Latch: Attaches just like an SCBA regulator
- Superior Construction: Upgraded polycarbonate resin



BN632
Mask not included



BN631

BN631 | BlastMask® - 110 - Fits Scott AV-2000 & AV-3000 | \$119.00

BN632 | BlastMask® - 210 - Fits MSA G1 | \$119.00

Protect your SCBA

Deluxe SCBA Mask Bag

Deluxe SCBA mask bag fits any modern-style SCBA face piece with MMR, models NFPA 1997 or newer. The bag will hold a face piece with the regulator attached as well as most voice amp and comms devices, an airline face piece or mask with APR cartridges attached. L-shaped side opening allows for quick deployment of the mask when needed.

- Dual inner liner protects against scratches
- Hook and loop closure
- Nylon webbing loop and trigger snap hook
- Heavy-duty water resistant nylon with screen printed Maltese Cross logo
- Lime yellow/silver reflective trim with leather binding reinforcement provides added visibility

Specify Color: Red, Black, Fluorescent Yellow

BN579 | Deluxe SCBA Mask Bag | \$23.95



NEW

Specially Designed to Clean Your SCBA Masks Better

Ultrasonic SCBA Cleaning System

Easy to Operate

Our systems and solutions are easy-to-use, environmentally friendly, and cost efficient. Fire departments and industrial safety facilities throughout the country depend on us to get their equipment flawlessly clean without damaging the integrity of the apparatus. Major mask manufacturers recognize Ultrasonic Cleaning technology as an accepted SCBA cleaning method. Ultrasonic Cleaning offers the most thorough cleaning and disinfecting process with minimal disassembly; it reaches both interior and exterior surface areas, where most manual cleaning processes will miss. Ultrasonic Cleaning gives you the best overall cleaning at an affordable price. Number of masks cleaned at one time will vary depending on mask size.



All Systems Include: Ultrasonic Cleaning Unit, SCBA Rack and Cleaning Solution

AK194 | AG-360 Cleaning System | 1-2 Masks | \$3,054.95

AK195 | AG-650 Cleaning System | 2-4 Masks | \$3,784.95

AK196 | AG-1000 Cleaning System | 4-6 Masks | \$5,814.95


Air Systems

A. SCBA Brackets

The rugged design of our original SCBA bracket has been safeguarding your SCBA cylinders from scarring and damage since 1988. All brackets are constructed of powder coated steel with removable spring clips featuring a high quality nylon protective coating. The resilient cylinder clips are constructed of 1075 spring steel making them ideal for both fiberglass and carbon fiber tanks. We guarantee our brackets to be the best with our industry leading Lifetime Warranty. Manufactured and assembled in USA. Ship. wt. 5 lbs.

- Clip only available for standalone use, retrofit, and tank changes
- Horizontal & diagonal drill pattern standard

- AR043 | SCBA Bracket, 30 min. High Pressure / 5.25" | \$64.95
 AR044 | SCBA Bracket, 30 min. Low or 45 min. High / 6.10"- 6.75" | \$64.95
 AR045 | SCBA Bracket, 60 min. High Pressure / 7.25" | \$64.95
 AR046 | Bracket Clip, 30 min. High Pressure / 5.25" | \$20.95
 AR047 | Bracket Clip, 30 min. Low or 45 min. High / 6.10"- 6.75" | \$20.95
 AR048 | Bracket Clip, 60 min. High Pressure / 7.25" | \$20.95



B. NFPA Compliant SCBA Bracket With Safety Strap

This bracket is required for securing SCBA within crew compartment areas. It features a 3-point release that keeps your SCBA locked and securely in place. Simply don the SCBA while enroute and keep it safely secured. On the scene pull that lanyard from between your legs or along the side of your seat and you are ready to go. This universal bracket is designed to fit all SCBA. Additionally this bracket is NFPA compliant meeting the 1901-03 standard. We guarantee our brackets to be the best with our industry leading Lifetime Warranty. Manufactured and assembled in USA. Ship. wt. 5 lbs.

- AZ618 | Complete Universal NFPA Compliant Bracket | \$153.95
 AZ534 | Clip Only - Universal "V" Clip | \$13.95



EZ-LOC SCBA Mechanical Bracket

- No straps or levers. Locks quickly and easily by simply pressing down on the top clamp
- Ratcheting design safely locks SCBA in place over a range of engagement - no struggling to achieve a lock or slamming the cylinder against a backplate
- Fully adjustable. Fits most makes/models of SCBA with only minor adjustments
- Footplate Guide makes stowing the air pack an easy, no-look process
- NFPA 1901 compliant and third party tested to exceed NFPA 9G standard
- Ship. wt. 12.8 lbs.

- BK252 | EZ-LOC Mechanical Bracket | \$582.95



Walkaway® Brackets

Rely on these classic brackets for secure storage and quick, easy access to breathing apparatus. All brackets are constructed of heavy-duty steel with a smooth, crack-resistant thermoplastic coating to protect the cylinder and make retrieval a breeze. Standard coating is ideal for low to moderate use. High cycle coating (tested to over 50,000 cycles) adds yellow tips for moderate to high use. Meets NFPA Requirements (For installation in a crew cab when used with AS075 Collision Restraint Strap). Ship. wt. ranges from 4-6 lb.

	5.4"-5.8" (15-30 min. cylinder)	6.75" (15-30 min. cylinder)	7.25" (15-30 min. cylinder)
AS070	•	•	•
AS071	•	•	•
AS072	•	•	•
AS072	•	•	•



- AS070 | Knockdown Walkaway® Bracket (Standard) | \$57.95
 AS071 | Knockdown Walkaway® Bracket (High Cycle) | \$61.95
 AS072 | Scott Knockdown Walkaway® Bracket (High Cycle) | \$112.95
 AS073 | Scott Knockdown Walkaway® Bracket (High Cycle) w/PHS Strap Assembled | \$126.95

Accessories

- AS074 | Positive Holding Strap | \$18.95
 AS075 | Collision Restraint Strap | \$61.95



SuperVac Battery-Powered Blowers

- 180° Tilt: Provides the largest tilt range among battery fans, allowing airflow to be directed virtually anywhere
- Compact, Roll-Cage Frame: Features one of the most compact, lightweight designs among battery PPVs with its aluminum frame design
- Polymer Blade: Minimizes weight; Super Vac's single-piece cast aluminum blade is available by request
- Precision-Spun Steel Shroud with StreamShaper Guard: Shroud provides durability with max airflow, while the StreamShaper guard allows for flexible setback; Air Cone Guard available by request



Free Shipping on
SuperVac products
In Continental USA



16" Blade - Milwaukee Powered

BP222	22 ³ / ₄ " x 23 ¹ / ₂ " x 12"	-	9,800 CFM	42 lbs.	\$3,884.95
BP223	22 ³ / ₄ " x 23 ¹ / ₂ " x 12"	8Ah/30 Min.	9,800 CFM	42 lbs.	\$4,776.95
BP224	22 ³ / ₄ " x 23 ¹ / ₂ " x 12"	8Ah/30 Min.	9,800 CFM	42 lbs.	\$5,312.95
BP225	22 ³ / ₄ " x 23 ¹ / ₂ " x 12"	12Ah/40 Min.	9,800 CFM	42 lbs.	\$5,031.95
BP226	22 ³ / ₄ " x 23 ¹ / ₂ " x 12"	12Ah/40 Min.	9,800 CFM	42 lbs.	\$5,541.95
BP227	22 ³ / ₄ " x 23 ¹ / ₂ " x 12"	Shore Power	9,800 CFM	42 lbs.	\$4,418.95

18" Blade - Milwaukee Powered

BP228	25 ³ / ₄ " x 25 ³ / ₄ " x 12"	-	10,800 CFM	46 lbs.	\$4,775.95
BP229	25 ³ / ₄ " x 25 ³ / ₄ " x 12"	8Ah/30 Min.	10,800 CFM	46 lbs.	\$5,669.95
BP230	25 ³ / ₄ " x 25 ³ / ₄ " x 12"	8Ah/30 Min.	10,800 CFM	46 lbs.	\$6,204.95
BP231	25 ³ / ₄ " x 25 ³ / ₄ " x 12"	12Ah/40 Min.	10,800 CFM	46 lbs.	\$5,923.95
BP232	25 ³ / ₄ " x 25 ³ / ₄ " x 12"	12Ah/40 Min.	10,800 CFM	46 lbs.	\$6,458.95
BP233	25 ³ / ₄ " x 25 ³ / ₄ " x 12"	Shore Power	10,800 CFM	46 lbs.	\$5,312.95

16" Blade - DeWalt Powered

BP250	22 ³ / ₄ " x 23 ¹ / ₂ " x 12"	-	9,816 CFM	42 lbs.	\$3,884.95
BP251	22 ³ / ₄ " x 23 ¹ / ₂ " x 12"	9Ah/30 Min.	9,816 CFM	42 lbs.	\$4,776.95
BP252	22 ³ / ₄ " x 23 ¹ / ₂ " x 12"	9Ah/30 Min.	9,816 CFM	42 lbs.	\$5,312.95
BP253	22 ³ / ₄ " x 23 ¹ / ₂ " x 12"	12Ah/40 Min.	9,816 CFM	42 lbs.	\$5,031.95
BP254	22 ³ / ₄ " x 23 ¹ / ₂ " x 12"	12Ah/40 Min.	9,816 CFM	42 lbs.	\$5,567.95
BP255	22 ³ / ₄ " x 23 ¹ / ₂ " x 12"	Shore Power	9,816 CFM	42 lbs.	\$4,419.95

18" Blade - DeWalt Powered

BP256	25 ³ / ₄ " x 25 ³ / ₄ " x 12"	-	10,840 CFM	46 lbs.	\$4,775.95
BP070	25 ³ / ₄ " x 25 ³ / ₄ " x 12"	9Ah/30 Min.	10,840 CFM	46 lbs.	\$5,669.95
BP257	25 ³ / ₄ " x 25 ³ / ₄ " x 12"	9Ah/30 Min.	10,840 CFM	46 lbs.	\$6,204.95
BP072	25 ³ / ₄ " x 25 ³ / ₄ " x 12"	12Ah/40 Min.	10,840 CFM	46 lbs.	\$5,923.95
BP258	25 ³ / ₄ " x 25 ³ / ₄ " x 12"	12Ah/40 Min.	10,840 CFM	46 lbs.	\$6,458.95
BP259	25 ³ / ₄ " x 25 ³ / ₄ " x 12"	Shore Power	10,840 CFM	46 lbs.	\$5,312.95



Easily Folds for
Compact Storage

SUPERVAC

Ventilation

Valor Ventilation Fans

The Valor Series is engineered to take on the toughest ventilation challenges. Featuring a tough, tubular aluminum frame, rubber never-flat tires, and a 7-position tilt system with a quick step pad. Ducting attaches easily to Valor Series Fans, allowing for quick deployment. The seven point aluminum airfoil blade is manufactured to withstand the heat of structure fires and precision engineered to last a lifetime.



Free Shipping on
SuperVac products
In Continental USA



BN229	18"	23 1/2" x 22" x 21"	Single Speed Motor	6,378 CFM	80 lbs.	\$3,348.95
BN230	18"	23 1/2" x 22" x 21"	Variable Speed Motor	11,709 CFM	84 lbs.	\$4,053.95
BN231	18"	23 1/2" x 22" x 21"	Hazardous Location Motor	6,378 CFM	90 lbs.	\$3,892.95
BN232	20"	26 1/2" x 25" x 21 1/2"	Single Speed Motor	9,007 CFM	82 lbs.	\$3,475.95
BN233	20"	26 1/2" x 25" x 21 1/2"	Variable Speed Motor	13,788 CFM	86 lbs.	\$4,198.95
BN234	20"	26 1/2" x 25" x 21 1/2"	Hazardous Location Motor	9,007 CFM	92 lbs.	\$4,036.95
BN287	18"	23 1/2" x 22" x 21"	GX200 Honda Engine	15,168 CFM	84 lbs.	\$3,885.95
BN290	20"	26 1/2" x 25" x 21 1/2"	GX200 Honda Engine	18,182 CFM	86 lbs.	\$4,028.95
BN288	20"	26 1/2" x 25" x 21 1/2"	Vanguard Engine	17,064 CFM	86 lbs.	\$3,594.95



Flexible Duct & Adapters



These hose sections are tough, lightweight, extremely flexible and crush-resistant. They attach easily to the Smoke Ejector with a quick-release attachment on the adapter ring. They're ideal for moving large quantities of air for ventilation, air conditioning, and fume and smoke control in hard-to-reach places. Hoses are priced with fan to hose adapter. Call for prices on longer hose extensions. Ship. wt. 1 lb./per foot.

Free Shipping on
SuperVac products
In Continental USA



AC937D	16" x 20'	\$1,215.95
AC937F	20" x 20'	\$1,529.95
AC937H	24" x 20'	\$1,852.95



Smoke Ejectors and Holder

Electric Smoke Ejectors

The most popular smoke ejector in the fire service, the Super Vac Electric Smoke Ejector features a patented 4-tip recurved aluminum propeller, which produces a greater intake of air into the vacuum side of the fan, eliminating turbulence at the tips. All Super Vac's are designed to easily accept spiral duct with adapters on the output side for positive ventilation or the input side for negative ventilation.

- Patented 4-Tip Recurved Aluminum Blade: Creates a tight spiral of air to eject smoke and fumes away from the building; aluminum holds up better than plastic in high heat
- Precision-balanced blade maximizes output
- Heavy-duty rubber feet add friction to keep fan in place
- Includes 4 carry handles making transportation easy with one or two people
- Front and rear guards prevent accidental contact with key components

16" Blade Smoke Ejector

- Explosion Proof Motor: J594 & J594A
- Overall Dimensions: 19¹/₄" x 18³/₄" x 13"
- AC948 has explosion-proof motor



Standard
Single Speed



Explosion Proof Motor



Free Shipping on
SuperVac products
In Continental USA

SUPERVAC

J593	16"	1,725 RPM	115/230 Voltage	Steel	5,200 CFM	44 lbs.	\$1,351.95
J593A	16"	1,725 RPM	115/230 Voltage	Alum.	5,200 CFM	39 lbs.	\$1,486.95
AC947	16"	3,450 RPM	115/230 Voltage	Alum.	9,620 CFM	59 lbs.	\$3,441.95
J594	16"	1,725 RPM	115/230 Voltage	Steel	5,200 CFM	49 lbs.	\$2,107.95
J594A	16"	1,725 RPM	115/230 Voltage	Alum.	5,200 CFM	44 lbs.	\$2,262.95
AC948	16"	3,450 RPM	115/230 Voltage	Alum.	9,620 CFM	63 lbs.	\$4,224.95

Smoke Ejector Holder

Made from high-tensile aluminum alloy for maximum strength. Locking action permits adequate pressure to secure the smoke ejector against door jams or window frames. Rubber cushion and pads remain pliable down to -40° F. Includes set of hanger hooks, extras available. Adjusts from 28" to 40". Ship. wt. 8 lbs.



P780	Smoke Ejector Holder	\$297.95
R720	Hanger Hooks	\$21.95/Set of 2

Direct-Drive Gas Powered Blowers

Tempest Direct-Drive Gas Power Blowers were some of the first units designed and used on the fire ground. With a level a durability and performance backed only by the Tempest name, these units offer the perfect balance in features, performance, cost and versatility.

- AMCA Certified Performance
- Reliable Honda GX or Briggs & Stratton engine
- Rugged construction with stands use and abuse
- Tempest exclusive features makes use easy and economical



TEMPEST

Easy to use and
at a great price!



AM118	16"	4.8 HP	Honda Engine	20 ¹ / ₂ " x 19 ³ / ₄ " x 21 ³ / ₄ "	12,008 CFM	79 lbs.	\$2,371.95
AM120	18"	4.8 HP	Honda Engine	22 ³ / ₄ " x 21" x 24 ¹ / ₄ "	14,773 CFM	85 lbs.	\$2,684.95
AM122	21"	5.5 HP	Honda Engine	25" x 21" x 26 ¹ / ₄ "	20,152 CFM	90 lbs.	\$2,786.95
BL838	24"	5.5 HP	Honda Engine	28" x 21" x 30"	19,606 CFM	99 lbs.	\$2,876.95
BK038	16"	3.5 HP	Briggs Engine	20 ¹ / ₂ " x 19 ³ / ₄ " x 21 ³ / ₄ "	11,541 CFM	73 lbs.	\$2,056.95
BK039	18"	5.5 HP	Briggs Engine	23 ¹ / ₂ " x 21" x 25"	14,341 CFM	83 lbs.	\$2,221.95
BK040	21"	5.5 HP	Briggs Engine	25 ¹ / ₂ " x 21" x 26 ¹ / ₄ "	18,025 CFM	87 lbs.	\$2,324.95
BK041	24"	5.5 HP	Briggs Engine	28" x 21" x 30"	19,232 CFM	97 lbs.	\$2,430.95

Single Speed Electric Blowers

The most comprehensive line of Electric Powered Blowers for PPV and NPV available today. Built on the same chassis that has been so successful for our Tempest Gasoline Powered Blowers, Electric Powered Blowers are powerful, durable and versatile while maintaining the ability to operate on a standard household current.

- No exhaust emissions, which can collect Carbon Monoxide inside the structure that you are trying to ventilate
- Never requires "oil change" or has gas go bad while sitting in storage
- Designed to start and run off a standard residential 120v 20amp receptacle without tripping the circuit breaker
- Power supply is readily available at most sites



AS106	16" Single Speed Electric Blower	1.5 TEFC HP	20 ¹ / ₂ " x 19 ³ / ₄ " x 21 ³ / ₄ "	11,804 CFM	3,450 RPM	74 lbs.	\$2,676.95
AS107	18" Single Speed Electric Blower	1 TEFC HP	22" x 21" x 24 ¹ / ₄ "	8,748 CFM	1,750 RPM	76 lbs.	\$2,702.95
AS108	21" Single Speed Electric Blower	1 TEFC HP	24 ³ / ₄ " x 21" x 26 ¹ / ₄ "	11,698 CFM	1,731 RPM	81 lbs.	\$2,761.95
BG288	24" Single Speed Electric Blower	1 TEFC HP	28" x 21" x 30"	12,867 CFM	1,736 RPM	90 lbs.	\$2,885.95

Battery Powered Blowers

Ventilation



TEMPEST

Industry Leading Technology and Design

Tempest VS-1.2D Tech Series

The 18" battery-powered blower features a 40-minute run time with removable DeWalt batteries.

Features:

- 40-minute run time
- Removable battery 1 and up to 3 lithium ion batteries in succession with hour quick charge
- Only 51 pounds w/ 3 batteries 41 pounds without batteries
- 10887 CFM AMCA certified
- Battery management system BMS built into the battery insures maximum performance and safety
- Small footprint
- LED flow-path lighting
- Thin-Vane™ air straightener Reduces wasted airflow. Forces the air to flow straight out
- Warranty
Blower: 5 year limited warranty
Battery: Separate manufacturers' warranty
- Conversion kits available

Specifications:

- Air Volume: 10,887 CFM (18497 m3/h)
- Weight: With batteries: 51 lbs. /Without batteries: 41 lbs.
- Dimensions (L x H x D):
Handle Down: 22.88" L x 24.4" H x 12.25" D
Handle Up: +4.9"
- Propeller Diameter: 18"
- Average run time at full speed 40 mins. with 3x12AH batteries
- Operating Temperature: -5°F to +113°F
- Motor: 0.87HP/744W variable speed drive BLDC totally enclosed, air over IP65
- Battery: Removable DeWalt FLEXVOLT
- 100% charge in 2-hours with external optional charger
- Ingress Protection: IP65 (excludes DeWalt batteries)
- Drop Test: Designed to resist a Drop Test of 1.5M/5'
- Noise Level: 83.7dB at 3m-10'



BP590 | PPV, VS1.2D Basic - No Battery, No Charger | \$5,490.95

BP591 | PPV, VS1.2D Basic - 3 x 12Ah DeWalt Batteries & 1 Single Bay Charger | \$6,567.95

BP592 | PPV, VS1.2D Basic - 3 x 12Ah DeWalt Batteries & 4 Bay Charger | \$6,881.95

BP593 | PPV, VS1.2D Basic - 3 x 9Ah DeWalt Batteries & 1 Single Bay Charger | \$6,097.95

BP594 | PPV, VS1.2D Basic - 3 x 12Ah DeWalt Batteries & 4 Bay Charger | \$6,411.95

Powerful, Lightweight and Self-Contained

Battery Blower

Features:

- 50-minute run time
- Removable battery
- Built-in battery charger
- Only 51 pounds with battery
42 pounds without battery
- 10,940 CFM: Tested to AMCA standards
- Warranty
Blower: 3 year limited warranty
Lithium-Ion Battery: 1 year / 500 charge cycles
- Adjustable Tilt range +65° to -90° with locking system
- LED flow-path lighting
- Small footprint

Specifications:

- Air Volume: 10,940 CFM
- Weight: With battery: 51 lbs.
Without battery: 41 lbs.
- Dimensions (L x H x D): 22" L x 21" H x 11" D
- Propeller Diameter: 16"
- Run Time: 50 minutes at full speed
- Operating Temperature: -4°F to +130°F
- Motor: 0.8 HP / 600W variable speed drive BLDC totally enclosed, air over IP66
- Battery: Removable 12.5AH/585WH Li-Ion
- Charging Time: 100% charge in 3-hours with external optional charger
- Ingress Protection: IP66
- Drop Test: Designed to resist a Drop Test of 1.5M/5'
- Noise Level: 76.3dB at 3m / 10'



BP589 | PPV, BB16 Deluxe - 2 Batteries - 1 Quick Charger | \$6,646.95

Hose

Lightweight Double Jacket Polyester Hose

Backed by a 10-Year Warranty

- 100% synthetic all polyester double jacket
- 100% mildew resistant
- Thin wall high tensile EPDM rubber liner
- UL listed
- Couplings: 1½"-3" NST, 4"-5" Storz
- Packs tighter
- 25% lighter
- Made in the USA
- NFPA 1961 - Current edition

Specify Color: Red, Orange, Blue, Yellow, or White

White Colored

BL283	Eco-10 1½" x 50' Hose	\$149.95	\$156.95
BL284	Eco-10 1¾" x 50' Hose	\$169.95	\$185.95
BL286	Eco-10 2½" x 50' Hose	\$240.95	\$248.95
BL287	Eco-10 3" x 50' Hose	\$345.95	\$349.95

Attack Hose



Darley 800 Hose

Polyester Double Jacket Hose

- Designed specifically for the toughest fire fighting jobs
- Long-lasting synthetic rubber lining and rugged double jacket construction
- Jackets are woven from the finest high-tensile
- 100% polyester yarn
- Tight weave in both jackets mean no drying is required
- Mildew resistant
- First choice of many fire departments and industrial users
- Color: White
- 10-year warranty
- NFPA 1961 - Current edition

HOW TO ORDER DARLEY 800 OR CORD HOSE

Length: All hose will be shipped in 50' lengths. 75' or 100' lengths are also available (call for pricing).

Couplings: All hose will be shipped with hard-coated, lightweight, rocker lug couplings, unless otherwise specified (brass couplings available for an additional charge).

Threads: NST (NH) threads are standard. IPT (NPSH) available at no additional charge (other threads available for \$5.00 per set). Must specify at time of order.



Cat#	Hose Size	Test Pressure	Annual Service Test	Weight per 50' Coupled	Price per 50' Coupled
R755	1½"	800 psi	400 psi	18 lbs.	\$182.95
T410	1¾"	800 psi	400 psi	19 lbs.	\$184.95
R757	2½"	800 psi	400 psi	32 lbs.	\$248.95
R758	3"	800 psi	400 psi	40 lbs.	\$344.95

3" Standard: 3" x 2½" NH

Darley Cord Hose

All-Polyester Double Jacket 800 Hi-Tech Polymer Impregnation Hose

Darley - Cord 800 is a unique attack-grade fire hose, developed specifically for the rigorous environment of fire department use.

- All-polyester double jacket construction
- Ozone-resistant, high-tensile synthetic rubber liner
- Most advanced fire hose in the industry
- Lightweight and extremely durable
- Outside jacket is thoroughly impregnated with a heat-set High-Tech Polymer, providing durability and ease of maintenance (superior to Hypalon)
- Completely immune to any effects of mildew
- NFPA 1961 - Current edition

Specify Color: Black, Blue, Orange, Red, Tan or Yellow

Cat#	Hose Size	Test Pressure	Annual Service Test	Weight per 50' Coupled	Price per 50' Coupled
U273	1½"	800 psi	400 psi	18 lbs.	\$188.95
U275	1¾"	800 psi	400 psi	19 lbs.	\$206.95
U276	2½"	800 psi	400 psi	32 lbs.	\$273.95
W109	3"	800 psi	400 psi	40 lbs.	\$372.95

3" Standard: 3" x 2½" NH





Combat Ready Hose

This hose is designed specifically for aggressive interior fire attack operations. The outer jacket is woven from staple polyester yarns over an inner liner consisting of a one-piece extruded through-the-weave tube. Combat Ready is manufactured in a high-visibility white with one red and one blue stripe running the length of the hose. This heat-resistant, drag-resistant, ozone-resistant and kink-resistant hose has superior friction loss characteristics. Ship. wt. 18-26 lbs.

- Abrasion-resistant
- High visibility
- 10-year warranty
- Low friction loss
- NFPA 1961- Current edition



Cat#	Hose Diameter	Service Pressure	Acceptance Pressure	Weight Per 50' Coupled	Price Per 50' Coupled
AS322	1 3/4"	500 psi	1000 psi	18 lbs.	\$363.95
AS323	2 1/2"	500 psi	1000 psi	26 lbs.	\$442.95

Dartex Double Jacket Polyester Hose

10-Year Warranty

- Polyester double jacket, EPDM rubber lined attack hose
- Designed for 75 psi and higher nozzle applications
- Exclusive PU based color coating for abrasion resistance
- Meets and exceeds NFPA 1961 standards
- Meets and exceeds UL-19 standards
- 400 psi working pressure, 800 psi test pressure, 1200 psi burst pressure



Specify Color:

Cat#	Hose Size	Test Pressure	Weight per 1 ft. Uncoupled	White 50 ft. Uncoupled	Colored 50 ft. Coupled
BP683	1 1/2"	800 psi	1.23 lbs.	\$156.95	\$173.95
BP684	1 3/4"	800 psi	1.28 lbs.	\$189.95	\$209.95
BP685	2"	800 psi	2.31 lbs.	\$252.95	\$277.95
BP686	2 1/2"	800 psi	2.42 lbs.	\$264.95	\$289.95
BP687	3"	800 psi	4.56 lbs.	\$348.95	\$386.95

TRU-ID Hose

TRU-ID is the first and only true internal diameter hose specifically designed for combat fire fighting. Classic performance in an innovative design and rugged construction guaranteed to withstand the rigors of the fire ground. These anodized, threaded expansion ring couplings are guaranteed for the life of the hose. Virtually kink resistant, TRU-ID handlines are designed for use with low pressure/high volume nozzles built to reduce hose whip and optimize friction loss, all while delivering targeted flow rates, guaranteed. Backed by a 10-year warranty.

- Heavy duty EPDM rubber liner
- Lightweight 100% polyester double jacket
- Mildew resistant
- Lightweight, laser engraved, extruded aluminum alloy couplings
- NFPA 1961- Current edition



Specify Color: Red, Orange, Yellow, Green, Blue, Black, White or Tan

BP169	TRU-ID 1.75" D x 50' L	\$221.95
BP170	TRU-ID 2.25" D x 50' L	\$354.95
BP171	TRU-ID 2.5" D x 50' L	\$293.95

Hose

Darley Extruded Rubber Attack Hose

Darley Extruded Rubber Attack Hose is specially formulated with a rubber compound that provides a tough cover that resists tear and abrasion, snags, hot embers, cuts and most chemicals.

- NFPA 1961- Current edition



Specify Color: Refer to chart below

Cat#	Size	Colors Available	Price		
			100' Coupled	50' Coupled	25' Coupled
AC659	1"	Yellow Only	\$327.95	\$186.95	\$113.95
AC665	1 1/2"	Blue, Black, Red, Yellow	\$389.95	\$219.95	\$130.95
AC666	1 3/4"	Blue, Green, Orange, Red, Yellow	\$426.95	\$235.95	\$150.95
AC667	2"	Blue, Red, Yellow	\$497.95	\$288.95	\$191.95
AC668	2 1/2"	Blue, Orange, Red, Yellow	\$564.95	\$317.95	\$189.95
AC669	3"	Blue, Green, Red, Yellow	\$661.95	\$393.95	\$264.95

Darley Large Diameter Hose (L.D.H.)

Ribbed rubber outer cover offers increased resistance to impact, punctures and abrasion. Reliable, maintenance-free and requires no drying, makes this the ideal hose for dewatering, industrial fire fighting, large diameter supply hose and wash down on construction sites. NFPA compliant and UL Listed. Uncoupled hose available - pricing upon request. Specify NST with Rocker Lug or Storz Coupling. Prices below apply to Storz only. Call for pricing on Rocker Lug.

Specify Color: Red, Orange, Blue, or Yellow

Cat#	Size	Price		
		100' Coupled	50' Coupled	25' Coupled
AC670	4"	\$780.95	\$526.95	\$401.95
AC671	5"	\$938.95	\$624.95	\$463.95
BH005	6"	\$1,730.95	\$1,266.95	\$1,036.95



Hy-Flow Hose

Lightweight, double jacket construction, combining 100% premium ring spun staple and filament polyester fibers over a thin wall, high tensile, EPDM rubber liner. The outer jacket is mildew resistant and available with double dip "Key-Lok" polyurethane based polymer impregnation for abrasion and moisture resistance. A proprietary reverse twill weave construction reduces friction loss, while engineered yarn selections lighten the hose compared to competitive offerings. This reliable, double jacket fire hose with Key-Lok treatment is tested to 600 psi and meets MIL-H-24606 latest edition for abrasion resistance. Features a 10-year warranty and lifetime liner delamination guarantee.

- Extremely lightweight, easy to handle double jacket attack or supply line
- Combines minimum weight with maximum flexibility and abrasion resistance
- Mildew, chemical and UV resistant
- Guaranteed not to delaminate for the life of the hose
- NFPA 1961- Current edition

BL621 Specify Color: Red, Orange, Blue, Yellow, or White

BL621	Size	Price	
		50'	100'
BL621	4" with Aluminum Storz Coupling	\$521.95	\$785.95
BL622	5" with Aluminum Storz Coupling	\$630.95	\$945.95

10-Year
Warranty



Spec 187 Forestry Hose

Extremely lightweight all synthetic forestry hose which meets or exceeds all USDA Spec 187 TYPE 2 specifications. This all polyester polyurethane lined fire hose is super light weight, however designed for everyday fire department use. Constructed of circular bias woven, single jacket, 100% all polyester. Extruded TPU—ozone and age resistant tube. 300 psi service test.

Specify Color: White or Yellow		50'	100'
BH088	1" White SPEC 187 Type 2 Hose	\$123.95	\$204.95
BH089	1/2" White SPEC 187 Type 2 Hose	\$144.95	\$242.95
BH090	1" Yellow SPEC 187 Type 2 Hose	\$125.95	\$207.95
BH091	1/2" Yellow SPEC 187 Type 2 Hose	\$143.95	\$240.95



Rack Hose™

All-polyester single jacket interior protection hose for buildings and plants. Lightweight and compact, replaces unlined linen foot for foot. Approximately half the weight of standard rubber lined single jacket hose. Construction: Single jacket, all-virgin filament polyester, circular plain weave. Tube: Extruded T.P.U. elastomer - ozone and age resistant. 250 psi service test.

		50'	75'	100'
AS176	1/2" Rack Hose™ with Brass NST Couplings	\$101.95	\$132.95	\$163.95



Booster Hose

Darley Booster Hose

For service pumpers we recommend our BG280 and BG281 Booster Hose. It assures all around dependable service and years of trouble-free use. Couplings come in aluminum pin hole. NST.

Other threads available. Call for pricing.

Cat#	Inside Diameter		50'	100'
BG280	3/4"	800 psi	\$525.95	\$926.95
BG281	1"	800 psi	\$559.95	\$878.95
BP995	1"	300 psi	\$246.95	\$405.95
BK222	1/2"	200 psi	\$846.95	\$1,228.95



Lightweight Booster Hose

- Lightweight, kink resistant, non collapsible
- Equipped with 1" NST lightweight aluminum RTC (pin hole) couplings
- Single jacket, 1005 high tensile strength virgin polyester yarns; smooth TPU lining ensures the minimum friction for maximum flow
- Highly resistant to ozone abrasion, offering outstanding low temperature performance, excellent mechanical properties, and as good resistance to oil and grease

		50'	100'
BL385	1" Booster Hose with Repairable Couplings	\$211.95	\$385.95



300 psi
Service Pressure



Boostlite® Reel Hose

- 400 psi service test pressure
- Half the weight of other brands of booster hose
- Fits standard reels without kinking (4 1/2" radius)
- Non-collapsible rigid booster reel hose
- Single jacket with yellow Yermatex® treatment
- Polyurethane lined yielding low friction loss and easy handling

Cat#	Description	50'	100'
BD113	3/4" Yellow Hose with Coupling	\$323.95	\$380.95
BD114	1" Yellow Hose with Coupling	\$234.95	\$414.95



Couplings

- BD113 Coupling - Aluminum 1" x 1/16" NH forestry pin hole set
- BD114 Coupling - Aluminum 1" x 1/32" NH R/L

Booster Hose Reels

Include all the information below

For Manual: Specify crank side (left or right)

Specify inlet side (left or right)

Note: Must be same side as motor/crank

Specify Color: Red, Silver, White or Primer Coat

Specify Size No. (see chart)

Specify 90° or Straight Inlet swivel


Specify size ($\frac{3}{4}$ " or 1") and outlet thread type

For Electric: Specify motor side (left or right)

and motor position (front or back)

Note: Must be same side as motor/crank

Rugged, long lasting booster hose reel in choice of steel or aluminum to handle your $\frac{3}{4}$ " or 1" I.D. booster hose



Electric Rewind Booster Hose Reels

AM167 | Aluminum Booster Hose Reel | \$1,999.95

AM168 | Steel Booster Hose Reel | \$1,495.95




Manual Booster Hose Reels

AM169 | Aluminum Booster Hose Reel | \$1,424.95

AM170 | Steel Booster Hose Reel | \$889.95

Option

AZ633 | Roller and Spool Assembly | \$226.95



"F" dimension is the same for both electric & manual models. Add 40 lbs. to weights shown for electric models.

Size No.	Hose Reel Capacity (ft)		Overall Reel Capacity (in)			Approx. Steel wt. lbs. (Crank)		Approx. Alum. wt. lbs. (Crank)	
	I.D. $\frac{3}{4}$ ", O.D. $1\frac{1}{32}$ "	I.D. 1", O.D. $1\frac{1}{32}$ "	E	F	G	Net.	Ship.	Net.	Ship.
01	150	100	$21\frac{5}{8}$	$34\frac{1}{4}$	$21\frac{1}{2}$	102	144	80	122
02	150	100	23	$25\frac{3}{4}$	$23\frac{1}{2}$	92	134	75	117
03	250	150	23	$32\frac{1}{4}$	$23\frac{3}{2}$	105	147	82	124
04	200	100	$28\frac{3}{4}$	$18\frac{1}{4}$	$29\frac{7}{8}$	100	150	80	130
05	250	150	$28\frac{3}{4}$	$21\frac{1}{4}$	$29\frac{7}{8}$	107	157	83	133

Roller and Spool Assembly

Speed your hose handling and reduce wear on hose. Buffed stainless steel rollers. Assembly includes roller, 2 blocks, 2 spools, bearings and all fastenings. Length of roller should be the same as the reel drum length. (Larger sizes are available for an extra charge). Ship. wt. 13 lbs.


Specify Length: Up to 38"

R698 | Roller and Spool Assembly | \$227.95



Drop-In Style Booster Reel

These reels are an excellent choice for drop-in units or smaller apparatus compartments where space is a premium. They're built to the same design standards as our larger reels, just lighter in weight and more compact. Available in either electric or crank rewind. Reels will hold up to 100' of 1" or 200' of $\frac{3}{4}$ " booster hose. Dimensions: (E) Crank/16.5", (E) Elec/19", (F) Crank/46.62", (F) Elec/39.75", (G) 18.12"



AJ513 | Drop-In Style Booster Reel/Electric | \$1,016.95

AJ514 | Drop-In Style Booster Reel/Crank | \$505.95



Swivel Joints

Pressure balanced design for low rotation torque. Hardened carbon steel barrel for strength and long wear. NPT threads. Ship. wt. 3 lbs.



AF774 | $\frac{1}{2}$ " Swivel Joint | \$303.95

T961 | 1" Swivel Joint | \$158.95

T963 | 1" Seal Kit for T961 | \$49.95


Hose not included



Dry and Store Hose Rack

With the Dry and Store Hose Rack, you can dry hose and store it on the same unit. Unit consists of the top mounted drying rack where hose and other equipment dries naturally and quickly, and one lower level storage rack. Dry up to 900' of 1/2" to 3/4" hose or up to 600' of 2 1/2" to 3 1/2" hose and simultaneously store up to 650' of 2 1/2" hose. Heavy-duty steel construction with durable red powder coat finish. Ideal for use in smaller stations. Ship. wt. 330 lbs.

BB039 | Dry and Store Hose Rack | \$2,673.95



Hose not included

Holds hose on both sides

Mobile Hose Dryer

With the Mobile Dryer, equipment dries naturally and quickly with fresh air, prolonging the life of your equipment. Used to dry immersion entry suits, wet or dry dive gear, and decontaminated hazmat entry suits. The Mobile Hose Dryer holds up to 1200' of 1/2" or 3/4" or up to 800' of 2 1/2" - 3" hose. Ship. wt. 290 lbs.

- SAFE - no more climbing to hang or retrieve hose
- Costs thousands less than conventionally built towers
- Stores and dries in small area
- Durable red powder coat finish
- Dimensions: 80" L x 33" W x 88" H

AS703 | Mobile Hose Dryer | \$2,052.95



Wall Mounting Bracket

Roll House Quicker and Easier Than Ever

The Hose Coiler

Designed by a firefighter to make it quicker and easier to coil 1" to 3" double jacket hose in lengths up to 50 feet (single jacket forestry hose in lengths of 100 feet). Simply attach the mounting bracket to the rear of your apparatus, pickup truck or any emergency vehicle waist-high, insert the coiler crank and roll away. The coiler itself is made of two parts which nest together for compact storage. Once the hose is coiled simply remove the tight coil from the inside section and you're done; no more bending over to pick up heavy coils. Use this system anywhere you choose to install the mounting bracket (included). Also available are trailer hitch mounts. Call for pricing. Fits in hitch receiver and Wildland Mounts pound in the ground.

Cat#	Description	Ship. wt.	Price
AM100	Hose Coiler, for 1" to 1 1/2" Hose	8 lbs.	\$329.95
AM101	Hose Coiler, for 1 1/2" to 3" Hose	8 lbs.	\$326.95
BE026	Hose Coiler, for 4" to 7" Hose	12 lbs.	\$545.95



Build Your Own Hose Rack

Hose Rack Brackets

Protect your hose with ample ventilation and allow quick and easy access for inspection. Build your own rack with pipe and lumber using these handy brackets designed for easy adjustable installation. Ship. wt. 4 lbs.

- Lightweight, high-strength aluminum
- Easily adjusts up or down pipe for desired height

AR346 | Small Bracket for 1 1/2" Pipe | \$60.95

AR347 | Large Bracket for 2" Pipe | \$62.95

Hose

Freestanding & Mobile Hose Cart

Save time and eliminate back strain from carrying hose with the Hose Cart. Mobile unit has heavy-duty brake casters that allow for ease of rolling and hold the cart in place when loading or unloaded. Heavy-duty steel rails with a durable red powder coat finish easily support 100' coils. Ships knocked down for freight savings. Easy to assemble. Available in 2 or 3 tier units mobile or freestanding. Freestanding model may be bolted to floor for additional stability. An optional cover plate (AR117) provides a flat surface for holding bottle carriers or other items. Ship. wt. 315-560 lbs.



Accessories

AS213 | Hose Winder | \$573.95

Cat#	# of Tiers	Hose Storage	Dimensions	Ship. wt.	Mobile	Freestanding
BH032	2-Tier	Up To 1,300' of 2 1/2" Hose	72" L x 79" H x 34" W	250 lbs.	\$2,170.95	\$2,038.95
BH033	2-Tier	Up To 2,000' of 2 1/2" Hose	104" L x 79" H x 34" W	425 lbs.	\$2,903.95	\$2,914.95
AS214	3-Tier	Up To 2,000' of 2 1/2" Hose	72" L x 87" H x 34" W	315 lbs.	\$2,502.95	\$2,368.95
AS215	3-Tier	Up To 3,000' of 2 1/2" Hose	104" L x 87" H x 34" W	560 lbs.	\$3,534.95	\$3,401.95



"It All Comes Out in the Wash"

The Automatic Fire Hose Washer

You'll be amazed at how thoroughly, easily and quickly this remarkable cleaner does its job. Ashes, dirt, silt, mud and sludge are all scrubbed and flushed away, restoring hose to its original color. Quiet, chain-drive operation eliminates need for service and repairs. Built to last a lifetime and equipped with long wearing, genuine nylon brushes. Check out all the great features of the Automatic Fire Hose Washer. Ship. wt. 680 lbs.



Shown with optional hose loading table.

- Convenient foot pedal applies pressure on pivoted wringer roll, pulling hose through the washer under its own power
- Uniform Washing: Wringers propel hose through washer, ensuring an even, uniform cleaning at a rate of about 30 ft. per minute
- Cleaning Action: Hose is soaked in immersion tank filled with lukewarm or cold water. Add detergent as you see fit

H887 | Automatic Fire Hose Washer | \$11,828.95

H686 | Hose Loading Table | \$1,449.95

Large Diameter Hose Winder

Wind 100' sections of LDH up to 6" wide in seconds. Having the ability to steer the winder while rolling the hose, the Large Diameter Hose Winder (LDHW) turns winding into a one-man operation. With no need to recharge batteries, downtime is drastically reduced. The LDHW drains the hose as you wind it, prolonging hose life. Reduces the risk of back injuries by limiting firefighter fatigue.



BN014 | Large Diameter Hose Winder | \$2,024.95



Image shown corresponds to 3" x 10' configuration of BP688



Image shown corresponds to 4" x 10', 5" x 10', & 6" x 10' configuration of BP688



Image shown corresponds to all configurations of BP689

Darley Clear PVC Suction Hose

Lightweight - Tight Bend Radius

This lightweight suction hose can be easily handled by one firefighter. Ridged helix and smooth bore give this hose unrestricted flow. Clear flexible connector web allows for visual monitoring of incoming water. Sold standard in 10-foot lengths, coupled. NH threads standard. Ship. wt. 45 lbs.

- Operates in extreme temperatures
- Sold complete with end couplings
- For drafting only

BP688 Specify Size:

- 3" x 10' F x M, 2 1/2" | \$251.95
- 3" x 10' F x M, 3" | \$377.95
- 4" x 10' F x M, 4" w/ swivel handle | \$458.95
- 5" x 10' F x M, 4 1/2" w/ swivel handle | \$1,077.95
- 5" x 10' F x M, 5" w/ swivel handle | \$870.95
- 6" x 10' F x M, 6" w/ swivel handle | \$836.95

BP689 Specify Size:

- 4" x 10' with 4" Storz | \$884.95
- 5" x 10' with 5" Storz | \$1,127.95
- 6" x 10' with 6" Storz | \$1,711.95

Basket Suction Strainer-Diffuser

Basket strainers provide the best performance when drafting, while reducing debris from entering a pump and provides full flow into the suction hose. This same device can be used to diffuse water when testing hydrants to diffuse the flow safely. Ship. wt. 45 lbs.



- Available in female sizes 2 1/2" through 6"
- NH, NST, or NPSH threads standard
- Rocker lug for easy secure tightening
- Includes flat face gasket

Female Basket Suction Strainer-Diffuser

Cat#	Size	Price
BP184	2 1/2"	\$222.95
BP185	3"	\$231.95
BP186	4"	\$264.95
BP187	4 1/2"	\$275.95
BP188	5"	\$328.95
BP189	6"	\$360.95

Darley Hard Suction Hose

Smooth bore, hard suction hose for heavy-duty service. Meets NFPA 1961 & 1901. Comes with lightweight anodized couplings installed; long handle female x rocker lug male. Price on request for other lengths.

Price per 10-Foot Section Coupled

Cat#	Hose Size	Coupling Size	Ship. Wt.	Price
BP775	2 1/2"	2 1/2"	26 lbs.	\$208.95
BP776	3"	2 1/2"	30 lbs.	\$223.95
BP777	3"	3"	32 lbs.	\$223.95
BP778	4"	4"	46 lbs.	\$460.95
BP779	4 1/2"	4 1/2"	49 lbs.	\$851.95
BP780	5"	5"	59 lbs.	\$764.95
BP781	6"	6"	70 lbs.	\$785.95



Barrel Strainers

Cylindrical holes provide a greater area of entrance for the water and allow full capacity pumping. Made of coated aluminum. NST threads. Ship. wt. 7 lbs.

	2 1/2"	3"	4"	4 1/2"	5"	6"
AM107	\$170.95	\$188.95	\$315.00	\$286.95	\$260.95	\$224.95

Foot Valve Barrel Strainers

Opens and closes automatically to maintain pump prime. Allows full flow for capacity but when you stop pumping it closes instantly and keeps the pump primed by preventing water from flowing out. Complete with eyebolt for rope. Made of coated aluminum. NST threads. Prices on request for other threads. Ship. wt. 8 lbs.

	2 1/2"	3"	4"	4 1/2"	5"	6"
AM106	\$314.95	\$313.95	\$320.95	\$379.95	\$362.95	\$342.95



High-Rise Hose Strap

Strap consists of four quick release color-coded Velcro® brand closures for a range of carry options. U-shaped design keeps hose center of gravity close to your own for better balance and mobility.

- Carry up to 100 ft. of hose
- 4 heavy-duty nylon straps cinch the hose tight
- Carry over SCBA or shoulder for hands-free movement
- Allows for fast movement in narrow spaces
- Color-Coded Reflective Trim: Silver marks the nozzle
- U-Shaped Design: Keeps hose center of gravity close to your own

BB065 | High-Rise Hose Strap | \$96.00



The Cleveland Hose Grip

The Cleveland Hose Grip is a clever hose pack that is designed to easily deploy in tight spaces while eliminating hose kinking. Minimal man power is required to deploy the hose. Made of 2" nylon webbing with 2" Nexus quick side release buckles that are easily released with your gloves on. There is a looped end for cinching up and removable shoulder strap for easy carrying. The grip holds 100' of 1 3/4" hose with the nozzle attached. The Cleveland Hose Grip is designed for a stand pipe operation or to be connected to an existing line with a gated wye. Color: Royal Blue. Ship. wt. 2lbs.

BN212 | The Cleveland Hose Grip | \$111.95



BN212

Gripper Hose System

The Gripper Hose System consists of three heavy duty nylon straps, with a padded shoulder sling, all sewn together to create a hose harness. The gripper has a padded high visibility shoulder sling, with three 2" wide, 42" long, 3000 pound strength webbing to secure the hose and carries 150' of 1 3/4" hose. Utilizes cam buckles and torque rings and is easily opened with a gloved hand. The 42" long straps have the capacity to hold more hose than the average firefighter can carry. Ship. wt. 4 lbs.

AF151 | Gripper Hose System | \$208.95



AF151

Easily Carry More Hose

Hose Vice

The Hose Vice is the latest in the evolution of our hose carrying systems. This product incorporates many ideas given to us by our customers. Features include: an updated shoulder strap, which is adjustable and removable. The shoulder strap is long enough that a firefighter can carry the bundle across the body for better balance. Two fire-fighters can also carry The Hose Vice. Handles have been incorporated into the ends of the four straps, along with two molded rubber grips on top. The overall length is 35" and each strap has an adjustable circumference range of 20" - 38". Capacity is 150 OR 200' of 1 3/4" hose as shown. 3M reflective has been added to increase visibility. Made in the USA. Ship. wt. 3 lbs.

AK187 | Hose Vice | \$351.95



AK187

Res-Q-Rench

- Spanner wrench works with 1 1/2" and 2 1/2" rocker lug couplings
- Only folding spanner that works with 4" & 5" storz locking couplings
- Made from glass-reinforced nylon
- Folds compactly into your pocket
- Integrated carbide tip
- Heavy-duty seat belt cutter
- Prying tool
- 12" open; 8" closed
- Ship. wt. 1 lb.



Seatbelt Cutter



Gas Shutoff



Rocker Lug & Storz Wrench



Pry Tool



Window Punch

AM292 | Res-Q-Rench | \$47.95

Darley Hydrant Strap

Never Lose Your Tools

The Hydrant Strap increases the speed and safety of your hydrant hook-ups. The complete Hydrant Strap includes a six-foot loop of heavy-duty nylon webbing fastened to the end of your supply or suction line by a three-foot hose strap. The hose strap is made from seat belt material with a seat belt type buckle. Attached to the hose strap is a tool pouch containing the tools needed for hydrant hook-up. The firefighter stands on the ground and pulls the Hydrant Strap fastened to the end of the supply line in the hose bed and loops the strap over the hydrant. The engine can then lay the hose line. After the hose lay is finished, it is simply unbuckled. Ship. wt. 1 lb. without tools.

AC961:

- Hydrant wrench
- 2 - Spanner wrenches for rocker lug couplings



AC962:

- Hydrant wrench
- 2 - Spanner wrenches for 4" or 5" Storz



AC960 | Hydrant Strap without Tools | \$54.95
 AC961 | Hydrant Strap with Tools | \$124.95
 AC962 | Hydrant Strap with Tools | \$140.95



Hydrant Bag

A large 22 oz. vinyl bag designed to hold all of the equipment you need for a hydrant operation. The Velcro® closure on top allows for quick access with your gloves on. This bag will hold large gated valves, wyes, wrenches, reducers, etc. A high density padded bottom helps to protect equipment. The molded TUFF bottom provides an almost indestructible base. Dimensions: 24" L x 12" W x 9" H.



BL628 | Hydrant Bag | \$174.95



Pick the Right Wrench For the Job

BL889: Wrench will accommodate pentagon heads to 1 1/8" and square heads to 1 1/2". Double spanner head is designed to fit 3/4 through 6 rocker lug or pin lug fittings. Jaw is replaceable. Length is 19 1/2". Ship. wt. 5 lbs.

E119: Malleable iron, cadmium plated hydrant wrench adjusts to pentagon nuts from 1 1/4" to 1 3/4" or square nuts to 1 1/4". Fits couplings from 1 1/2" to 6". Ship. wt. 5 lbs.

BP904: Zinc plated ductile iron head and 7/8" steel handle. Opening accepts any pentagon nut up to 1 3/4" or 1 1/4" square nut. Fits 2 1/2" pin or rocker lug. Ship. wt. 5 lbs.

BL889



E119



BP904



BL889 | Adjustable Hydrant Wrench w/Double Spanner Head | \$101.95

E119 | Hydrant Wrench | \$41.95

BP904 | Hydrant Wrench | \$44.95

Super Spanner Wrench

Fits any standard 4" and 5" Storz or locking type Storz coupling on one end; the other end fits 1/2" to 3" rocker lug type fire hose couplings. Use the center slot as a gas shutoff. Wrench set includes 4 Super Spanner Wrenches and Mounting Plate. Ship. wt. 1-7 lbs.

BN581 | Super Spanner Wrench | \$28.95

BN582 | Super Spanner Holder | \$65.95

BN583 | Super Spanner Wrench Set | \$172.95

Darley Storz Spanner Wrench Set

Wrench set includes your choice of 2 or 4 Storz Spanner Wrenches mounted on a cast aluminum holder base plate. Holder is powder-coated for corrosion resistance and surface-mountable. Wrenches are made of a lightweight aluminum casting with comfortable grip for 4"-5" Storz connections. Ship. wt. 2 lbs. (4 wrench set).

Includes:

- BK374: 1 wrench
- BK375: 2 wrenches and holder
- BK376: 4 wrenches and holder

BK374 | Spanner Wrench 4" - 5" | \$34.95

BK375 | Double Storz Wrench Set | \$207.95

BK376 | Quad Storz Spanner Wrench Set | \$228.95

Wrench Holder Set

Mounts on apparatus for easy accessibility. Convenient, snap action aluminum holder complete with two spanners for any style or size coupling from 1/4" to 4". Also includes an adjustable hydrant wrench for pentagon nuts up to 3/4" or square nuts to 1/4". Hydrant wrench fits 2/2" couplings. Ductile iron zinc plated head. Handle is steel zinc plated. Ship. wt. 9 lbs.

H711 | Holder w/2 Spanner Wrenches | \$81.95

L780 | Holder w/2 Spanner Wrenches & Hydrant Wrench | \$116.95



Best Seller



Darley Spanner Wrench

Lightweight aluminum spanner. Includes belt hook eye, hammer head and gas cock shut-off. Fits couplings from 3/4" to 4". Ship. wt. 1 lb.

B397 | Darley Spanner Wrench | \$19.95

Double End Spanner Wrench

Double end hole type spanner, fits 3/4" and 1" booster hose couplings and 2/2" hole type fittings. Ship. wt. 1 lb.

L800 | Double End Spanner Wrench | \$31.95

Folding Spanner Wrench/Belt Ring

Ultra-light non-sparking folding spanner with extra wide pry end, and gas shut-off. Fits couplings from 3/4" to 6" Ship. wt. 1 lb.

AZ357 | Folding Spanner Wrench/Belt Ring | \$50.95

Expansion Units

Complete expansion unit assembly for attaching 1" through 6" couplings. Note: Red Head expansion units are compatible with some other manufacturers' expanders. Please specify the manufacturer and model. Ship. wt. 1 lb.



- AF202 | 1" with Drawbar (Pull Type) | \$892.95
- AF204 | 1 1/2" with Drawbar | \$799.95
- AF209 | 1 3/4" with Drawbar | \$902.95
- AF214 | 2 1/2" with Drawbar | \$798.95
- AF217 | 3" x 2 1/2" with Drawbar | \$1,115.95
- AF218 | 3" without Drawbar | \$1,030.95

Leather Hose Jacket

Made of top-grain, heavy-duty leather and fits 2 1/2" hose. Handy, simple and inexpensive that every apparatus should have a couple. Great for ISO rating points. Ship. wt. 1 lb.

**ISO
Points**



B82301 | Leather Hose Jacket | \$85.95

Attach 1"-6" Couplings

Brute Model 2 Bench

- 3,000 lb. pump - 2,500 lbs. workable
- 1 1/2 h.p. single phase 220V 3
- 3450 rpm motor
- Foot pedal control
- Average cycle time 13 seconds
- Cylinder - 6" stroke, 4" bore
- Manually set external pressure relief valve
- Dimensions: 22" W x 22" D x 16" H
- Total thrust 38,000 lbs.
- Oil capacity 9.5 gallons



BL894 | Brute Model 2 Bench | \$16,020.95

Hebert Hose Clamp

Saves time and labor when removing burst hose, relieving pressure on a line or changing fittings without damaging hose. Simple to operate and releases quickly. Dimensions: 12 1/2" H x 15" W x 5.5" D, 6" opening. Ship. wt. 24 lbs.

**ISO
Points**



- G301 | Up To 3" Hose | \$399.95
- G30102 | Up To 6" Hose | \$660.95
- G30101 | Running Board Bracket | \$69.95


Expansion Rings

The metal used is a scientifically correct mixture which is best adapted for the purpose of giving the maximum coefficient of expansion without fracture. Ship. wt. 1 lb.



Cat#	O.D.	Length	Price
41602	1"	1"	\$5.95
41603	1 1/2"	1"	\$5.95
41604	2 1/2"	1 1/2"	\$7.95
41605	3"	2"	\$16.95

Neoprene Gaskets



F850 Neoprene Face Gaskets, for cap and female swivels, remain fresh and resilient for years and will not swell or distort out of shape. R664 Tail Gaskets for the coupling bowl are made of a "livelier" Neoprene to prevent "bulge out" under the expansion ring. Ship. wt. 1 lb.

Recoupling Gaskets for Hose Priced Per Dozen

Cat#	1 1/2" DJ	1 1/2" SJ	2 1/2" DJ	2 1/2" SJ	3" DJ	3" SJ
R664	\$18.95	\$18.95	\$24.95	\$24.95	\$37.95	\$37.95

Female Swivel Gaskets Priced Per Dozen

Cat#	3/4"	1"	1 1/2"	2 1/2"	3"	4"	4 1/2"	5"
F850	\$18.95	\$18.95	\$18.95	\$24.95	\$37.95	\$68.95	\$78.95	\$92.95

Hose

Hose Washer

Effective in cleaning all types of dirty and caked hoses. Simply connect to a fire hydrant or pumper (40-60 operating psi recommended) and these units will blast the hose clean of all debris. These machines operate by using water pressure to produce a conical multi-jet water stream while using no moving parts. This ensures long life and no loss of performance over time. Manufactured and assembled in USA. Ship. wt. 15 lbs.

AJ515 - Automatic feed washer, 1.5" NST connection

AJ453 - Manual feed washer, 2.5" NST connection



AJ515 | 3" Max Hose Size, 1.5" NST Connection | \$644.95

AJ453 | 5" Max Hose Size, 2.5" NST Connection | \$1,211.95

Fire Hose Tester with Tool Tray

The Flamefighter hose tester features an industry leading design which incorporates the pump mounting position into a wrench and adapter tray keeping necessary tools sorted and off the work floor. Made specifically for use in the fire industry this unit is capable of testing up to 6" diameter hose and up to 300' per discharge. The wheeled cart is able to fit through a standard 36" doorway, is equipped with 10" tires for superior maneuverability, and features stainless steel ball valves for years of trouble free operation. Options available include 1.5" or 2.5" NST adapters for hassle free connecting. The pump is capable of pumping 4 gpm at 600 psi. This hose testing unit is manufactured and assembled in USA.



BG535 | Hose Tester with Pressure Washer 1.5" NH | \$3,398.95

BL831 | Hose Tester without Pressure Washer 1.5" NH | \$3,093.95

BL832 | Hose Tester without Pressure Washer 2.5" NH | \$3,155.95

BL833 | Hose Tester with Pressure Washer 2.5" NH | \$3,478.95



Quic-Bridge® Hose Guards

One of the most economically priced hose bridges available and requires little storage space. Made of extruded aluminum to accommodate 16" or 24" widths (5" hose). Each bridge consists of one center hose guard and two ramps; neoprene feet hold the bridge firmly in place and vehicle tires do not come into contact with the hose line. Remove one ramp and bridge can be used to jump a curb. Ship. wt. 192 lbs.



Quick and Easy Ramp Assembly

Sold in sets of two bridges

AM098 | 16" Hose Ramp | \$1,506.95/set

AM099 | 24" Hose Ramp | \$1,933.95/set

Hose Rollers

Remove Air & Water Easily From Your Hose

Hose Rollers are designed to remove air and water from your 1 1/2" to 5" single or double jacket hose. Heavy duty nylon rollers are durable for years of dependable service. Simply feed the hose through and walk the length of the hose. Two-person model BP905 is hinged at one end to clamp around the hose. One-person model AF154 slips over the end of the hose and the handles compress the rollers against the hose. Ship. wt. 10 lbs.




BP905

AF154 | One-Person Hose Roller | \$193.95

BP905 | Two-Person Hose Roller | \$190.95

Darley Pumps

Pumps



LDM Midship Single Stage Pump
NFPA Ratings 1000-1750 gpm



DQS Inc.
W.S. DARLEY & COMPANY
REGISTERED TO ISO 9001:2015
CERT# 10000076

Why Demand Darley Pumps?

ISO 9001 Certified

Our pump division has an ISO 9001:2015 Certified Quality Management System. Accredited by Underwriters Laboratories Inc. Cert# 10000076

Engineered for Life

Darley engineers design our pumps using the latest technology platforms such as ANSYS CFD and Solidworks.

Sales and Service

We ship approximately 90% of all repair parts within 24 hours.

Self-Locking Discharge Valves

Our valves stay where you set them due to their cam lock handle. All bronze valve with stainless steel ball and a single seat outlasts other valves in the industry.



Discharge Check Valve

Pump can be primed even if discharge valves are left open and caps removed still producing rapid water deployment.



AutoCool™ and MagnaTrans™

Darley pump transmissions are the strongest in the market. The patented AutoCool™ ensures oil cooling without the possibility of water contamination.



Vacuum Cast Impeller

Durable, balanced, and efficient. Designed with splines rather than a single key-way for precision fit to splined impeller shaft.



Mechanical Seal

Completely maintenance and drip-free. The seal is extremely hard and heat dissipative due to its stationary face and silicon carbide design. Allow pumps to run dry for short durations.



Longest Warranty

The industry's longest and most comprehensive warranty with a ten-year manufacturer's warranty. Includes three years of parts and labor coverage at no charge on our Midship and PTO pumps. We've got your back.



Darley Family of Pumps

Darley offers over 300 high quality, highly efficient and competitively priced pumps, CAFS and related products for virtually any application. Darley pumps are 100% manufactured in the USA and are backed by the industry's longest warranty. Visit darley.com/pumps to view our complete selection and learn more reasons why you should switch to Darley pumps. Contact PumpSales@darley.com to find the right pump to meet your needs.

Gasoline Portable Pumps

Darley Gasoline Portable Pump models are available with a wide variety of engines from Briggs & Stratton Vanguard, Honda, and Rotax.



Compressed Air Foam Systems

Darley offers the widest variety of CAFS on the market. Darley AutoCAFS™ and Odin CAFS provide the solution to all your CAFS needs.



Diesel Portable Pumps

Darley Diesel Portable Pump models are available with a wide variety of engines from Yanmar, Kubota, Cummins, John Deere and Deutz.



Fast Attack Skids

Darley Fast Attack Skid units are ideal for brush firefighting needs. Designed to fit into the standard 8' bed of any pickup truck, the unit features a 200 gallon poly tank with "C" channel construction for easy installation and removal.



Engine Driven Pumps

Darley Engine Driven Pump models are available with a wide variety of engines from Cummins, Deutz, Ford, GMC, Kubota and John Deere.



Pump Modules

Darley offers a large variety of Pump Modules from our compact Solution Series™ PTO driven Modules to Top-Mounted Midship Modules.



Front/Rear Mounted Pumps

Darley continues to offer a wide variety of Front and Rear Mount pump configurations.



Marine Pumps

Darley offers marinised versions of our portable, front mount and engine driven pumps featuring engines from Honda and Steyr.



PTO Pumps

Darley has a wide variety of PTO and hydraulically driven pumps with flows up to 1500 gpm ideal for pump and roll applications.



Ohler Pumps and Custom Pump Solutions

Ohler pumps offer a range of pumps for industrial applications including diesel fuel, mining and trash flow.



Midship Mounted Pumps

Darley offers both manifolded and non-manifolded midship pumps with ratings from 1000 to 6000 gpm.



Pump Accessories

Darley has a wide variety of pump accessories such as control panels, adapters, mechanical seals, primers, valves, gauges and more.




Davey Portable Pumps

Email your Inquiries to
Instock@Darley.com

The Darley® Davey pumps, also known as the “affordable portables” are the most economical choice in portable, high-efficiency pumps. Their compact design makes them ideal for a variety of applications such as firefighting, tank filling and water transfers.

Pump Design Features

- Marine-grade aluminum casing
- 3-way discharge port with 1 - 1½" NPTM, 2 - 1" NPTM
- 1½" NPTM suction
- Zinc-plated casing bolts
- Mechanical shaft seal
- Nitrile rubber seal and casing "O" rings
- Self-Priming up to 19'
- Easy installation
- Compact and lightweight
- High pumping efficiency
- Low oil protection
- Spark arrestor/exhauster diverter



Cat#	A	B	C	D	E
AK301	22"	17.7"	16.8"	7.5"	12.6"
AK306	22.4"	17.5"	17.9"	7.5"	12.6"
AK308	21.4"	17.7"	17.1"	7.5"	12.6"
AK313	25"	19.5"	18.5"	7.9"	13"
AK314	22.8"	15.3"	15.8"	6.7"	11.7"
AK315	22.8"	15.3"	15.8"	6.7"	11.7"

6.5 HP Twin-Impeller

Features

- 6.5 HP Honda with and without electric start
- Spark arrestor/exhauster diverter
- 60 lbs. (27 kg)

Performance

- 65 gpm (246 L/M) @ 48 psi (3.3 bar)
- 50 gpm (189 L/M) @ 81 psi (5.6 bar)
- 20 gpm (76 L/M) @ 120 psi (9.0 bar)



AK314: 6.5 HP
Twin-Impeller

AK314 | 6.5 HP Twin-Impeller Honda Electric Start | \$2,360.00

AK315 | 6.5 HP Twin-Impeller Honda Non-Electric Start | \$1,985.00

9 & 10 HP Twin-Impeller

Features

- 9 HP Honda OHV with electric start and recoil
- 10 HP Briggs & Stratton OHV Vanguard or Yanmar diesel
- Spark arrestor/exhauster diverter
- 80 lbs. (36 kg)

AK301: Performance

- 120 gpm (454 L/M) @ 36 psi (2.5 bar)
- 95 gpm (378 L/M) @ 83 psi (5.7 bar)
- 60 gpm (227 L/M) @ 118 psi (8.1 bar)
- 20 gpm (76 L/M) @ 144 psi (9.9 bar)



AK301: 10 HP
Twin-Impeller

AK308 | 9.0 HP Honda - GX270 | \$3,500.00

AK301 | 10.0 HP Briggs & Stratton OHV Vanguard | \$3,200.00

AK313 | 10.0 HP Yanmar Diesel | \$6,310.00

13 Hp Twin-Impeller

Features

- 13 HP Honda with electric start and recoil back-up
- Spark arrestor/exhauster diverter
- 92 lbs. (42 kg)

Performance

- 120 gpm (454 L/M) @ 40 psi (2.8 bar)
- 95 gpm (378 L/M) @ 108 psi (7.4 bar)
- 60 gpm (227 L/M) @ 133 psi (9.2 bar)
- 20 gpm (76 L/M) @ 146 psi (10.0 bar)



AK306: 13 HP
Twin-Impeller

AK306 | 13.0 HP Honda-GX390 | \$4,050.00

⚠ WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Davey Pump Options

Automatic Pressure Relief Valve Kit


Protect your pump from overheating with this adjustable 0–200 PSI pressure relief valve kit. This kit attaches to any 1" NPT discharge and includes all the necessary parts to allow for automatic return flow to the water source.



BE078 | Automatic Pressure Relief Valve Kit | \$200.00

Discharge Hose & Nozzle Kit

- 1/2" for firefighting pumps
- Brass 1/2" NH adapter
- 1/2" x 50' T2 hose
- Polymer nozzle



AK318 | Discharge Hose & Nozzle Kit | \$230.00

Suction Hose and Strainer Kit



- 16' FCAM x NH 1/2" x 16'
- FCAM x FH with adapter and brass NH foot valve

AK317 | Suction Hose and Strainer Kit | \$220.00

Roll Cage with Battery Tray

Pre-drilled powder-coated roll cage with battery tray fits 6.5–13 HP gasoline-driven Davey Firefighter pumps. Dimensions: 30" x 19" x 21".



AK310 | Pump Roll Cage with Battery Tray | \$620.00

RA1103 | Roll Cage for AK313 Diesel Pump Only | \$620.00

Darley Air Hog: New Air-Powered Primer System

NEW

Darley's new air-powered priming system is designed to utilize the air power from the air brakes system on fire trucks, offering a reliable and efficient solution for fire departments. For more information or to see how the Darley Air Hog Primer can benefit your fire department, please visit darley.com/pumps.

Features

- High-corrosion resistance
- Few moving parts
- Any primer application requires a compressor capable of outputting at least 15.6 CFM
- Primer can be used with pumps rated 2000 GPM and smaller
- Made of brass and stainless steel
- Weight: 10 lbs.
- NFPA compliant

Control System Options

- 12V Autoprime with lift gauge
- 12V Autoprime without lift gauge
- 24V Autoprime with lift gauge
- 24V Autoprime without lift gauge
- Manual push to prime with lift gauge
- Manual push to prime without lift gauge




Darley Gasoline Portable Pumps

Available with Briggs & Stratton, Vanguard, and Honda Engines

Features That Set Darley Portables Apart

- 1 - Optional darley chrome caps and brass adapters
- 2 - Exhaust primer
Allows pump to be primed with lifts up to 22'
- 3 - Standard mechanical seal
Injection packing is optional at no additional cost
- 4 - Stow away carrying handles
With ergonomic grips

2BE 21H shown with options



- 5 - User-friendly discharge valve with integrated check valve
Allows pump to be primed with discharge valves open
- 6 - 1-1/2" NPT vented exhaust
- 7 - Hard coated anodized pump cases
Standard on most portable pumps
- 8 - Wide variety of control panels
Including pressure gauges, wireless controls, remote priming, start button, kill switch and light

⚠ WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Floating Pumps

HEF 10.5bs Features

- High volume
- Available with a Briggs & Stratton 10.5 HP or Honda 11 HP carb compliant single cylinder engine, 4 cycle, 2.8 qt. fuel tank, recoil rope start
- 33"L x 30"W x 20"H, 110 lbs. (50 kg)
- Hard anodized aluminum alloy pump casing
- Bronze impeller
- High-density polyethylene filled with closed-cell polyurethane foam
- Four built-in carrying handles
- Self priming
- 4" screened suction inlet
- 2-1/2" NH discharge

HEF 10.5BS Performance

- 370 gpm (1400 L/M) @ 15 psi (1.0 bar)
- 250 gpm (946 L/M) @ 40 psi (2.8 bar)
- 200 gpm (757 L/M) @ 45 psi (3.1 bar)
- 100 gpm (378 L/M) @ 60 psi (4.1 bar)

Additional Floating Pumps

HEF 11H DOLPHIN™



HEF 10.5BS DOLPHIN™



18 HP Portable Pumps


2BE 18V Features

- Medium pressure, high volume, direct drive
- Briggs & Stratton: 4 cycle, 18 HP, V-twin, OHV, replaceable oil filter, 8.35 qt. fuel tank, 34.75 cu. in. displacement, 12-volt starter, recoil rope start back-up, 16 amp regulated alternator
- 27"L x 21"W x 25"H, 145 lbs. (66 kg)
- Bronze impeller and seal ring
- Stainless steel impeller shaft
- Mechanical seal
- Built-in discharge check valve
- Adjustable discharge valve
- Aluminum alloy casing and discharge valve
- Exhaust primer
- 3" NPT suction
- 2-1/2" NPT or 1-2-1/2" NPT discharges

2BE 18V Performance

- 375 gpm (1420 L/M) @ 25 psi (1.7 bar)
- 300 gpm (1136 L/M) @ 45 psi (3.1 bar)
- 100 gpm (379 L/M) @ 140 psi (9.7 bar)

Call for Quotes
& Pricing



2BE 18V

Additional 18 HP Portable Pumps

1-1/4AGE 18V



1-1/2AGE 18V



2BE 18VX



HE 18V



Pumps


21 HP Portable Pumps

2BE 21H Features

- Medium pressure, high volume, direct drive, engine mounted
- Honda GX 630: 4 cycle, 21 HP, V-twin, OHV, replaceable oil filter, 38.5 cu. in. displacement, 12-volt starter, 20 amp regulated alternator, 6 gal. fuel tank, hose and adapter
- 24"L x 27"W x 22"H, 190 lbs. (86 kg)
- Aluminum alloy casing
- Bronze impeller and wear ring
- Stainless steel impeller shaft
- Mechanical seal
- Adjustable throttle
- 3" NPT suction, 1-2/2" & 2-1/2" or 1-2/2" NPT discharge

2BE 21H Performance

- 380 gpm (1438 L/M) @ 25 psi (1.7 bar)
- 150 gpm (568 L/M) @ 115 psi (7.9 bar)
- 100 gpm (378 L/M) @ 135 psi (9.3 bar)




Smartstart™
For Remote
Control
Operation

Additional 21 HP
Portable Pumps

1-1/2AGE 21H
Marine Version



1-1/2AGE
21H



23 HP Portable Pumps

2BE 23V Features

- Medium pressure, high volume, direct drive, engine mounted
- Briggs & Stratton Vanguard: 4 cycle, 23 HP, V-twin, OHV, replaceable oil filter, 12-volt starter, recoil rope start back-up, 16 amp regulated alternator, 6 gal. fuel tank, hose and adapter
- 24"L x 21"W x 24"H, 195 lbs. (89 kg)
- Hard anodized aluminum alloy casing and discharge valve
- Bronze impeller and wear ring
- Ball bearing construction pump and engine
- Built-in discharge check valve
- Adjustable discharge valve
- 3" NPT suction, 2-1/2" & 1-2/2" NPT discharge

2BE 23V Performance

- 390 gpm (1476 L/M) @ 30 psi (2.1 bar)
- 200 gpm (757 L/M) @ 110 psi (7.6 bar)
- 100 gpm (378 L/M) @ 140 psi (9.7 bar)



Additional 23 HP Portable Pumps

1-1/2AGE 23V



HE 23V



2-1/2AGE 23V



25H EFI Portable Pump

25H EFI Features

- Electronic fuel injection
- Digital displays
- Aluminum alloy casing and discharge valve
- Discharge valve
- Sulfuric anodized aluminum alloy gear case and engine adapter
- Bronze impeller and wear ring
- Stainless steel impeller shaft
- Mechanical seal
- Built-in discharge check valve
- Adjustable discharge valve
- 2" NPT suction
- 2 1-1/2" NPT discharge

25H EFI Performance

- 120 gpm (454 L/M) @ 175 psi (12.1 bar)
- 80 gpm (1211 L/M) @ 250 psi (17.2 bar)
- 20 gpm (114 L/M) @ 275 psi (19.0 bar)



Darley Diesel Portable Pumps

Pumps


Available with Yanmar, Kubota, Cummins, John Deere and Deutz Engines. Call for Quotes and Pricing

1-1/2AGE 24K Features

- High pressure, low volume, gear driven, engine mounted
- Kubota D902 Diesel: 24 HP, liquid cooled, 12 volt starter, 40 amp. alternator, fuel and oil pump filters
- 36"L x 22"W x 26"H, 376 lbs. (170 kg)
- Aluminum alloy casing and discharge valve
- Aluminum alloy gear case and engine adapter
- Bronze impeller and wear rings
- Stainless steel impeller shaft
- Heat treated alloy steel helical gears
- Ball bearing construction
- 2" NPT suction
- 2-1/2" NPT or 1-2/2" NPT discharges
- Skid base

1-1/2AGE 24K Performance

- 2.70 ratio, Standard Impeller
- 20 gpm (76 L/M) @ 310 psi (21.4 bar)
- 140 gpm (530 L/M) @ 145 psi (10.0 bar)
- 180 gpm (681 L/M) @ 80 psi (5.5 bar)
- 3.17 Ratio, High Pressure Impeller
- 25 gpm (95 L/M) @ 375 psi (25.9 bar)
- 75 gpm (284 L/M) @ 245 psi (16.9 bar)
- 120 gpm (454 L/M) @ 150 psi (10.3 bar)



Additional Tier 4 Diesel Portable Pumps



⚠ WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Darley Modules

Solution Series™, Pump Modules, and AutoCAFS® and Modules. Call for Quotes and Pricing

PSM Standard Module Features

- Darley AutoControl™ governor
- Stainless steel or Vinyl clad aluminum panels
- Foam capable
- Ratings from 500–2000 gpm

Options

- Top mount
- Top mount with walkway
- Foam systems
- Customer specified discharges
- Deck gun
- Odin AutoFill™
- Crosslay covers
- Deadlays
- Hose trays
- Walkway storage
- Darley factory install

Additional Modules

- PTO Modules
- Midship Modules
- CAFS Modules

Save Valuable Space & Weight



Darley PTO Pumps



PTO and Hydraulically Driven Pumps with Flows up to 3000 Ideal for Pump and Roll Applications.
Call for Quotes and Pricing.

Choice of U.S. Forest Service and CA Dept. of Forestry

HM 250, 350, 500 Assembly #1

- Single stage, centrifugal, gearbox assembly
- Vertically split, cast iron, bronze fitted pump casing
- Impeller seal ring opposed design to eliminate end thrust
- Splined impeller (not keyed) for longer life
- Oversized, deep groove radial type bearings for longer life
- 10 tooth splined shaft for durability
- Helical cut gears
- 2 1/2" NPT discharge
- 16" x 11"W x 18"H, 140 lbs. (64 kg)

HM 500 Performance

- 500 gpm (1893 L/M) @ 150 psi (10.3 bar)
- 350 gpm (1325 L/M) @ 200 psi (13.8 bar)
- 250 gpm (946 L/M) @ 250 psi (17.2 bar)




Additional Assembly Options

Assembly #2

- Single stage, centrifugal pump, gearbox assembly, suction elbow, discharge head with check valve, 2 - 2 1/2" NPT discharge, 3 - 3" suction (HM250/350), 3 - 4" victaulic suction (HM500)

Assembly #3

- Single stage, centrifugal pump, gearbox assembly, suction elbow, discharge head with check valve, complete manifolds, discharge valves, adapters and caps, 2 - 2 1/2" NH 1/4 turn ball valves, 2 - 3" NH suction adapters and caps (HM250/350), 2 - 4" NH suction adapters and caps (HM500)



JMP 500 Features

- Two stage, series/parallel, centrifugal, PTO driven
- 3 - 2 1/2" NPT discharge flanges
- 3 - 4" NPT suction flanges
- Rotation: engine or opposite engine
- Gear ratio to fit PTO
- Mounting angles
- 1310/1410 lock on companion drive flange
- JMP 500 NH: Manual control staging valve
- 24 1/2"L x 12"W x 26"H, 250 lbs. (114 kg)

JMP 500 Performance

- 500 gpm (1893 L/M) @ 150 psi (10.3 bar)
- 375 gpm (1325 L/M) @ 200 psi (13.8 bar)
- 250 gpm (946 L/M) @ 250 psi (17.2 bar)
- 100 gpm (378 L/M) @ 500 psi (34.5 bar)



1 1/2 AG & 2 1/2 AG



1 1/2 AGH & 2 1/2 AGH



1 1/2 AGD & 2 1/2 AGD



HH 250-500



LSH 500-1000



H 100 BOOSTER



HSP 250



KSP 500-1000



KSPAH 500-1000



LSP 500-1000



LSPH 500-1000



PSP 1000-1500



PSD 1000-1500



TSP 2000



ZSP 3000



Featured Transmissions

KDM-HX-PTO



MagnaTrans™



MegaTrans™



Ideal for Brush Firefighting Needs **FAST ATTACK SKIDS**

Fast Attack 1 – Economy

The Fast Attack 1 comes with a 13 hp Davey two-stage pump with a 200 gallon Pro Poly tank and Hannay electric booster reel with 100' of 1" hose.

Attack 1 Features

- 13 HP twin impeller Darley Davey pump with Briggs & Stratton engine
- 200 gallon Pro Poly tank
- F4000 Hannay electric rewind reel
- 100' of 1" booster hose
- Guzzler hand primer
- 1 1/2" or 2 1/2" NST suction adapter
- 1" tank recirculation
- 1 1/2" tank to pump and discharge
- All stainless steel manifold & piping
- 94"L x 48"W x 42"H, 700 lbs. (318 kg)


Options

- Water/foam nozzle packages for N.A.F.S.
- Roller and spool hose guide
- Built-in 10 gallon foam cell
- ATP Foam Flurry™ proportioner
- 1 1/2" Mattydale swivel
- Work light
- Poly hose tray
- Custom tank sizes
- Additional custom option available

Benefits

- Ergonomically designed
- Forkliftable to standard pick-up bed
- Solid pump performance for grass firefighting

- 1 – Roller & Spool Hose Guide
 - 2 – Poly Hose Tray
 - 3 – Work Light
 - 4 – 250/300 Gallon Tank
 - 5 – Water/Foam Nozzle
- Packages for N.A.F.S.
- 6 – 1.5" Mattydale Swivel
 - 7 – Built-in Foam Cell
 - 8 – 13HP Honda Engine
 - 9 – ATP Foam Flurry™ Proportioner



Attack 1 Shown with Options

Theoretical Friction Loss in 100' of 1" booster @ 100 psi

- 12 gpm (45 L/M) @ 2 psi (.1 bar)
- 20 gpm (76 L/M) @ 6 psi (5.2 bar)
- 30 gpm (114 L/M) @ 14 psi (7.9 bar)

Attack 1 Performance AK305

- 120 gpm (454 L/M) @ 40 psi (2.8 bar)
- 95 gpm (360 L/M) @ 108 psi (7.4 bar)
- 20 gpm (76 L/M) @ 146 psi (10.1 bar)



Designed to Fit Into a Standard 8' Pickup Truck Bed



Fast Attack 1

Designed to Fit Into a Standard 8' Pickup Truck Bed

Fast Attack 2 – Multipurpose or High Pressure

The Fast Attack 2 - Multipurpose is equipped with a 2BE direct drive Darley pump and typically ships with an optional 2.5" discharge for high volume pumping.


The Fast Attack 2 - High Pressure with optional features (shown in inset) has an optional hose tray with Mattydale pre-connect, ATP foam system, nozzle package, hose guides, work light and discharges.

Standard Features

- Exhaust primer
- 200 gallon poly water tank
- Illuminated pressure gauge
- 2" welded stainless steel auxiliary suction with a 2.5" adapter 2" tank to pump
- All welded stainless steel manifold painted blue, including
- 1" tank fill
- 1" pump to booster reel
- 1.5" NST discharge
- Chrome caps
- Electric booster reel with
- 100' of 1" booster hose

Optional Features

- Foam Systems Around the pump (ATP) or downstream injection
- Hose tray with Mattydale swivel preconnect
- Storage risers
- Work light
- Nozzle packages
- Custom tanks
- Optional reels & hose guiders
- Engine options including in-cab controls on both gasoline and diesel drives
- 2.5" discharge - **Multipurpose only**



Fast Attack 2



Fast Attack 2 Shown with Optional Features

2BE 21 Honda Pump Multipurpose

375 gpm (1420 L/M) @25 psi (1.7 bar)
300 gpm (1136 L/M) @45 psi (3.1 bar)
100 gpm (379 L/M) @140 psi (9.7 bar)

1-1/2 AGE 21H Pump High Pressure, Low Volume

120 gpm (454 L/M) @155 psi (10.7 bar)
75 gpm (284 L/M) @230 psi (15.9 bar)
35 gpm (95 L/M) @300 psi (21.7 bar)

⚠ WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov



Fast Attacks shown with our gear driven pumps complete with our Foam Flurry ATP Systems.

Elkhart Brass XD Shutoffs & Playpipes



XD Shutoffs

Elkhart Brass XD Shutoffs and Playpipes are designed and constructed for rugged use and reliable performance. They are built strong with forged shutoff bodies and forged metal bale handles earning the title Xtreme Duty, or XD. They provide an excellent foundation for break-apart applications using smooth bore or fog nozzle tips. Elkhart Brass XD Shutoffs are available with a variety of options, including built-in smooth bore discharges that can be used with fog nozzle tips for maximum versatility.

XD Shutoffs with integral smooth bore

- Available Discharge Sizes: 7/8", 1 5/16", 1", 1 1/16", 1 1/8", 1 3/16", 1 1/4"

- BP04901 | 1 1/2" XD Shutoff | \$562.95
- BP04902 | 1 1/2" XD Shutoff with Pistol Grip | \$646.95
- BP05101 | 2 1/2" XD Shutoff | \$737.95
- BP05102 | 2 1/2" XD Shutoff with Pistol Grip | \$871.95
- BP05001 | 1 1/2" XD Shutoff with Smooth Bore | \$739.95
- BP05002 | 1 1/2" XD Shutoff with Smooth Bore and Pistol Grip | \$744.95



BP05102

XD Playpipes

Elkhart Brass XD Playpipe Shutoffs are designed and constructed for rugged use and reliable performance. They are built strong with forged shutoff bodies and forged metal bale handles earning the title Xtreme Duty, or XD. They provide an excellent foundation for break-apart applications using smooth bore or fog nozzle tips. Equipped with full round metal ball to deliver optimum stream quality regardless of attached tip. Standard configuration with black grip inserts. 2.5" NHT female swivel inlet.

- BP05301 | Elkhart Bass 2 1/2" XD Playpipe Shutoff | \$1,405.95



BP05001



BP05301

Smooth Bore Single Tips

Elkhart Brass took two classic smooth bore tips to the next level. The 187-XD and 188-XD smooth bore tips feature durable urethane bumpers and laser etching. Extra knurling has also been added for increased control and grip.

Smooth Bore Single Tips

- Available Discharge Sizes: 7/8", 1 5/16", 1", 1 1/16", 1 1/8", 1 3/16", 1 1/4"

Smooth Bore Stacked Tips

- Available Discharge Sizes: 1 5/16" & 1 1/8"



BP054

BP055

BP058

Specify Discharge Size - Call for Details

- BP054 | 187-XD Short Barrel Smooth Bore Nozzle Tip | \$236.95
- BP055 | 188-XD Long Barrel Smooth Bore Nozzle Tip | \$294.95
- BP058 | ST-185-XD-CAFS Stack Smooth Bore Nozzle Tip | \$512.95



BP054

Efficient Firefighting With Less Effort



BP344



1.5" Mid-Range Select-O-Matic XD Low Pressure Nozzle

Automatic Low Pressure Nozzle

Select-O-Matic XD™ Nozzles

The Select-O-Matic XD automatic handline nozzle adjusts to fluctuating water supply conditions to maintain effective pressure and a consistent fire stream in all flow ranges. It does so by generating back pressure by using a patented internal spring design that leaves the waterway unobstructed. This mechanism ensures a quality fire stream, regardless of flow. All indicators and markings are laser etched, with no labels to peel off or scratch. Its durability and efficiency are unmatched of any automatic nozzle on the market. Standard configuration with yellow protective bumper and yellow grip inserts.

- Forged shutoff body and bale handle
- Full round metal ball for optimum performance
- Spinning stainless steel metal teeth and ergonomic grip inserts
- Flow range from 60-200 GPM @ 75 psi

Mid-Range 1 1/2" Performance	
60-200 gpm @ 75 psi	60-200 gpm @ 100 psi

High-Range 1 1/2" Performance	
75-325 gpm @ 75 psi	75-325 gpm @ 100 psi

High-Range 2 1/2" Performance	
75-325 gpm @ 75 psi	75-325 gpm @ 100 psi



Specify 75 OR 100 PSI

Cat#	Description	GPM	
BP344	Mid-Range 1 1/2" Select-O-Matic XD™ Nozzles	60-200	\$1,658.95
BP345	High-Range 1 1/2" Select-O-Matic XD™ Nozzles	75-325	\$1,770.95
BP346	High-Range 2 1/2" Select-O-Matic XD™ Nozzles	75-325	\$1,753.95

Foam Tube Available Separately

Specify 75 OR 100 PSI

Cat#	Description	GPM	
BP347	Mid-Range 1 1/2" Select-O-Matic XD™ Nozzles with Pistol Grip	60-200	\$1,736.95
BP348	High-Range 1 1/2" Select-O-Matic XD™ Nozzles with Pistol Grip	75-325	\$1,848.95
BP349	High-Range 2 1/2" Select-O-Matic XD™ Nozzles with Pistol Grip	75-325	\$1,827.95

SELECT-O-MATIC XD

ELKHART BRASS
FIRE FIGHTING EQUIPMENT A SAFE FLEET BRAND

Darley Fire Storm Nozzle

The Fire Storm nozzle delivers the quality and performance you are looking for in a selectable nozzle with the value you expect from Darley. Design includes spinning turbine teeth, single piece rubber handle and bumper and aluminum body construction. The nozzle has a 110° fog pattern, full-time swivel inlet, is capable of being flushed without shutting down. Meets all aspects of NFPA 1964. Ship. wt. 5.1 lbs.

- Simple to operate pattern control from straight stream to fog
- Flow Rates: 30-60-95-125-150 gpm @ 100 psi
- Great stream performance
- Raised lug marks straight stream
- Inlet: 1½" NH F
- NFPA 1964- Current edition
- 5-year warranty
- Made in USA

BL569 | Darley Fire Storm Nozzle | \$800.95



TurboJet® Nozzles

The Akron® adjustable gallonage TurboJet® nozzle is unmatched in today's fire service for its flexibility and flow control. The TurboJet® is an adjustable gallonage nozzle, where flow remains the same in all patterns at each GPM (LPM) setting. Use the TurboJet® one time and it is easy to see why it's the "nozzle of choice" by fire fighters worldwide. Colored handles and pistol grip kit included.

- Improved handle for operational flexibility with extra room for the gloved hand and 1¾" hose
- Larger, more legible labels
- Easy to service & repair
- Meets new European Standard
- 1½" Mid-Range, Wide Range, High Range and 2½" TurboJets meet Insurance Services Office (ISO) Requirements
- 100 psi (7 bar) Rated Pressure Standard - 75 psi (5 bar) optional with Quality Flow Performance as Low as 50 psi (3.45 bar)
- Simple to operate (¼ turn from straight stream to fog, raised lug marks straight stream for limited visibility operations)
- Updated, ergonomic pistol grip for great handling
- Durable patent-pending design for easy "snap-on" grips and handle colors to help identify pre-connects and better manage inventory
- Tough, black nozzle body hard coat for expected performance and quality
- Etched smooth bore tips with pressure and flow indicators for easier training and operations
- Enhanced shutoff ball valve alignment when nozzle is open



Options:

- Wide-ranging selection of nozzle flow and pressure options
- Nozzle handle and pistol grip color
- Bumper color
- Custom etch
- Custom threads and choice of inlet type
- Full range of certifications



Cat#	Description	GPM	Ship. Wt.	Price
T363	1" Low-Range TurboJet® Nozzle with Pistol Grip	13-25-40-60	3 lbs.	\$801.95
T364	1" Low-Range TurboJet® Nozzle	13-25-40-60	3 lbs.	\$801.95
T365	1½" TurboJet® Nozzle	30-60-90-125	4 lbs.	\$822.95
AS154	1½" TurboJet® Breakapart Nozzle	30-60-90-125	3 lbs.	\$967.95
T366	1½" TurboJet® Nozzle with Pistol Grip	30-60-90-125	4 lbs.	\$822.95
AS155	1½" Wide Range TurboJet® Nozzle	30-95-125-150-200	6 lbs.	\$1,012.95



Constant Flow Nozzles and Shutoffs

Visit shop.darley.com
For Additional Tips



Fixed Orifice Nozzles

Assault™ Nozzles

The Assault fixed orifice fire hose nozzle provides better stream performance at pressures as low as 50 PSI. No recalibration is required. Low maintenance due to the simple, durable design. Colored handles and pistol grip kit included.

- Improved handle with extra room for 1³/₄" hose
- New Snap-On color clips for pistol grip and shutoff handle
- Tough, black nozzle body hard coat
- Pattern identification
- Raised lug marks straight stream for limited visibility operations
- Compatible with Quick-Attack Foam Tube Style 796
- 1¹/₂" (38 mm) full-time swivel inlet standard

Specify GPM/PSI

BP790 | Mid Range Assault™ Nozzle with Pistol Grip | \$753.95



Pyrolite Shutoffs

Tough, lightweight ball shutoffs with a full-time restricted swivel base ensures the handle can be positioned for easier operation. Ship. wt. 5 lbs.

- Colored handles and pistol grip kit included
- Specify with or without pistol grip
- Pair with an Akron Brass fog or smooth bore tip for break-apart combo of your choice

Specify GPM/PSI

AW129 | Shutoff w/Pistol Grip 1¹/₂" Swivel Inlet x 1¹/₂" Male, 1³/₈" Waterway | \$401.95
AW128 | Shutoff w/Pistol Grip 2¹/₂" Swivel Inlet x 1¹/₂" Male, 1³/₈" Waterway | \$497.95



Colored Handles and Pistol Grip Kit



Available Performance

150 gpm @ 50 psi	125 gpm @ 75 psi	95 gpm @ 100 psi
161 gpm @ 50 psi	150 gpm @ 75 psi	125 gpm @ 100 psi
175 gpm @ 50 psi	175 gpm @ 75 psi	150 gpm @ 100 psi
	200 gpm @ 75 psi	175 gpm @ 100 psi
		200 gpm @ 75 psi

1" Twister Dual Gallonage Nozzle

10-40 GPM

The selectable, dual gallonage nozzle is furnished with flow settings of 10 and 40 GPM at 100 PSI and produce fog and straight stream patterns. The nozzle body is constructed from hardcoat anodized aluminum alloy, utilize a stainless steel ball shut off valve with a quick change polymer valve seat. An integral pistol grip handle is positioned directly below the valve handle. This nozzle has a "twist off" position for positive shut off. The nozzle is furnished with a 1" female NH swivel rocker lug inlet and designed to accept the Task Force Tips FJ-MX-D FoamJet foam aspirating attachment. The unit has a unique serial number and is covered by a written five-year warranty.

- Valve Design: Stainless
- Flow Rate: 10/40 gpm (37/150 l/min)
- Style: One piece with valve
- Type: Selectable
- Operating Pressure: 100 psi (7 bar)
- Weight: 2.7 lb.



- BP495 | Twister Nozzle with Grip, 1" Female | \$362.95
- BP496 | Twister Tip, 1" Female | \$105.95
- BP497 | Twister Tip, 1" NPSH, 10-40 GPM | \$105.95
- BP498 | Twister Tip, 1" NPSH, 10-24 GPM | \$110.95

Watershield Ball Shut Off with Swivel & Smooth Bore Nozzle

NEW

This versatile product is engineered to meet the rigorous demands of firefighting professionals. Choose between 1.5" or 2.5" smooth bore nozzle that delivers a powerful, focused stream of water, ideal for various firefighting applications.

- Valve body: is crafted from hard anodized aluminum
- Durable shutoff handles
- Integrated swivel
- User-friendly design
- Customizable grip
- Consistent flow rate
- Versatile waterway
- Multiple outlet sizes



- BR025 - 1.5" | Ball Valve w/ full 1 3/8" Waterway, Pistol Grip, ST BR 15/16" | \$361.95
- BR026 - 1.5" | Ball Valve w/ full 1 3/8" Waterway, 15/16" Outlet | \$351.95
- BR027 - 2.5" | Ball Valve w/ full 1 3/8" Waterway, 1 1/8" Outlet, Pistol Grip | \$431.95
- BR028 - 2.5" | Ball Valve w/ full 1 3/8" Waterway, 1 1/8" Outlet | \$413.95

Darley 1 1/2" Breakapart Nozzles

- Ball valve shut-off
- Pistol grip design
- Ideal for wildland or industrial fire protection
- Tip also shuts off



- AW227 | Darley 1 1/2" Breakapart Nozzle (100 gpm Constant Flow) | \$402.95
- AW228 | Darley 1 1/2" Breakapart Nozzle (20-60 gpm Dual Range) | \$402.95

G-Force Nozzles

Automatic

BL089



Selectable

BL090



Fixed Gallonage

BL091



The G-Force Series of Task Force Tips handline nozzles are designed to provide high performance fire streams in a highly affordable package. Offering your choice of regular or low pressure in fixed, selectable and automatic configurations, the G-Force nozzles integrate an exclusive slide style valve for turbulence free performance even when gated. Other high quality features include an inlet debris screen to prevent stream pattern disruption and easily identified color coded pistol grips and handle covers. Each nozzle incorporates G-Force's unique stainless steel spinning teeth for a wide protective fog pattern, bonded front rubber bumper, reflective labeling, and a standard five year warranty. Low pressure nozzles also available. Ship. wt. 5 lbs.

- Durable polymer handle developed for the harshest fire ground operations while offering reduced maintenance costs
- Color-coded shut-off handle, grips, and Scotchlite™ labels
- Unique inlet debris screen - unparalleled protection from debris that can affect stream quality
- Flush without shutdown, integrated tactile pattern indicator, and bonded long lasting rubber bumper
- Unique slide valve design - total firefighter flow control and outstanding stream quality, even with the nozzle valve gated and the flow reduced
- Stainless steel spinning teeth for wide fog pattern - tactile indicator provides easy pattern selection
- NFPA #1964 compliant (2008) edition

Cat#	Type	Inlet	Flow Rates GPM	Price
BL089	Automatic	1 1/2" F	60-150 gpm @ 100 psi	\$1,012.95
BL090	Selectable	1 1/2" F	30-60-95-125-150 gpm @ 100 psi	\$993.95
BL091	Fixed Gallonage	1 1/2" F	150 gpm @ 100 psi	\$1,031.95



TFT Handline Automatic Nozzles

TFT handline nozzle is all conventional handline sizes in one. The wide range flow of 95-300 gpm allows The Handline nozzle to be used on any size hose. The TFT handline nozzle is fully automatic with a flow capacity of 95-300 gpm. The handline nozzle's integral pistol grip is mounted below the valve. Handline nozzle consists of all lightweight materials and full time swivel. Ship. wt. 5 lbs.

- Use on any size hose
- Pressure assist flush without shutting down
- Patented slide type valve for turbulence free nozzleman flow control
- Six detent flow positions
- Molded rubber bumper with "power fog" teeth
- "Gasket Grabber" inlet screen.

		Hose	Thread	GPM	Price
Z318	Nozzle with Grip	1 1/2"-2 1/2"	1 1/2"	95-300	\$1,516.95
AC704	Nozzle without Grip	1 1/2"-2 1/2"	1 1/2"	95-300	\$1,648.95



Viper Nozzles

Viper Fire Fighting Nozzle

The Viper Industrial Heavy-Duty Nozzle with ergonomic rubber-coated pistol grip is an exceptional value for in-plant fire protection or wildland firefighting. It can break apart to help extend hose lines with both the tip and the pistol grip capable of shutting off. The spinning teeth add to the full fog pattern and the protective rubber bumper keeps the tip from sparking. A 95 gpm tip is standard and various tips are available making it the best value in its class.

Specify Threads: NST or NPSH Ship. Wt. Price
 AM141 | Viper 1 1/2" Fire Fighting Nozzle | 6 lbs. | \$417.95

Viper Selectable Gallonage Nozzles

- Compact and lightweight
- Easy maintenance
- Ergonomic design
- Pistol grip and ball shutoff

Specify 1" or 1 1/2" Threads: NST or NPSH
 2 1/2" is NST only AM145 Specify Inlet Size: 1 1/2" or 2 1/2"

Cat#	Inlet	Flow Rates GPM	Price
AM142	1"	15 - 30 - 50 - 60	\$580.95
AM143	1 1/2"	30 - 60 - 95 - 125	\$622.95
AM144	1 1/2"	75 - 100 - 125 - 150	\$619.95
AM145	1 1/2" or 2 1/2"	95 - 125 - 150 - 200	\$723.95
AM146	2 1/2"	125 - 150 - 200 - 250	\$784.95

1" Viper Nozzle

Low flow, high quality, high performance MOP UP nozzle that flows from 5 gpm to 40 gpm. 1" select gallonage nozzle with ball shutoff, bail handle, and pistol grip.

- Extruded from E-LITE alloy
- Hard-coated for corrosion protection and durability
- Spinning teeth offer a wide, complete fog pattern
- Selector ring has 4 flow positions
- Constant gallonage in all positions
- MOP (5)-10-25-40 gpm @ 100 psi

Specify Threads: NST or NPSH
 BL424 | 1" Viper Nozzle | \$614.95

Viper Automatic Nozzles


Rugged and durable nozzles that offer quality and at an affordable price in an automatic nozzle. You'll have the versatility of variable pattern control from straight stream to wide angle fog and capability of flushing without pattern changes or shutting down. Spinning teeth give superior fog protection and reach.

Carbon-composite shutoff ball valve and control are highly resistant to wear and corrosion and give greater impact resistance. Other features include full time swivel inlet, hi-impact absorbing rubber bumper and pistol grip. Made of anodized aluminum. Ship. wt. 6 lbs.

- Ergonomic design
- Pistol grip and ball shutoff
- Compact and lightweight
- Easy maintenance

Specify 1" or 1 1/2" Threads: NST or NPSH; 2 1/2" is NST only

Cat#	Inlet	Flow Rates GPM	Price
AM132	1"	15 - 50	\$565.95
AM133	1 1/2"	25 - 100	\$593.95
AM134	1 1/2"	50 - 160	\$593.95



Nozzles

Darley Ball Shutoff Valves

Feature female swivel base, horseshoe shut off, hard anodized aluminum construction, polymer ball and seats, neoprene seals and stainless steel swivel bearings. Ship. wt. 2 lbs.

Versatile
Ball Shutoff



Specify Threads: NH or NPSH

AM071 | 1" Ball Shutoff | \$205.95

AM072 | 1/2" Ball Shutoff | \$205.95

AM073 | 1" Ball Shutoff with Pistol Grip | \$229.95

AM074 | 1/2" Ball Shutoff with Pistol Grip | \$229.95

Adjustable Fog Nozzles

Adjustable Fog Nozzles are constructed of hard coated aluminum with brass and stainless steel internal components. They come with a heavy duty rubber bumper for added protection. These nozzles flow from 10 gpm or less and are ideal for wildland fire fighting, industrial fire protection and wash down applications.



AW102 | 1" 10-23 gpm Nozzle | \$125.95

AW103 | 1" 10-23 gpm Nozzle (Bumperless) | \$110.95

AW104 | 1/2" 20-60 gpm Nozzle | \$150.95

AW105 | 1/2" 20-90 gpm Nozzle | \$150.95

Playpipe Nozzles

Axial Playpipe with stacked tip smooth bore nozzle with 1/4", 1/8" & 1" outlets. Equipped with removable debris screen, durable metal ball and a smooth waterway. Available with full time 2/2" Inlet Swivel, NST only.



BL238 | 2/2" x 1/2" Playpipe with Triple Stack Tip, 1/4", 1/8" & 1" Outlets | \$888.95

High Performance Nozzle with Adjustable Flow

Blue Devil Nozzle

- New 90° rotation from 30° fog to straight stream (one twist of the hand)
- Raised lug indicators on the selector and fog barrels
- Rylostatic teeth in the nozzle head to break up the water
- Metal ball with front and rear seals to work under higher pressures (max 580 psi)
- 4 and 5 gallonage selection ring, without pattern change
- FLUSH without shutting down
- Constant flow through fog and straight stream
- Standard operating pressure @ 100 psi
- Swivel inlet NST or NPSH threads (2/2" NST only)



CS Supply

Specify Thread: NST or NPSH

Cat#	Description	Performance	Weight	Price
BE268	1"	5-15-25-50 gpm	5 lbs.	\$833.95
BL818	1"	15-30-50-60 gpm	4 lbs.	\$818.95
BL819	1/2"	30-60-95-125-150 gpm	4 lbs.	\$878.95
BL820	1/2"	75-100-125-150 gpm	4 lbs.	\$878.95
BL821	2/2"	95-125-150-200 gpm	8 lbs.	\$1,241.95

Viper Black Knight Nozzle

The Black Knight is constructed in 1/2" size and adjustable from wide fog to shut off position, with flows up to 95 gpm. The Black Knight is much more durable and dependable compared to conventional polymer nozzles as it is highly reinforced with fiberglass which allows the nozzle to hold its shape under heat and pressure. It includes brass internal stems for corrosion resistance, and has a rubber bumper. Great for brush, wildland fires and industrial applications. Ship. wt. 2 lbs.



AW106 | 1/2" Viper Black Knight Nozzle 95 gpm | \$37.95



Transformer Piercing Nozzle System

The Transformer Piercing Nozzle is designed to deliver water or foam solutions to areas inaccessible to the firefighter. A series of jets near the point apply a wide reaching pattern at a rated flow of 150 gpm at 100 psi. The easy to use and rugged, twist-grip shutoff valve, regulates nozzle flow without the need for an additional shutoff valve. The 3 port junction block and strike head allow the nozzle to be configured to short, medium, long and L-shaped combinations, making it easily adaptable to specific fireground situations. The Transformer Piercing Nozzle features a hardened point, is constructed of hard coated extruded aluminum, and includes a sturdy canvas carrying bag with compartments for each component.



Features:

- Re-configurable for specific fireground situations
- 150 gpm at 100 psi
- 3 port junction block and twist-grip shutoff valve
- Hardened point
- Canvas carrying bag

BL670 | PA1 Transformer Piercing Nozzle System | \$1,311.95

BL949 | PA2 Transformer Piercing Nozzle System | \$1,970.95



BL670 Includes:

- Twist-grip shutoff valve
- 3 port junction block with striking head
- 2" - 19" extension tubes
- 14" flow tube with piercing point

BL949 (shown) Includes:

- Twist-grip shutoff valve
- 3 port junction block with striking head
- 2" - 19" extension tubes
- 14" flow tube with piercing point
- Distribution nozzle rated at 150 gpm (570 l/min)
- Adapter that allows the distributor nozzle to be used on any 1/2" NH threaded hoseline



Augustus Fire Tools

Augustus Fire Tool for Portable Extinguishers - Operates in conjunction with CO2, Pressurized Water or Dry Chemical extinguishers. Supplied with a six' hose, to replace the existing hose on the extinguisher, and is fitted with a quick-connect male coupling to connect to the tool's inlet handle female brass safety-lock coupling. Ship. wt. 14 lbs.

Augustus Fire Tool for Hose Lines - Designed to be used with a booster tank operation. The tool can be supplied from a booster tank using either a 1" booster line, 1 1/2" or 1 3/4" pre-connect hose line with a flow in excess of 55 gpm. Comes with a female swivel connection for either 1" or 1 1/2" hose equipped with National Standard Hose Thread or any thread. Use on vehicles and confined spaces. Portable or hose line. Ship. wt. 15 lbs.

AG065 | Fire Tool with CO2 Hose | \$1,337.95

AG066 | Fire Tool with Dry Chemical Hose | \$1,337.95


AG067 | Fire Tool with Water Foam Hose | \$1,337.95

AK174 | Fire Tool Portable Complete Package | \$1,469.95

AG069 | Fire Tool w/1" Female Swivel | \$1,310.95

AG070 | Fire Tool w/1" Flat Hose Whip & Swivels | \$1,406.95

AK175 | Complete Package Augustus Fire Tool | \$1,728.95



The Original Flamefighter 1000 Series

Rapidly deployable piercing nozzle delivering up to 300 GPM, with a replaceable tip and wide coverage, perfect for efficient fire suppression. The Original Flamefighter Piercing Nozzle has been a trusted tool for firefighters since 1987. Designed to get you to the source of the fire quickly, this nozzle allows for rapid and effective fire suppression. In just seconds, firefighters can insert the Flamefighter nozzle into virtually any desired entry point and generate a high-pressure spray to combat the blaze.

- Delivers up to 300 GPM for maximum fire suppression.
- Battery ram style
- Replaceable tip
- Mounting hardware included
- Creates a 2400 square foot water ball at 150 psi

AJ550 | Flamefighter Piercing Nozzle - Original | \$1,733.95



Piercing Nozzles

900 Series Piercing Nozzles

These nozzles combine the best of durability, flexibility and are light in weight. They can accommodate extensions for extra reach (2' per extension). They can also be driven in with a mallet if needed. This unique nozzle design needs to be driven in only 3.75" to have full penetration of the sprayer unit. Ideal for walls with coverage of up to 25' in all directions. It's powerful enough for fires in attics, basements, mobile homes, garages, vehicles or any confined space. These piercing nozzles feature a unique safety handle that allows a firefighter to safely hold the unit when a mallet is being used to drive the nozzle in. The handle is removable if needed.

They come with 1.5" NST threads as standard; other threads are available. Designed for the rugged demands of the Fire Service worldwide. Mounting hardware is included. Made in the USA. Ship. wt. 9-24 lbs.



Cat#	Description	Ship. Wt.	Price
AS160	Nozzle 2' with (1) 2' Extension	9 lbs.	\$973.95
AS161	Nozzle 2' with (1) 2' Extension and Shutoff Valve	9 lbs.	\$1,323.95
AS162	Nozzle 2' with (2) 2' Extensions	12 lbs.	\$1,199.95
AS163	Nozzle 2' with (2) 2' Extensions and Shutoff Valve	12 lbs.	\$1,456.95
AS166	Battering Ram Nozzle Plus (1) 2' Extension	24 lbs.	\$1,235.95
AS167	Battering Ram Nozzle Plus (1) 2' Extension with Shutoff Valve	24 lbs.	\$1,566.95



Lightweight Nozzles

The Lightweight FlameFighter is a lighter weight 3' applicator made of high-quality steel and aluminum. Comes with 1/2" pistol grip ball shutoff. Providing quick and efficient access through roofs, doors, walls, floors and even foundation blocks to extinguish fires from attic to basement. It gets you to the source of a fire quickly. In just seconds one or two firefighters can insert the FlameFighter into virtually any desired entry point and generate a high pressure water spray covering up to 2,400 sq. ft. at 150 psi delivering 300 gpm. For vehicle fires, it easily pierces the hood, door or trunk to make for quick extinguishing. What's more, whether you're using water or foam, the precisely placed openings in the nozzle send out a pressuring spray that extinguishes or cools most any fire. Adapt to foam applications. Mounting hardware is included. Made in the USA. 5-yr. warranty. Ship. wt. 45 lbs.

Uses:

- Houses
- Cars and trucks
- Garages
- Barns
- Mobile Homes



AJ549 | 6' Piercing Applicator Nozzle | \$1,211.95



900 Series 90° Piercing Nozzles

- Ideal for use on car fires or confined space
- All FlameFighter nozzles qualify for ISO points
- Delivers up to 139 gpm
- Storage brackets and mounting hardware included
- 1 1/2" NSTF
- 38" long
- Includes mounting hardware
- Made in the USA
- 5-year warranty
- Ship wt. 9-12 lbs.



AS164 | Nozzle 90° (Car Fires) | \$855.95
 AS165 | Nozzle 90° (Car Fires) with Shut Off Valve | \$1,154.95



Piercing Applicator Nozzle

Use a sledge hammer to drive the Piercing Applicator Nozzle through concrete blocks, mobile homes, etc. Designed to get water or foam to hidden trouble spots. Flows 125 gpm at 100 psi. Driving button and point are made of hardened tool steel with impinging jets for a dense fog pattern. Compatible with AFFF and Class A foams. 1/2" inlet. Ship. wt. 14 lbs.



AF239 | 3' Piercing Applicator Nozzle | \$975.95
 AF240 | 6' Piercing Applicator Nozzle | \$1,039.95



Nozzle Tips

Cellar Nozzle

The Cellar Nozzle has a ball bearing revolving action for attacking fires in hard-to-reach places. The AF242 has a 1 1/2" rigid base with 6 variable angle orifices. It flows 95 gpm at 50 psi; measures 3 1/2"L. The AF241 has a 2 1/2" base with 9 variable angle orifices. It flows 250 gpm at 100 psi; measures 5 1/8"L. Ship. wt. 2 lbs.



AF242 | 1 1/2" Cellar Nozzle | \$560.95
 AF241 | 2 1/2" Cellar Nozzle | \$738.95

Deluge Stack Tip

- 12" and 17" long
- 2 1/2" base thread
- Two middle threads, underwriters P.P.S. 2" NH
- 1 1/2" top thread
- 1 3/8", 1 1/2", 1 3/4" orifices
- Hardcoat aluminum




Ship wt. 3 lbs.

AJ534 | 12" Triple Deluge Stack Tip | \$348.95
 AJ537 | 17" Quad Deluge Stack Tip | \$441.95

The New Standard in Smooth Bore tips

1 1/2" Smooth Bore Tips

- 4" length
- Constructed of anodized aluminum
- 1 1/2" Rigid Base NST



BB032 | 1/2" Outlet | \$96.95
 BB033 | 3/4" Outlet | \$96.95
 BB034 | 15/16" Outlet | \$96.95

Stacked Tips

- Sold as a set, taper from 1 1/4" to 1 1/8" to 1"
- Constructed of anodized aluminum
- 1.5" rigid base NST

1 1/2" Double Stacked Tip

- Double stack tapers from 1 5/16" to 1 1/2" outlet
- Constructed of anodized aluminum
- 1 1/2" NST inlet



BB036



BP339

BB036 | Stacked Tips, Outlet 1 1/4" to 1 1/8" to 1" (Set of 3) | \$252.95
 BP339 | Stack Tips, Double 1 5/16" to 1 1/2", 1 1/2" NST Base | \$172.95

Chimney Snuffer Kit

The Chimney Snuffer quickly and safely suppresses chimney fires using an ultra-fine spray, greatly reducing potential water damage. The durable 5 lb. nozzle head is simply operated by a single firefighter and easily breaks through potential blockages within the chimney. Eight strategically placed nozzles provide 40 gallons per hour at 60 psi, allowing the Chimney Snuffer to be supplied by an attack line, 1" line, or even a garden hose. The entire package weighs less than 15 lbs. and is easily stored in apparatus compartment. Ship. wt. 19 lbs.

- Includes: Nozzle head, burn resistant rubber hose, 1" ball style shut off, 1 1/2"x1" adapter and 3/4" garden hose adapter
- Compact, lightweight and simple to deploy
- Ideal for use in all types of chimney liners
- Head easily breaks through creosote buildup, nests or other debris



ARI59 | Chimney Snuffer Kit | \$1,205.95

Quickly Deployed Portable Monitors

Hit Low, Hit Hard and Hit Far with the NEW Mercury Quick ATTACK LE Monitor

Mercury Quick Attack LE Portable Monitor

The Mercury Quick Attack LE portable monitor sets a new standard in the market and is the only portable monitor that meets NFPA 1964 and EN-15767-1. It is compact and lightweight at 15 pounds and flows 500 GPM. Now even better, it can hit low at 10° and far up to 250 feet at 100 psi. Easy and quick to deploy, friction loss is minimal.

- Hits low at 10°
- Improved reach up to 250 feet with the NEW Mercury Adjustable Nozzle and the only fog nozzle with the reach of a smooth bore
- Compact size and weighs only 15 lbs. for quick deployment
- Easy open/close valve
- Strap attached with bag for easy stowing



Only portable monitor to meet NFPA 1964 and EN-15767-1



- AW467 | Mercury Quick Attack LE Monitor | \$2,061.95
- AW468 | Stacked Tips | \$498.95
- AW469 | Mercury Adjustable Nozzle 250-375-500 gpm | \$670.95
- AW470 | Mounting Bracket | \$250.95



Apollo™ 2-Inlet Monitor



This lightweight, portable monitor (36 lbs. without tube and tip) can be either truck mounted as a deck mount or quickly removed and used remotely from the truck. Rugged Pyrolite™ construction with 3" waterway and (2) 2 1/2" clappered, swivel inlets (3" available upon request). Rated at 1250 gpm (deck flow), it allows less than 10 psi pressure loss @ 800 gpm. Comes with 3" flange for deck mount units. Available with or without tube and tips or with a master stream nozzle. Ship. wt. 36 lbs.

- 360° rotation when mounted in the deck mode, 180° in the portable mode
- Vertical travel from 80° above to 15° below horizontal with built-in 35° safety stop
- 3" waterway with cast-in turning vanes for efficient flow
- Direct mount - A combination 3" NPT female and 3" flange
- Carbide spikes for extended wear
- 1000 gpm monitor



- Y310 | Apollo™ Deck/Portable Monitor with Tube and Tips | \$4,538.95
- AC980 | Apollo™ Portable Monitor with Tube and Tips | \$4,193.95
- AC984 | Apollo™ Portable Monitor without Tube and Tips | \$3,296.95
- AC982 | Apollo™ Portable Monitor, with 1000 gpm Automatic Nozzle | \$4,565.95



Forestry Monitor

Multi-Purpose and Forestry Monitor

The Forestry Monitor is the latest addition to the Akron Brass electric monitor family. It provides an extremely rugged durable design ideal for brush and wildland firefighting. This compact monitor features a fully sealed integrated electrical control system with waterproof locking connectors for pinpoint stream positioning and accuracy. Ship. wt. 25 lbs. (Not including nozzle.)

- Low flow adjustable electric fog nozzle with flush 30-60-95-125 gpm
 - CAN proportional speed joystick control
 - Lightweight Pyrolite construction
 - Integrated and sealed electronics
 - Waterproof (IP 67 rated) locking connectors
 - Simple "plug and play" installation
 - 300 GPM (1140 LPM)
 - 320° maximum rotation range with stops at +/-90°
 - 135° maximum elevation range with stops at -45° and -20°
- Dimensions: 13³/₁₆" H x 11⁹/₁₆" W x 8²⁹/₃₂" D
 - Inlet: 2"
 - Outlet: 1¹/₂"



BK395 | Forestry Monitor | \$5,699.95



GP Manual Monitor

Rugged Lightweight Design

The GP Manual Monitor is one of the most cost effective, best performing monitors for the worldwide market. The computer optimized, compact waterway provides the highest stream performance while using minimal space. The removable integrated stream shaper ensures optimal stream performance for water applications and is quickly removed to provide CAFS compatibility. The "T" handle control bar maintains ease of operation throughout its flow range. The wide range of compatible nozzles makes BK396 the most versatile monitor in its class. Ship. wt. 17 lbs. (Not including nozzle.)

- 1000gpm flow capabilities
- Compact design with cast-in tuning vanes and integrated stream shaper provides optimal performance
- Continuous 360° rotation, +90°-35° elevation range
- Built-in pressure gauge
- "T" handle control bar for easy positioning
- Dimensions: 13³/₄" H x 11" W x 9³/₁₆" D
- Inlet: 2.5"
- Outlet: 2.5"

BK396 | GP Manual Monitor | \$1,692.95



Permanent Mount Station Monitors

Station monitors were specifically designed to meet all the needs of municipal and industrial applications. The balanced, full flow, seamless, 2¹/₂" single waterway configuration reduces friction loss, improving streams and distance. Operates easily at all pressure ranges. 140° vertical, 360° horizontal (750 gpm); 140° vertical, 360° horizontal (1200 gpm). Carbon steel construction with stainless steel discharge and Zerk fittings for lubrication. Your choice of permanent mount tiller bar or steering wheel handle. Red epoxy finish inside and out for effective corrosion resistance. 3" flange base. Ship. wt. 50 lbs.

- Less friction loss
- Single waterway
- Carbon steel construction
- Stainless steel discharge
- Balanced flow design
- 2¹/₂", 3" or 4" waterways

Specify Inlet Size

AB079 | Station Monitor, 750 gpm, with Tiller Bar | \$1,771.95

AB080 | Station Monitor, 750 gpm with Steering Wheel | \$2,052.95

AJ092 | Station Monitor, 750 gpm with Tiller-Short Radius | \$1,727.95



Monitors




Now With 14° Lower Attack Angle

RAM XD Monitor

The improved RAM XD features enhancements from the standard RAM monitor specifically designed for eXtreme Duty Use, or XD. The most significant enhancement is a new lower attack angle of 14°. It still features the largest deployed footprint of any portable monitor and only 9 psi friction loss at the rated 500 gpm flow at only 75 psi! The standard hydraulic safety system automatically increases down force under conditions that normally limit stability.

- Industry leading stability and safety
- Designed for unmanned operation
- 14° lower attack angle



Nozzle sold separately.



- BN409 | RAM XD Monitor | \$3,396.95
- BB104 | RAN (Rapid Attack Nozzle) | \$830.95
- BB105 | Mounting Bracket (Not Shown) | \$291.95
- BB106 | Triple Stacked Tips | \$538.95
- BB107 | Deluge Tip | \$325.95
- BB108 | Stream Shaper (For Stacked and Deluge Tips Only) | \$301.95

Flow Rates Up to 500 gpm (2000 lpm)

BrushHawk Electric Monitor

With a small swing radius and low stow height, the BrushHawk is the most compact monitor in its class. Perfect for limited bumper space on brush and wildland trucks while also improving field of vision. Utilizing CANbus control, the BrushHawk comes with a proportional joystick controller that provides monitor controls for up/down/left/right and nozzle fog/stream controls. The joystick also includes on/off and trigger control for the optional valve kit. No intermediate junction box is required between the joystick and monitor, streamlining installation and space requirements. Includes 20' harness. Fixed gallonage nozzles available with GPM ranging from 15 GPM up to 475 GPM. Contact Darley for configuration options.

Features:

- Designed specifically for wildland and quick attack firefighting
- Simple plug and play with full CANbus communication
- Field adjustable vertical and horizontal electronic stops
- Fully proportional joystick includes all monitor controls including trigger for water valve control
- Electronics are located and sealed within monitor body
 - no separate module required

Specifications:

- Inlet: 1.5" and 2.0" FNPT
- Outlet: 1.5" MNHT
- Vertical Travel: -30°/+90° or -45°/+45°
- Horizontal: Left 175°/Right 175° or Left 90°/Right 90°
- Swing Radius: 6.9" (175mm)
- Stow Height: 11.2" (285 mm)
- Weight: 13.5 lbs. (6.1 kg)



- BP350 | BrushHawk Electric Monitor Package - Includes Joystick | \$5,043.95

Sidewinder® EXM2 Monitor

The Sidewinder® EXM2 is a compact, high-flow, electric remote controlled water monitor (water cannon) for fire apparatus, ARFF, military, construction and mining vehicles. Utilizing the new EXM2 operating platform, the 7100X2 Series features built-in WiFi for simple programming and setup. The EXM2 controls, both wired and wireless, provide improved performance and operator control.

- Ideal for rugged applications
- Industry-leading operating pressure rating of 600 psi (42 BAR)
- Heavy duty swivel joints and thrust rods



- BR059 | 7100X2 Series | \$6,437.95

Low Friction Inlet and Outlet Pivots

Blitzfire Monitor

Elevation is manually adjustable between 10 and 50 degrees either side of center. The safety shut-off valve will shut off flow if monitor slides or lifts. It has six detent flow positions with a patented turbulence free slide valve for operator flow control. When the legs are folded, the carbide tip points up carrying safety. Ship wt. 29-46 lbs.

- Folded size: 25 $\frac{1}{2}$ " L x 8.1" W x 10" H
- Standard outlet: 2 $\frac{1}{2}$ " rigid male threads
- Standard inlet: 2 $\frac{1}{2}$ " NH rocker lug swivel

Flow range up to 500 gpm

AZ365 | Blitzfire Monitor | \$3,654.95

AZ366 | Blitzfire Monitor (Package) | \$5,559.95



Blitztac Combination Package

Portable Monitor with Safety Gating Inlet

The BlitzTac™ is a lightweight, highly portable attack monitor built to enhance both safety and efficiency in firefighting operations. Capable of delivering up to 500 GPM, the BlitzTac™ features an integrated safety gating inlet to prevent uncontrolled movement during use. Adjustable attack angles: Unassisted range of 25-50 degrees, assisted range 10-50 degrees. Its flexible attack angles and compact design make it easy to transport and deploy, ensuring that even a single firefighter can effectively manage fire suppression efforts. With added stability from carbide-tipped legs and compatibility with a wide range of nozzles and foam systems, the BlitzTac™ offers a complete solution for crews needing a fast, reliable monitor.

BP487

- Designed for horizontal or vertical installation
- Adjustable strap
- Storage bracket and mounting screws supplied

BP488

- Three (3) tips w/ base tip having 2 $\frac{1}{2}$ " female NH swivel inlet
- 1 $\frac{1}{2}$ " male NH threads
- Each tip laser engraved w/flow/pressure chart, orifice size and thread size



BP487



BP488

Remote 5 year
Warranty

BP487 | Blitztac Combination Package; Max Series | \$4,598.95

BP488 | Blitztac Combination Package; Stacked Tips | \$3,785.95

Innovative, Lightweight, and Highly Versatile

BlitzForce Portable Monitor

Rated up to 500 gpm with either a combination nozzle or stacked tips, BlitzForce integrates a low loss waterway with positive locking valve control, and a corrosion preventing anodized and powder coat finish. An exclusive high strength tie-down strap and carbide tipped folding legs offer extreme stability in varying fire environments. With an integral stream shaper for superior reach and penetration performance, the BlitzForce delivers a 20° side to side and a 20° to 60° up and down range of stream motion.

- Stores securely for a rapid deployment in a space of only 19" x 9" x 12"
- Full flow 2" waterway provides 500gpm initial attack flows with only 9psi loss
- High strength folding aluminum alloy legs
- Horizontal rotation of 20° either side of the center and an elevation range of amazing operational versatility
- Hard coat anodized aluminum alloy, stainless steel, and is powder coated for maximum corrosion and abrasion resistance



5 year
Warranty

BL087 | BlitzForce Portable Monitor ZN Combination | \$3,848.95

BL088 | BlitzForce Portable Monitor Stacked Tips | \$3,683.95



BL087



BL088

Efficiency in a Compact Monitor

TFT's Most Compact Monitor with Flows up to 200GPM

EFI Remote Control Monitor

The EFI remotely controlled monitor is a great option for wildland and interface apparatus. At less than 13" (319mm) tall, the EFI is an ideal forestry bumper turret. The EFI is hard-coated aluminum alloy which is then powder coated inside and out. All electronics are tightly contained in a sealed control box that is part of the monitor casting. Monitor wiring is reduced to a minimum and installs easily using a one plug connection.

BP036 | EFI RC 1½"NPTF X 1½"M | \$4,444.95

BP037 | EFI RC 2"NPTF X 1½"M | \$4,444.95

BP038 | ER Bubble Cup Tip | \$1,688.95

BP039 | Joystick Operator Station | \$1,589.95



Radius 4" ANSI 150 Inlet Monitor

The outlet section of the monitor can be manually articulated up, raising the nozzle outlet position to 22.9" above the inlet flange. A spring-loaded locking pin with knob shall lock the monitor in the raised or lowered position for flowing. A large knob on the outlet elbow for ease of articulation operation shall be standard. A "deck monitor raised" light, position sensor, relay, and bracket kit for 12-volt DC systems is included. Ship. wt. 37 lbs.

- Finish: Stardust Silver
- Horizontal Control: Alum crank handle
- Horizontal Movement Degrees: Continuous 360°
- Inlet: 4" ANSI 150
- Max Flow: 1,500 gpm (6,000 l/min)
- Outlet: 3.5" (90mm) NH Male
- Valve Design: No valve
- Vertical Control: Aluminum crank handle
- Vertical Movement Degrees: -45 to 90°

BP489 | Radius Inlet Monitor | \$6,464.95



Master Stream 1500 Nozzle

The nozzle has a flow capability of 300 to 1500 GPM at a user adjustable pressure rating of 70 PSI to 120 PSI. A UV resistant rubber bumper with integral teeth designed to produce a finger free fog pattern is included as well as a halo ring to assist with stream shape control. Configured with a 3½" female NH swivel rocker lug coupling. Suitable for foam solution application. Ship. wt. 14 lbs.

- Flow Rate: 300-1500 (1100-6000 l/min)
- Inlet Coupling Style: Rocker
- Inlet Coupling Swivel: Full time swivel
- Pressure Mode: Adjustable
- Type: Automatic
- Operating Pressure: 70-120 psi (4.8-8.3bar)

BP490 | Master Stream 1500 Nozzle for Radius Monitor | \$2,102.95



Accurately Measure Flow in Hydrant Systems & Fire Pumps

Best Seller

Darley Flow Test Kit

Darley offers its own Flow Test Kit with several outstanding design features that make it easier to use than kits offered by others. Precise flow measurement accurately measures flows from 160–1500 gpm within 30–200 psi pitot gauge range. Reliable conversion table—flow results based on standard flow charts and proven with extensive water volume tests. Liquid-filled dial gauge $3\frac{1}{2}$ " diameter, Grade A-1% accuracy, 0–200 psi range and vibration free readings. Tester body nozzles and swivel inlet are made of heat-treated aluminum alloy. Parts are hard-coated anodized to provide an extremely durable, protective surface. Automatic coupling design for instant and positive nozzle bore change. Renewable Brass Pitot Blade allows easy, inexpensive pitot blade replacement. Order the complete Darley Flow Test Kit. Ship. wt. 18 lbs.

Complete Flow Test Kit

- Set of Six Nozzle Tips:
 $1"$, $1\frac{1}{4}"$, $1\frac{1}{2}"$, $1\frac{3}{4}"$, $2"$ & $2\frac{1}{4}"$
- One - $2\frac{1}{2}"$ NST Female swivel inlet
- Complete instructions and flowchart
- Molded plastic foam padded case



Y899

Y899 | Darley Flow Test Kit with Carrying Case | \$1,225.95

Y899L | Darley Flow Test Kit with Metric Conversion Card | \$1,225.95

4408207 | Replacement Pitot Blade | \$95.95

4408107 | Optional $2\frac{1}{2}"$ Nozzle | \$194.95



$2\frac{1}{2}"$ Hydrant Flow Test Kit

- Includes a $2\frac{1}{2}"$ barrel with a pitot tube positioned in the waterway and water diffuser assembly
- 3.5" liquid filled 0–160 psi (0–1100 kpa) gauge
- Supplied with flow charts for accurate measuring
- Pitot tube is positioned for accurate readings
- Large, heavy duty, black case $18\frac{3}{8}"$ L x $14\frac{1}{4}"$ W x 8" H



BL913 | $2\frac{1}{2}"$ Hydrant Flow Test Kit | \$1,262.95

Apparatus Flow Test Kit

The Apparatus Flow Test Kit includes 9 tips available to choose from, ranging from $\frac{3}{4}"$ to $2\frac{1}{2}"$ in $\frac{1}{8}"$ increments. Please contact Darley if you wish to select different tip sizes at 1.800.4.DARLEY.

- Durable pyrolite construction
- Designed for easy operation providing highly accurate results
- $3\frac{1}{2}"$ liquid filled 0–160 psi gauge with large, easy to read increments
- Large heavy duty carrying case
- Case Dimensions: $18\frac{3}{8}"$ W x $14\frac{1}{4}"$ D x 8" H
- Flow test kit comes standard with 4 tip sizes: $1\frac{1}{2}"$, $1\frac{3}{4}"$, $2"$, $2\frac{1}{4}"$




BL912 | Apparatus Flow Test Kit | \$1,684.95

Protect Property & Vehicles From Possible Water Force Damage

Hydrant Diffuser

Created to overcome the constant problem of traffic disruption and water force damage to property and vegetation in the testing area. Discharge stream velocity is slowed and redirected while flowing through a series of steel grids. The pattern diverter, on outer edge of discharge cone, directs diffused stream to side or down, depending on adjustable settings. Slots in the case inlet adapter permit a firm hold of pitot gauge against the full water force before diffusion, assuring a more accurate pitot reading. The pipe-like projection at the right serves as a handle for easy threading during hydrant attachment. Even high pressure hydrants delivering 1125 gpm are now limited to a discharge distance of 5'. Fully in accord with "Special Interest Bulletins" of the American Insurance Association. 2½" NST threads. 17" H x 17" W x 29" L. Ship. wt. 22 lbs.

S672 | Hydrant Diffuser | \$628.95



HydrantPro Diffuser

- Lightweight Design with quality aluminum swivel adapter
- Estimates gallons flushed
- Available in 100psi/1680gpm or 160psi/2120gpm high quality liquid filled gauge
- Diffuses flow to reduce damage while flushing hydrant
- Swivels to Aim Flow: Point the flow where you want to flush
- Ruggedly constructed to provide years of dependable service
- Replaceable pressure tube assembly and ball-bearing swivel hydrant adapter

BK126 | 2½" NST HydrantPro Diffuser (100psi/1680gpm) | \$688.95

BK127 | 2½" NST HydrantPro Diffuser (160psi/2120gpm) | \$688.95

AM163 | Inner Tube for 2½" Diffuser | \$44.95

BK128 | Carrying Case for BK126 & BK127 | \$123.95

AF331 | 4½" NST Swivel Piezo Diffuser | \$899.95



Darley Pump and Hydrant Testing Piezometer

Take pressure readings and determine the amount of water flowing from openings up to 8" in diameter with this Piezometer. Accurately reads flowing pressures to check the fire fighting efficiency of pumpers and hydrants. You may have gauges that give you the static pressure (the pressure when no water is flowing), but without the Piezometer, you cannot determine how much water can actually be delivered through the outlet with out checking the flowing or velocity pressure. Constructed of all brass tube with bleeder valve. Made to Underwriters specifications; Discharge table included. Ship. wt. 2 lbs.

R558 | Piezometer with Case | \$175.95

F626 | Piezometer with Gauge | \$144.95

R560 | Piezometer Only | \$120.95

U359 | Piezometer with Liquid-Filled Gauge and Vibration-Free Performance | \$204.95



Darley Hydrant Flags

Darley flags improve fire hydrant's visibility when covered by snow or weeds. Simply remove the 2½" cap, slip on and position the flag in an upright position, then tighten cap. It's that easy. 3/8" x 52" steel rod and 3" x 5" flag have a powder-coated red finish. Ship. wt. 3 lbs.



Sold in lots of 25 or more

S840 | Hydrant Flags | \$20.95/ea.

Order lots of 50 for | \$19.95/ea.

Test Static Pressure

Darley Fire Hydrant Pressure Gauge

Shows pressure in the main or hydrant. Complete with 2½" gauge, bleed-off valve and chrome-plated brass cap. Easily installed by removing the hydrant cap and screwing on the pressure gauge assembly. Rocker lugs afford an easy grip with a spanner wrench. Gauge instantly shows the static pressure in the hydrant when it is turned on. Dial pressure is 100 psi unless 200 psi is specified. Made only for 2½" NST. Ship. wt. 5 lbs.



R530 | Fire Hydrant Pressure Gauge | \$120.95



Hose Monster



AK248

The Safest, Most Accurate Way to Test Fire Pumps, Flush & Evaluate Water Supplies Through Hydrants

The Hose Monster®

The 2½" Hose Monster™ utilizes a built-in-pitot and is used for hydrant flow testing, hydrant flushing, and fire pump testing. The patented design minimizes damage to landscaping and passing autos by controlling and dramatically reducing the force of flowing water. The 4" and 4½" Hose Monster™ utilizes a precisely machined orifice plate and is used for hydrant flow testing, hydrant flushing, and fire pump testing. The Hose Monster should be used with a length of hose; attachment directly to the hydrant is not recommended. Ship. wt. AK246: 27 lbs., AK248: 45 lbs.

- **AK246:** Use for pump testing and hydrant flow testing; includes built-in pitot system
- **AK248:** Use for hydrant flow testing; includes internal orifice plate for flow rate readings

AK246 | 2½" Hose Monster® | \$1,645.95

AK248 | 4½" Hose Monster® | \$1,733.95



BigBoy Hose Monster™

The BigBoy Hose Monster™ is used for fire flow testing of hydrants, water main flushing, and fire pump testing from connections 4" or larger. The BigBoy Hose Monster incorporates the patented FM approved Pitotless Nozzle™ so rocks and flushing debris pass through without causing pitot damage and accurately measures water flow-rates from 750 to 2,700 GPM. The BigBoy Hose Monster body is made from Polypropylene and the Pitotless Nozzle is made from precision machined aluminum. The BigBoy Hose Monster is intended to be used with a hose and should not be attached directly to a hydrant. The unit comes standard with a 4" NH connection and can be flowed from a larger sized connection by use reducing hose or adapters. Your hose choice will depend on: 1) the diameter of the water source connection, 2) the thread or connection type, and 3) the hose length.

Taking Flow Readings

The BigBoy GPM Gauge is calibrated to read flow-rate directly from the gauge face. No conversion chart is necessary. If you use another pressure gauge instead of the BigBoy GPM Gauge the BigBoy Hose Monster flow chart must be used to convert from psi to GPM. A 0-60 psi gauge is the most suitable range.

Features

- Perfect for Hydrant Flow Testing or Water Main Flushing
- Uses the patented FM Approved Pitotless Nozzle™ so you'll never have to change out a pitot because it got hit by a rock.
- Read your GPM flow-rate directly on the gauge face while flowing
- Weighs only 13 lbs. yet handles high flow hydrants up to 2,700 GPM
- 4" NH standard connection size, other thread specs are available.
- Flow from 4.5", or 5" STORZ connections with additional accessories

Includes:

- Big Boy Hose Monster Body: Made from glass-filled Polypropylene
- Big Boy Pitotless Nozzle 4": Measures 750 to 2,700 GPM; Factory-installed
- Big Boy GPM Gauge: Reads both GPM flow-rate and psi; 4" dial; liquid-filled



BP018 | BigBoy Hose Monster™ | \$1,275.95

RICE Portable Hose Tester Series



The RICE Hydro line of portable fire hose testers is the culmination of a design effort incorporating over 49 years of experience. All RICE hose testers meet or exceed NFPA standards and come with a 5-year full product warranty.

Four-Outlet Hose Tester

Offers 3 gpm at 500 psi, 120 VAC powered by a 1 HP 50/60 hertz TEFC motor. Capable of testing to 6" diameter coupled hose, up to 300 feet. Features 4 independently controlled stainless steel ball valves, with 1/2" NST male discharges and 2 1/2" NST female inlet swivel. Ship. wt. 175 lbs.



AA930 | Four-Outlet Hose Tester | \$3,180.95

Two-Outlet Hose Tester

Offering the same features as the model AA930, 3 gpm Up To 500 PSI 120 VAC, in a portable Two-Outlet unit. With a footprint of 28" x 23" x 19", this lightweight, compact design is perfect for tight and confined spaces, such as on board ships and vessels. Ship. wt. 127 lbs.



AF416 | Two-Outlet Hose Tester | \$2,268.95

Fire Hose Tester

A full line of hose testers offering various gpm and pressure ratings. Featuring four independently controlled stainless steel ball valves, 1 1/2" NST outlets, 2 1/2" NST swivel inlet, enclosed in a rugged, heavy-duty, welded steel chassis. Ship. wt. 194 lbs.



Cat#	Description	GPM	PSI	Price
AZ517	3 HP Electric 240 VAC	5	800	\$8,120.95
AZ518	3 HP Electric 240 VAC	4	1000	\$8,680.95
AZ519	5.5 HP Gas Honda	3.5	1000	\$5,080.95
AZ520	5.5 HP Gas B&S	3.5	1000	\$5,109.95

Adapters & Caps with Chain and Petcock

Hose Tester Accessories



BK073



BK072	1/2" Cap with Chain and Petcock	\$60.95
BK073	2 1/2" Cap with Chain and Petcock	\$73.95
BP293	4" Storz Cap with Chain and Petcock	\$150.95
BK074	5" Storz Cap with Chain and Petcock	\$168.95

AkroFlow™ Portable Flow Meter & Test Kit

Knowing your flow is critical to optimal on-scene operations. The AkroFlow Portable Flow Meter & Test Kit provides the necessary components to accomplish all your water flow testing needs. Included in the Flow Meter & Test Kit is the most highly accurate portable flow meter, the AkroFlow, plus the gauges and adapter commonly used when performing water flow testing.



- Flow test nozzles and portable monitors to maintain optimal performance
- Comply with annual NFPA 1962- Current edition test of nozzles, hose and appliances
- Conduct comprehensive nozzle and hose training
- Accurately determine fire flows, friction loss and pump discharge pressures



- BP334 | AkroFlow™ Meter 2½ NST x 2½ NST | \$1,762.95
- BP335 | 1½" Line Gauge, NST Swivel, 160 PSI | \$524.95
- BP336 | 2½" Line Gauge, NST Swivel, 160 PSI | \$515.95
- BP337 | Base Direct Connect 2½ NST x 1½ NST | \$445.95

Standpipe Flowmeter

The standpipe flowmeter is made to hook up to the standpipe in highrise applications ensuring you have adequate flow and pressure at the fire floor. It measures both flow and pressure accurately using an integrated sensor, having a completely self-contained battery powered digital readout. Constructed of anodized aluminum, with a swiveling 45° elbow on the inlet side to reduce kinking. The unit is powered by a 9V rechargeable lithium battery which will power the unit for up to 5 hours. It has a low battery warning which activates when the battery has 90 minutes of life left, as well as a battery check feature.

- Compact design for high-rise kit applications
- 9V battery operation with quick change housing
- Dual LED display - Pressure and Flow
- Battery saving Standby operation
- One touch battery meter
- Lightweight aluminum construction



- BN574 | Standpipe Flowmeter | \$2,695.95

Insight Portable Flow and Pressure Meter

Use the new Insight Portable Flow Tester to determine the flow and pressure capabilities of suppression systems or flow test your automatic nozzles, pumpers or hydrants. Test your department's effectiveness, calibrate your automatic nozzles, pumpers or hydrants. All Insight Portable Flow Tester series meters incorporate a new processor that allows for new features including multiple flow point calibration and multiple tube size. The Insight Portable Flow Tester series is an easy-to-use meter which displays gpm directly. Cap the tube for static pressure.

- Flow readout in 4-digit LED display & accurate to within 1% or reading
- Based on the DFA400 series flow meter
- Displays both flow rate and total flow
- Paddle wheel flow sensor
- Hard shell case with handle (10³/₄" H x 9³/₄" W x 7" H)



- AS538 | Portable Flow and Pressure Meter | \$4,107.95
- AS539 | Portable Flow and Pitot Pressure | \$4,292.95
- AW310 | 4" Tube (No Sensors) NPTM/ Flow Port | \$855.95
- AW311 | Paddle Wheel Flow Sensor | \$289.95



Portable Flow and Pressure Meter



Flow Tube

Water Supplies

Low Level Strainer with Jet Siphon

This compact unit can be used as both a water transfer device as well as a low level strainer. Features lightweight 6061-T6 aluminum construction with red powder coat finish for long life. Will draft in as little as 3" of water without whirlpooling. Pivoting neck enables base to stay flat on the tank bottom. Comes standard with internal screen (all sizes) and jet siphon (4"-6"). Ship. wt. 25 lbs.

2 1/2" and 3" are not manufactured with a jet siphon.
Call for pricing on Storz and cam lock fittings.

	2 1/2"	3"	4"	4 1/2"	5"	6"
AS227	\$423.95	\$441.95	\$599.95	\$609.95	\$668.95	\$574.95



Self Leveling Floating Strainers

Kochek Self Leveling Floating Strainers feature increased flow rates due to high intake ratio and maximum pump flows.

- Increased flow rates due to high intake ratio
- Maximum pump flows
- Light weight design
- New compact design for easy storage
- Handle for ease of carrying
- Vortex Shield protects against whirlpooling
- Full time swiveling strainer
- Most efficient strainers on the market

	Description	Size	Price
BK012	Self Leveling Floating Strainers	1 1/2"	\$286.95
BK013	Self Leveling Floating Strainers	2 1/2"	\$530.95
BK014	Self Leveling Floating Strainers	3"	\$537.95
BK015	Self Leveling Floating Strainers	4"	\$650.95
BK016	Self Leveling Floating Strainers	4 1/2"	\$647.95
BK017	Self Leveling Floating Strainers	5"	\$693.95
BK018	Self Leveling Floating Strainers*	6"	\$745.95



* Recommended for pumps 1250 to 1500 gpm



Pump Pond Water Free of Debris

Float-Dock® Strainer

The Float-Dock® strainer is a valuable piece of equipment that can save the day in many fire fighting situations. Float-Dock® lets you use the water in ponds or streams, both shallow and deep. Because it operates below scum and debris and above sand and muck, it screens out the materials that wear out impellers, packing and bearings. Since Float-Dock® strainers are self-leveling, there are no whirlpools or suction loss. It will draft in as little as 5" of pond water at pump's rated capacity. In deep water, Float Dock® drafts clean water below the surface. Each unit is fully guaranteed.



Cat#	Strainer	Float	Coupling	Price
H224	4" x 6" x 14"	5" x 15" x 18 1/2"	2 1/2"	\$665.95
H22401	4" x 6" x 14"	5" x 15" x 18 1/2"	3"	\$705.95
H225	7" x 10" x 18 1/2"	7" x 21" x 26 1/2"	4"	\$958.95
H22502	6" x 8" x 18 1/2"	7" x 21 1/2" x 26 1/2"	4 1/2"	\$973.95
H22603	6" x 8" x 18 1/2"	7" x 21 1/2" x 26 1/2"	5"	\$983.95
T134	7" x 16" x 18 1/2"	7" x 21 1/2" x 26 1/2"	6"	\$1,121.95

Low-Flow Strainer

Strainer will perform at maximum pumping capacity down to a water level of just 1 1/2" with no suction loss. Surface turbulence will not affect this strainer. Can be easily stored in truck compartment. Sizes 4" through 6" come with 1 1/2" cast aluminum jet siphon. Ship. wt. 24 lbs.



X892	Low-Flow Strainer 2 1/2"	\$515.95
X893	Low-Flow Strainer 3"	\$524.95
X894	Low-Flow Strainer 4"	\$724.95
X895	Low-Flow Strainer 4 1/2"	\$740.95
X896	Low-Flow Strainer 5"	\$764.95
X897	Low-Flow Strainer 6"	\$849.95



Portable Water Tanks

The First and Still the Best

Portable Collapsible Fol-Da-Tank

From rural wildlands to municipal streets, FOL-DA-TANK® has been at the forefront of equipping first responders with the tools to get the job done. Our portable folding tanks feature rugged HPR® High-Performance Rubber (resisting UV, heat, punctures, abrasions, and cold cracking) and improved grab handles and hinge guards. Folding water tanks are easy to deploy and save on transport and storage space. Patented heat-sealed seams carry a lifetime warranty for peace of mind when the going gets rough. When you want the best, go with the original – high-quality FOL-DA-TANK®.



Construction Features:

- Liners: High performance rubber (HPR), FDA
- Frames: Steel, resistance welded 14-gauge 7/8" square steel tubing with snag-free finish
- Hinges: Die-cut
- Grommets: Solid brass
- Bolts: Heavy-duty



Also available in aluminum. Call for pricing.

Specify Color: Red or Yellow

Fol-Da-Tank with Steel Frame

Cat#	Description	600	1000	1500	2100	2500	3000	4000
BL235	22oz. HPR	\$1,844.95	\$1,953.95	\$1,998.95	\$2,236.95	\$2,293.95	\$2,531.95	\$2,883.95

Liners

BL237	22oz. HPR	\$871.95	\$971.95	\$1,169.95	\$1,294.95	\$1,538.95	\$1,778.00	\$1,939.95
-------	-----------	----------	----------	------------	------------	------------	------------	------------

Self-Supporting Frameless Portable Water Tank

FOL-DA-TANK® Self-Supporting Tanks (SSTs) rise and expand as water is added to the tank, and self-level as the volume of water in the tank changes while in operation, without the support of a rigid frame. This makes FOL-DA-TANK® Self-Supporting Tanks easy to handle, store, and transport. Heavy-duty construction, multiple available hose connections, and couplings plus sizes to meet any need ensure long life and ease of use across a wide variety of applications. The FOL-DA-TANK® proprietary HPR® High-Performance Rubber fabric is available on all models. Our unique Ethafoam collar keeps the upper rim stable without having to inflate it. Convenient compact storage bag is included.

- No frame, assembly, foot pump, auxiliary air or need to inflate
- Use as mixing tank, water relay, water storage
- Use for fire fighting, hazardous waste, etc

Easy 1-person setup



Supply Line Holder



Secures hose quickly and minimizes turbulence. 2½" and 3" hose sizes. Frees up personnel for other duties. Ship. wt. 18 lbs.

Specify: NST or IPT, Male or Female Threaded Flange Coupling, Installed.
Specify size of threaded drain flange
Coupling: 1½"-5" Available, 6" Additional Cost.
Specify Color: Red, Orange or Yellow

Cat#	Gal.	Size Open	Ship. wt.	Price
AJ182	500	2'8" x 5'0" x 6'6"	50 lbs.	\$1,472.95
AJ183	1000	2'8" x 7'3 x 8'10"	55 lbs.	\$1,624.95
AJ184	1500	2'8" x 9'2" x 11'10"	60 lbs.	\$1,900.95
AJ185	2000	2'8" x 10' x 12'5"	65 lbs.	\$1,922.95
AJ186	2500	2'8" x 12' x 13'6"	70 lbs.	\$2,142.95
AJ187	3000	2'8" x 13' x 14'9"	75 lbs.	\$2,645.95
AJ188	4000	2'8" x 14' x 16'	90 lbs.	\$3,096.95
AJ189	5000	2'8" x 17' x 19'	100 lbs.	\$3,904.95

Y211 | Supply Line Holder, 2½" | \$457.95

Y212 | Supply Line Holder, 3" | \$484.95


BC001 | 6" Flange Coupling | \$471.95

Water Supplies

The Portable Fire Hydrant

Turbo Draft™ Fire Eductor

- Gain access to remote water supplies up to 250' away
- Generate usable fire flows up to 670 gpm
- No need for cumbersome hard sleeve
- Recognized by insurance agencies as an alternate water supply source
- Lightweight design sets up in minutes with standard fire hose



Cat#	Description	Ship. wt.	Price
AZ137	5" Turbo Draft™	55 lbs.	\$4,857.95
AZ138	2 1/2" Turbo Draft™	20 lbs.	\$4,197.95

Newton Kwik Dump Valve

...Because Every Second Counts

The Newton Kwik-Dump Water Valve is 29% faster than any other conventional gravity flow valve tested. It can dump 3000 gallons of water per minute, under ideal conditions. As an average, an 1800 gallon tanker can be emptied in less than one minute. All Newton Valves are constructed so that all parts constantly in contact with water are made of stainless steel, brass, or rubber, to give many years of trouble-free service. The remainder of the valve is made of hot-rolled, prime painted mild steel. Can be readily adapted to tanker trucks already in use. Standard 24" valves can be shortened and remote handle configuration is also available for additional costs.

- The standard valve comes with top-mounted controls and handle, and a 3° angle on the flange
- Outlets are 10"x10" square



AJ173	Kwik Dump, Angle Flange	\$1,659.95
AR281	Kwik Dump, Handle and Controls on Left	\$1,659.95
AR282	Kwik Dump, Handle and Controls on Right	\$1,659.95
AR288	Kwik Dump, Controlled by Air Cylinder	\$3,198.95
AR297	Additional Charge for Stainless Steel Flange on Mild Steel Valve	\$119.95
X601	24" Slip on Extension for 10" Valve	\$784.95
X602	36" Slip on Extension Chute for 10" Valve	\$1,072.95
X603	48" Slip on Extension Chute for 10" Valve	\$1,142.95
AR293	90° Elbow Chute for 10" Valve	\$1,643.95
X605	36" Telescoping Chute for 10" Valve	\$1,285.95



Portable Tank Rack

Quickly Deploy Your Folding Rack

Easy-to-install on either elliptical or side step body tankers. Manually pulls down to deploy folding tanks of all sizes. Ship. wt. 100 lbs.



- All welds are Tig welded
- Easy to get tanks in and out of rack
rubber padding to protect your tanker
- All standard sizes
- 3 hinged feet with 4 bolts each
- 2 locking points, one on each side



Cat#	Description	Aluminum	Steel
BL596	1000 Gal. Portable Tank Rack	\$1,643.95	\$1,722.95
BL597	1500 Gal. Portable Tank Rack	\$1,709.95	\$1,790.95
BL598	2100 Gal. Portable Tank Rack	\$1,731.95	\$1,816.95
BL599	2500 Gal. Portable Tank Rack	\$1,753.95	\$1,835.95
BL600	3000 Gal. Portable Tank Rack	\$1,771.95	\$1,855.95
BL601	3500 Gal. Portable Tank Rack	\$1,857.95	\$1,946.95
BL602	4000 Gal. Portable Tank Rack	\$1,941.95	\$2,033.95
BL603	5000 Gal. Portable Tank Rack	\$2,067.95	\$2,167.95
BL604	Aluminum Tread Plate Windbreak for Rack	\$806.95	

Pre-Con Suction Valve

This suction inlet valve is designed to operate as an automatic flow control valve eliminating the need for manual adjustments in relation to water flow. During hydrant operation, it automatically opens in proportion to flow demand while the automatic check valve action helps prevent water hammer. During drafting operation, the check valve action holds prime water when flow is stopped, plus allows switching to booster tank and back to draft without flow interruption. Valve can be greased without removal from pumper. Ship. wt. 20 lbs.

- Compact design
- Versatile application
- Overall Length: 9 1/2"
- Automatically balances the flow between multiple sources
- Any thread size male or female combination from 4" to 6"



Specify Size and Threads of Female and Male

T280	Pre-Con Suction Valve	\$2,650.95
------	-----------------------	------------

Essential Firefighting Fittings and Bushings

Relieve Strain and Prevent Hose Kinking

2 1/2" NST 45° Elbow

Angle elbows are used on the discharge gate of a pumper to relieve strain and prevent kinking of hose. Rocker lug swivel. Ship. wt. 3 lbs.

45° Elbow



- Prevent kinking
- Relieve hose strain

R477 | 2 1/2" NST 45° Elbow | \$124.95

British Instantaneous Fittings

Darley offers a complete line of British Instantaneous fittings. Fittings have hard-coat anodized finish. All 2 1/2" connections are made to conform to the BS336 standard. Ship. wt. 3 lbs.



BITF (British Instantaneous Fittings)

AJ089		2 1/2" BITF x 2 1/2" MNST Fitting		\$185.95
AJ088		2 1/2" BITM x 2 1/2" MNST Fitting		\$62.95
AJ087		2 1/2" BITM x 2 1/20" FNST Fitting		\$58.95
BD006		2 1/2" BITF x 2 1/2" FNST Fitting		\$181.95
BD007		2 1/2" BIT Cap		\$180.95
BD008		2 1/2" BIT Plug		\$46.95

Swivel Bushing

Chrome-plated brass, double female bushing, internal lug, rocker lug swivel. Ship. wt. 4 lbs.

AK061: Double Female Swivel Bushing

1 1/2" NPT x 1 1/2" NST Swivel		\$106.95
1 1/2" NPT x 2 1/2" NST Swivel		\$152.95
2 1/2" NPT x 2 1/2" NST Swivel		\$143.95
3" NPT x 2 1/2" NST Swivel		\$163.95



AK062: Double Female Swivel Bushing w/Screen Insert

1 1/2" NPT x 2 1/2" NST Swivel		\$155.95
2 1/2" NPT x 2 1/2" NST Swivel		\$134.95
3" NPT x 2 1/2" NST Swivel		\$159.95

Suction Elbow Swivel Female to Male

Ideal for fire apparatus with front suction connections. Aluminum elbows from 2 1/2" through 6". Long handle female swivel x male rigid standard. Specify NST, NPSH or NPT threads. Call for pricing on special threads, Storz fittings and/or rocker lug design. Ship. wt. 4-7 lbs.



AS125 Specify: 45° or 90° Male x Female

F	2 1/2"	4"	5"	6"
2 1/2"	\$257.95	-	-	-
4"	-	\$360.95	-	-
5"	-	-	\$448.95	-
6"	-	-	-	\$449.95

Suction Swivel Adapter

Chrome-plated brass with screen; 2 1/2" NST swivel female x 2 1/2" NPT male. Ship. wt. 3 lbs.



W505 | Adapter | \$133.95

Chrome-Plated Brass Bushings

Female NPT by male hose thread bushing with internal lugs. Available with or without screen. Ship. wt. 4 lbs.

W504: Chrome-Plated Bushing

1 1/2" NPT F x 1 1/2" NST M		\$102.95
2 1/2" NPT F x 2 1/2" NST M		\$53.95
4" NPT F x 4" NST M		\$185.95
4 1/2" NPT F x 4 1/2" NST M		\$457.95
5" NPT F x 5" NST M		\$324.95
6" NPT F x 6" NST M		\$358.95



AK014: Chrome-Plated Lug Bushing with Screen

2 1/2" NPT F x 2 1/2" NST M		\$53.95
4" NPT F x 4" NST M		\$208.95
4 1/2" NPT F x 4 1/2" NST M		\$290.95
5" NPT F x 5" NST M		\$354.95
6" NPT F x 6" NST M		\$379.95

Adapters & Valves

Darley Brass Hex Hose Adapters

AMI137: NPT Male x NST Male

NPT Male	NST Male			
	1"	1/2"	2/2"	3"
1"	\$30.95	-	-	-
1/2"	\$68.95	\$17.95	-	-
2"	-	\$64.95	\$49.95	-
2/2"	\$83.95	\$83.95	\$32.95	-
3"	-	-	\$95.95	\$213.95



AMI138: NPT Female x NST Male

NPT Female	NST Male			
	1"	1/2"	2/2"	3"
1"	\$48.95	-	-	-
1/2"	-	\$20.95	-	-
2"	-	\$26.95	-	-
2/2"	-	-	\$52.95	-
3"	-	-	\$83.95	\$168.95



Note: NPT has a tapered thread and is used for plumbing applications. Requires tape or pipe sealant.

Anodized Caps and Plugs

Ship. wt. 2 lbs.



- BP704 | 1" NPSH, Aluminum w/Chain, Cap, Anodized | \$23.95
- BP705 | 1" NH, Aluminum w/Chain, Cap, Anodized | \$25.95
- BP706 | 1/2" NH, Aluminum w/Chain, Cap, Anodized | \$33.95
- BP707 | 2/2" NH, Aluminum w/Chain, Cap, Anodized | \$54.95
- BP708 | 3" NH, Aluminum w/Chain, Cap, Anodized | \$66.95
- BP709 | 1" NH, Aluminum w/Chain, Plug, Anodized | \$24.95
- BP710 | 1/2" NH, Aluminum w/Chain, Plug, Anodized | \$31.95
- BP711 | 2/2" NH, Aluminum w/Chain, Plug, Anodized | \$53.95

Long Handle Chrome Suction Caps



- AW060 | 4" Chrome NH Cap | \$247.95
- AW061 | 4/2" Chrome NH Cap | \$344.95
- AW062 | 5" Chrome NH Cap | \$330.95
- AW063 | 6" Chrome NH Cap | \$365.95

Aluminum Chrome Caps

Chrome-plated aluminum hose caps include chain. NST thread standard. Ship. wt. 1 lb.

- AW089 | 1" Chrome Cap | \$62.95
- AW090 | 1/2" Chrome Cap | \$99.95
- AW091 | 2" Chrome Cap | \$79.95
- AW092 | 2/2" Chrome Cap | \$118.95



Hose Reducers

Chrome-Plated Brass

- 42B04 | 1/2" NST x 3/4" GHT | \$57.95
- 42B | 2/2" NST x 1/2" NST | \$48.95

Polished Brass

- 42B01 | 1/2" NST x 3/4" GHT | \$54.95
- 42B02 | 2/2" NST x 1" NST | \$54.95
- 42B03 | 2/2" NST x 1/2" NST | \$52.95



Hose Plug For Female Thread

Chrome-plated brass hose plugs. Ship. wt. 1 lb.



- L87701 | 1/2" Rough Brass | \$38.95
- L87702 | 1/2" Chrome Hose Plug | \$49.95
- L87703 | 2/2" Rough Brass | \$27.95
- L87704 | 2/2" Chrome Hose Plug | \$57.95

Chrome-Plated Hose Caps

Chrome-plated brass hose caps include chain. NST thread standard. Ship. wt. 1 lb.



- B52600 | 1" Hose Cap | \$52.95
- B52601 | 1/2" Hose Cap | \$34.95
- B52602 | 2/2" Hose Cap | \$38.95
- B52603 | 3" Hose Cap | \$86.95

Lexan Threaded Caps

Cut the cost of theft, while providing maximum protection. Includes sturdy, plated attaching chain and inside gasket. NST, SIPT(NPSH). Color: Red.



- U81401 | 1/2" Threaded Cap | \$7.95
- U81402 | 2/2" Threaded Cap | \$6.95

Double Swivel Female...

...for adapting from male to female. Made from extruded lightweight aluminum alloy, then hardcoated to resist corrosion and abrasion. Ship. wt. 1-6 lbs.



AC725: Double Female

F	1"	1 1/2"	2"	2 1/2"	3"	4"	4 1/2"	5"	6"
1"	\$28.95	\$37.95	-	-	-	-	-	-	-
1 1/2"	\$74.95	\$36.95	\$54.95	\$62.95	-	-	-	-	-
2"	-	\$54.95	\$54.95	\$68.95	-	-	-	-	-
2 1/2"	-	\$40.95	\$45.95	\$68.95	\$103.95	\$164.95	\$168.95	-	-
3"	-	\$62.95	\$68.95	\$54.95	\$85.95	\$181.95	-	-	\$245.95
4"	-	-	-	\$164.95	\$181.95	\$137.95	\$171.95	\$257.95	\$310.95
4 1/2"	-	-	-	\$164.95	-	-	\$162.95	\$257.95	\$315.95
5"	-	-	-	\$149.95	-	\$257.95	\$257.95	\$250.95	\$337.95
6"	-	-	-	\$264.95	\$341.95	\$310.95	\$315.95	\$337.95	-

Double Male...

...for adapting from female to male. Made from extruded lightweight aluminum alloy, hardcoated to resist corrosion and abrasion. Ship. wt. 1-6 lbs.



AC726: Double Male

M	1"	1 1/2"	2"	2 1/2"	3"	4"	4 1/2"	5"	6"
1"	\$23.95	\$44.95	-	-	-	-	-	-	-
1 1/2"	\$44.95	\$26.95	\$41.95	\$42.95	-	-	-	-	-
2"	-	\$41.95	\$37.95	\$44.95	\$115.95	-	-	-	-
2 1/2"	-	\$42.95	\$44.95	\$32.95	\$81.95	\$122.95	\$141.95	-	-
3"	-	-	-	\$81.95	\$74.95	\$170.95	-	\$372.95	-
4"	-	-	-	\$122.95	\$170.95	\$127.95	\$176.95	\$179.95	\$227.95
4 1/2"	-	-	-	\$141.95	-	\$176.95	\$140.95	-	\$216.95
5"	-	-	-	\$250.95	-	-	\$172.95	\$145.95	\$186.95
6"	-	-	-	-	-	-	\$216.95	\$186.95	\$195.95

Rigid Rocker Lug Female...

...to male adapter. If an adapter is ordered with the same size/thread on both ends it will only serve as an extension. Made from extruded aluminum alloy, hardcoated to resist corrosion and abrasion. Ship. wt. 1-6 lbs.



AC728: Male

F	1"	1 1/2"	2"	2 1/2"	3"	4"	4 1/2"	5"	6"
1"	\$21.95	\$31.95	-	-	-	-	-	-	-
1 1/2"	-	\$31.95	\$31.95	\$33.95	\$120.95	-	-	-	-
2"	-	\$32.95	\$34.95	\$49.95	\$121.95	-	-	-	-
2 1/2"	-	\$45.95	\$34.95	33.95	\$67.95	\$138.95	\$158.95	-	\$233.95
3"	-	\$111.95	\$110.95	\$78.95	\$79.95	\$156.95	\$178.95	-	-
4"	-	-	-	\$149.95	\$154.95	\$145.95	\$175.95	\$227.95	\$291.95
4 1/2"	-	-	-	-	\$198.95	\$178.95	\$175.95	\$176.95	-
5"	-	-	-	\$200.95	-	\$205.95	-	\$209.95	\$234.95
6"	-	-	-	\$316.95	-	\$258.95	\$268.95	\$269.95	\$251.95

Long Handle Double Swivel Female...

...for adapting male hydrant or suction thread to female hose thread. Made from extruded lightweight aluminum alloy, hardcoated to resist corrosion and abrasion. Ship. wt. 1-6 lbs.



AC727: Long Handle Double Female

F	2 1/2"	3"	4"	4 1/2"	5"	6"
2 1/2"	\$81.95	-	\$183.95	\$200.95	\$286.95	-
3"	\$157.95	\$148.95	\$148.95	-	-	\$361.95
4"	\$183.95	-	\$216.95	\$247.95	\$286.95	\$330.95
4 1/2"	\$200.95	\$264.95	\$244.95	\$232.95	\$264.95	\$334.95
5"	\$286.95	-	\$286.95	\$264.95	\$334.95	\$356.95
6"	\$358.95	-	\$330.95	\$335.95	\$356.95	\$354.95

Rigid Long Handle Female...

...to male adapter. For changing hydrant or suction hose threads or sizes. Made from lightweight aluminum alloy, hardcoated to resist corrosion and abrasion. Ship. wt. 1-6 lbs.



AC731: Male

F	2 1/2"	3"	4"	4 1/2"	5"	6"
2 1/2"	-	\$124.95	-	\$218.95	-	-
3"	\$138.95	-	-	-	-	-
4"	\$175.95	\$213.95	\$198.95	\$246.95	\$258.95	\$306.95
4 1/2"	\$197.95	\$241.95	\$218.95	-	\$305.95	\$333.95
5"	\$245.95	-	\$231.95	\$237.95	\$322.95	\$358.95
6"	\$435.95	\$467.95	\$295.95	\$312.95	\$336.95	\$379.95

NST shipped unless otherwise specified. Prices other than National Standard (NH or NST) or Iron Pipe (NPSH, IPT or SIPT) available on request.

Long Handle Swivel Female...

...to male adapter. Made from extruded lightweight aluminum alloy, hardcoated to resist corrosion and abrasion. Ship. wt. 1-6 lbs.



AC732: Male

F	2 1/2"	3"	4"	4 1/2"	5"	6"
2 1/2"	\$112.95	\$160.95	\$170.95	\$226.95	-	-
3"	-	-	-	-	-	\$465.95
4"	-	-	\$293.95	\$331.95	\$439.95	\$446.95
4 1/2"	\$258.95	-	\$322.95	\$328.95	\$445.95	\$518.95
5"	-	-	-	\$434.95	\$500.95	\$501.95
6"	\$553.95	-	\$444.95	\$505.95	\$494.95	-

Adapters & Valves

Lightweight Gated Valve

No more heavy brass valves to carry around. Our light weight line wyes with aluminum construction cut the overall weight by more than 30% when compared to traditional brass valves. Ship. wt. 8 lbs.



BE257 | 2½" NSTF Inlet x (2) 1½" NSTM Outlet Valve | \$259.95

BE315 | 2½" NSTF Inlet x (2) 2½" NSTM Outlet Valve | \$399.95

Hydrant Valve

- Lightweight alloy
- 2½" full flow waterway
- Adapter easily removed for seat adjustment
- 2½" female inlet x 2½" male outlet
- Self-locking handle for positive positioning
- Ship. wt. 8 lbs.



BK221 | 2½" Hydrant Valve | \$339.95

Hydrant Ball Valve

Lightweight, full-flow hydrant ball valve with 2½" F NST inlet and 2½" M NST outlet. Standard color is silver with black connections and handle. Valve weighs 5½ lbs. Rated at 250 psi working pressure. Self-locking handle for positive positioning.



BL909 | 2½" Hydrant Ball Valve | \$445.95



Lightweight Leader Line Wye

Lightweight Leader Line Wye has a 2½" NST swivel female inlet x (2) 1½" NST male outlets. Used to divide (1) 2½" hose into (2) 1½" hose lines. Each 1½" outlet is independently controlled by high strength polymer handles. Ship. wt. 5 lbs.



Two 1½" independently controlled outlets



AF787 | Lightweight Leader Line Wye | \$647.95

Multi-Use Adapter

The latest multi-use adapter. Perfect for hazmat decontamination. Other uses include forestry units, portable water, an portable drinking water. You will also find it useful for vehicle wash down. Available in 1½" or 2½" NST. Ship. wt. 3 lbs.



AJ09901 | Hazmat Adapter 1½" F x (2) GHT M | \$45.95

AJ09902 | Hazmat Adapter 2½" F x (2) GHT M | \$72.95

2.5" Hydrant Gate Valve

Lightweight non-rising stem gate valve 2.5" NH female swivel x 2.5" NH male is excellent for hydrant and other hose line/water control. There is a spinning knob on hand wheel for easy open/close, with a built in slow close safety operation. The gate, spindle, female swivel, male threads, and the body inside and out are all anodized for maximum corrosion resistance. This valve has low friction loss and is maintenance free. This compact valve weighs 4.5 lbs, length 6", height 9", and width 5". The gate valve has a working pressure of 250 PSI.



BL337 | 2.5" Hydrant Gate Valve | \$375.95



High Quality Lightweight Aluminum Hydrant Wyes

Hydrant Wye

The Hydrant Wye is made of lightweight aluminum alloy and is used for laying two lines from a hydrant to a pumper or for branching a 2½" or larger supply line to two 2½" lines. Has self-locking valves for positive handle positioning. Available in sizes 2½" to 6" female inlet x (2) 2½" NST male swivel valves outlets. Ship. wt. 17 lbs.

- AF78801 | 2½"F x (2) 2½" M | \$1,559.95
- AF78802 | 3"F x (2) 2½" M | \$1,708.95
- AF78804 | 4"F x (2) 2½" M | \$1,872.95
- AF78805 | 4½"F x (2) 2½" M | \$1,920.95
- AF78806 | 5"F x (2) 2½" M | \$2,067.95
- AF78807 | 6"F x (2) 2½" M | \$2,159.95



Gated Wye

2½" female swivel inlet x two 1½" male outlets. Quarter-turn aluminum ball valves provide a positive shutoff. Full flow 1½" ball waterway. Rugged lightweight aluminum alloy casting with durable powder coat finish inside and out, hard coat anodized couplings, and super tough nylon folding handles. 2½" NH female swivel rocker lug inlet coupling is standard. Ship. wt. 5 lbs.

BL399 | Gated Wye | \$509.95



Suction Siamese

Suction Siamese is made of lightweight aluminum alloy. Used to feed pumper suction or aerial platforms with one or two, 2½" or 3" hose lines. Has self-locking valves for positive handle positioning. Available in sizes 2½" to 6" female swivel x (2) 2½" NST swivel female valved inlets. Ship. wt. 19 lbs.

- AF78901 | (2) 2½"F x 2½"F | \$1,616.95
- AF78902 | (2) 2½"F x 3"F | \$1,756.95
- AF78903 | (2) 2½"F x 4"F | \$1,920.95
- AF78904 | (2) 2½"F x 4½"F | \$1,971.95
- AF78905 | (2) 2½"F x 5"F | \$2,127.95
- AF78906 | (2) 2½"F x 6"F | \$2,247.95



Storz Adapters 2 1/2" Through 6"

Locking Storz on All Adapters to Meet NFPA

Storz to Long Handle Swivel Female

Storz to long handle swivel female adapter. Made of 6061-T6 aluminum alloy, then hardcoated to reduce corrosion and abrasion. Ship. wt. 3 lbs.



AG733

F	2 1/2"	3"	3 1/2"	4"	4 1/2"	5"	6"
4"	\$227.95	\$264.95	\$196.95	\$303.95	\$287.95	\$316.95	\$369.95
5"	\$271.95	\$298.95	\$285.95	\$324.95	\$318.95	\$313.95	\$405.95

Storz to Rigid Male

Storz to rigid male adapter. 6061-T6 lightweight aluminum alloy, hardcoated for protection against corrosion and abrasion. Ship. wt. 3 lbs.



AG737

M	2 1/2"	3"	3 1/2"	4"	4 1/2"	5"	6"
4"	\$190.95	\$176.95	-	\$181.95	\$219.95	\$233.95	\$234.95
5"	\$232.95	\$209.95	-	\$229.95	\$252.95	\$242.95	\$291.95

Storz to Rigid Female

Storz to rigid female adapter. 6061-T6 aluminum alloy, hardcoated to reduce corrosion and abrasion. Ship. wt. 3 lbs.



AG735

F	2 1/2"	3"	3 1/2"	4"	4 1/2"	5"	6"
4"	\$174.95	\$176.95	\$191.95	\$211.95	\$262.95	\$219.95	\$300.95
5"	\$215.95	\$210.95	\$237.95	\$256.95	\$257.95	\$267.95	\$352.95

Storz to Swivel Female

Storz to rocker lug swivel female adapter. 6061-T6 aluminum alloy, hardcoated for protection against corrosion and abrasion. Ship. wt. 3 lbs.



AG734

F	2 1/2"	3"	3 1/2"	4"	4 1/2"	5"	6"
4"	\$208.95	\$176.95	-	\$211.95	\$262.95	\$219.95	\$300.95
5"	\$256.95	\$210.95	\$237.95	\$256.95	\$257.95	\$267.95	\$352.95

Storz to Swivel Female Elbow

Storz to female swivel 30° elbow, long handles. Storz head made of 6061-T6 aluminum alloy, elbow made from tough, lightweight AL-MAG 35. Hardcoat anodized to resist abrasion and corrosion. Ship. wt. 3 lbs.



AG732

F	2 1/2"	3"	4"	4 1/2"	5"	6"
4"	\$281.95	\$378.95	\$331.95	\$324.95	\$430.95	\$405.95
5"	\$298.95	\$276.95	\$375.95	\$384.95	\$390.95	\$370.95

Storz to Swivel Female 30° Elbow

Storz to female swivel 30° elbow, rocker lug. Storz heads made of 6061-T6 aluminum alloy, elbow made from tough, lightweight AL-MAG 35. Hardcoat anodized to resist abrasion and corrosion. Ship. wt. 3 lbs.



AG731

F	2 1/2"	3"	3 1/2"	4"	4 1/2"	5"	6"
4"	\$263.95	\$361.95	\$342.95	\$320.95	\$324.95	\$427.95	\$408.95
5"	\$321.95	\$361.95	-	\$362.95	\$373.95	\$387.95	\$395.95

Storz to Storz Adapters

Storz to Storz adapters allow you to connect Storz couplings of different sizes. They are particularly useful in mutual aid evolutions. This adapter can be used in combinations from 1" - 6" Storz. For use on 4" or 5" hose. Ship. wt. 3 lbs.



AJ100		5" Storz x 4" Rigid Storz		\$276.95
AJ101		5" Storz x 4" Swivel Storz		\$471.95
AW068		6" Storz x 4" Storz		\$388.95
AW069		6" Storz x 5" Storz		\$443.13

Storz Blind Caps

Storz blind cap is made of aluminum alloy, hard-coated for resistance to abrasion and corrosion. Comes with standard 18" stainless steel cable. Suction gasket comes standard. Ship. wt. 3 lbs.



AG73625		Storz 2 1/2" Blind Cap		\$26.95
AG73630		Storz 3" Blind Cap		\$32.95
AG73640		Storz 4" Blind Cap		\$93.95
AG73650		Storz 5" Blind Cap		\$105.95
AG73660		Storz 6" Blind Cap		\$175.95

Extremely Compact And Lightweight

Low Profile Ball Intake Valve

- Compact lightweight design fits easily into tight pump panel configurations
- 5 year warranty against corrosion
- Integrated adjustable pressure relief valve
- Flow efficient waterway has less than 5 psi loss and rated 1250 gpm flow
- Individually serialized
- Highly visible valve position indicator and slow close operation exceeds all standards requirements

BN220 | 5" FSWRL x 4" Rigid STZ | \$2,218.95

BN221 | 5" FSWRL x 5" Rigid STZ | \$2,116.95

BN223 | 6" FSWRL x 4" Rigid STZ | \$2,116.95

BN224 | 6" FSWRL x 5" Rigid STZ | \$2,116.95



Locking Storz



Gate Valve With 25° Elbow

Lightweight aluminum alloy design includes non-rising stem, elbow, relief valve, air bleeder and 4" through 6" female swivel. For use on pumper intake. Ship. wt. 29 lbs.

AR122 | 4" Storz to 4" NST Female Swivel | \$1,738.95

AR124 | 4" Storz to 5" NST Female Swivel | \$1,779.95

AR125 | 4" Storz to 6" NST Female Swivel | \$1,815.95

AR127 | 5" Storz to 4" NST Female Swivel | \$1,786.95

AR128 | 5" Storz to 4 1/2" NST Female Swivel | \$1,785.95

AR129 | 5" Storz to 5" NST Female Swivel | \$1,827.95

AR130 | 5" Storz to 6" NST Female Swivel | \$1,907.95



Locking Storz

Gate Valve

A lightweight, compact, non-rising stem gate valve with air bleed off and 4" through 6". It is used for use on the hydrant steamer connection. Ship. wt. 24 lbs.

AR132 | 4" Storz to 4" NST Female Swivel | \$985.95

AR133 | 4" Storz to 4 1/2" NST Female Swivel | \$975.95

AR134 | 4" Storz to 5" NST Female Swivel | \$1,003.95

AR135 | 4" Storz to 6" NST Female Swivel | \$980.95

AR136 | 4" Storz to 4" Storz Swivel | \$1,024.95

AR137 | 5" Storz to 4" NST Female Swivel | \$1,008.95

AR138 | 5" Storz to 4 1/2" NST Female Swivel | \$999.95

AR139 | 5" Storz to 5" NST Female Swivel | \$995.95

AR140 | 5" Storz to 6" NST Female Swivel | \$1,067.95

AR141 | 5" Storz to 5" Storz Swivel | \$1,226.95

Stainless Steel Piston Intake Relief Valve

Stainless Steel Piston Intake Relief Valve was designed to incorporate quick-connection, fast but controlled opening, with air bleeder and relief valve. 30° inlet provides smooth water flow for reduced friction loss. This valve is covered by a 10-year warranty against failure due to corrosion. Ship. wt. 27 lbs.

AW070 | 4" Inlet Storz x 4 1/2" NH F Outlet | \$1,690.95

AW071 | 4" Inlet Storz x 5" NH F Outlet | \$1,667.95

AW072 | 4" Inlet Storz x 6" NH F Outlet | \$1,666.95

AW073 | 5" Inlet Storz x 4 1/2" NH F Outlet | \$1,658.95

AW074 | 5" Inlet Storz x 5" NH F Outlet | \$1,586.95

AW075 | 5" Inlet Storz x 6" NH F Outlet | \$1,634.95



Adapters & Valves

Superflow 2-Way Ball Valves

Large, light-weight 2-way LDH ball valve. Feed two LDH hoses from a single LDH line or one LDH hose from two LDH hoses. The Super Flow valve has low friction loss due to a high flow water way design. Hard anodized balls with stainless steel tappets for corrosion resistance. This design permits feed from either direction. Includes adjustable pressure relief valve for added safety. Specify the size of Storz or NST connections. Ship. wt. 47 lbs.

Locking Storz



BP398 | 2-Way Ball Valve Superflow 4" Storz Lock Inlet x (2) 4" Storz Lock Outlets w/250-S RV | \$2,442.95
BP399 | 2-Way Ball Valve Superflow 5" Storz Lock Inlet x (2) 4" Storz Lock Outlets w/250-S RV | \$2,373.95
BP400 | 2-Way Ball Valve Superflow 5" Storz Lock Inlet x (2) 5" Storz Lock Outlets w/250-S RV | \$2,346.95

Harrington, Inc.
LDH System Specialists

3-Way Ball Valve

Designed to distribute water to three small diameter lines from a large diameter line, or supply a large diameter line from smaller supply lines. 3-way ball valve features an adjustable pressure relief valve to reduce water hammer. Ball valve body is made of lightweight, high-strength aluminum with powder coat finish. Ball assembly is hard-coat anodized aluminum. Large waterways help minimize pressure loss. Ship. wt. 21 lbs.

- Locking storz
- 3-way ball valve
- 12¹/₄" L x 16" W x 11" H

AS142 | 4" S x (3) 2¹/₂" NSTM | \$1,024.95
AS143 | 4" S x (3) 2¹/₂" NSTF | \$1,275.97
AS144 | 5" S x (3) 2¹/₂" NSTM | \$977.76
AS145 | 5" S x (3) 2¹/₂" NSTF | \$1,362.83



3-Way Manifold

This lightweight, compact unit is a simple, economical way to feed multiple small lines with one large line, and continue with a large line. All outlets are valved. Relief valve and pressure gauge are standard. Ship. wt. 42 lbs.

- 17¹/₂" L x 21¹/₂" W x 13" H

BC006 | 4" Storz Inlet x 4" Storz Outlet x (2) 2¹/₂" NH M | \$1,866.95
BC007 | 5" Storz Inlet x 5" Storz Outlet x (2) 2¹/₂" NH M | \$1,918.95



5-Way Manifold

Sizes come with 4" or 5" Storz connection on both. Large intake and gated discharge plus (4) 2¹/₂" gated discharges. Portable manifold is designed to take advantage of the increased flow capabilities of large diameter hose. Can supply multiple attack lines without a pumper. Brings your hydrant to the fire scene. Fabricated from lightweight, high-strength aluminum alloy and is hard coat anodized. Provided with large full flow waterways, relief valve and a glycerine filled pressure gauge to indicate residual pressure. Ship. wt. 51 lbs.

- Locking storz
- 5-way manifold
- 16" L x 21" W x 13" H

AR142 | 4" Storz Intake to (4) 2¹/₂" NST Male Outlets and (1) 4" Storz Gated Outlet | \$2,260.95
AR143 | 5" Storz Intake to (4) 2¹/₂" NST Male Outlets and (1) 5" Storz Gated Outlet | \$2,185.95





AW078



Intake Siamese

These reliable clappered Siamese valves are used for feeding one large line with multiple smaller lines. Clapper valve allows for single line usage. Powder-coat aluminum finish with carrying handle. 10 $\frac{1}{2}$ " L x 10" W x 5" H.

- Single clapper
- 3-Way Siamese:
- Aluminum construction
- Large waterways
- 2 $\frac{1}{2}$ " NST female swivel inlets
- Convenient carrying handle
- Ship. wt. 18 lbs.

AS138		2-Way Siamese 4" Storz x (2) 2 $\frac{1}{2}$ " NST F SW		\$577.95
AS139		2-Way Siamese 4" Storz x (2) 2 $\frac{1}{2}$ " NST M		\$489.95
AS140		2-Way Siamese 5" Storz x (2) 2 $\frac{1}{2}$ " NST F SW		\$560.95
AS141		2-Way Siamese 5" Storz x (2) 2 $\frac{1}{2}$ " NST M		\$467.95
AW078		3-Way Siamese 4" S x (3) 2 $\frac{1}{2}$ " NH Inlet		\$920.95
AW079		3-Way Siamese 5" S x (3) 2 $\frac{1}{2}$ " NH Inlet		\$877.95

Clappered 2-Way Siamese

Lightweight, single clappered Siamese valves for supplying one LDH line from two smaller lines. The aluminum alloy is powder coated for long lasting finish and corrosion resistance. The one clapper design will close off the non pressurized inlet while permitting flow from the pressurized inlet. Ship. wt. 11 lbs. 10 $\frac{1}{2}$ " L x 9 $\frac{1}{2}$ " W x 8" H

AW080 | (2) 2 $\frac{1}{2}$ " F Inlet x 2 $\frac{1}{2}$ " M Outlet | \$346.95

2-Way Ball Valve

Designed to distribute water to two small diameter lines from a large diameter line, or supply a large diameter line from smaller supply lines. Ball valve body is made of lightweight, high-strength aluminum with red powder coat finish. Ball assembly is hard-coat anodized aluminum. Large waterways help minimize pressure loss. Ship. wt. 12 lbs.

- Locking storz
- 2-way ball valve
- 10" L x 9" W x 8" H

AS146		4" S x (2) 2 $\frac{1}{2}$ " NSTM		\$559.36
AS147		4" S x (2) 2 $\frac{1}{2}$ " NSTF		\$654.55
AS148		5" S x (2) 2 $\frac{1}{2}$ " NSTM		\$636.97
AS149		5" S x (2) 2 $\frac{1}{2}$ " NSTF		\$742.16

Super Flow Large Ball Valve

Designed specifically for feeding to or from large diameter hoses. This locking storz valve has full flow 4 $\frac{1}{2}$ " waterways. Each outlet is provided with a ball gate valve to permit easy shutoff. Adjustable relief valve reduces the effects of water hammer. The large gated wye eliminates the need to lay multiple lines. Particularly useful in supplying multiple apparatus with large diameter hose. Ship. wt. 8 lbs.

AR120		4" Storz to (2) 4" Storz Super Flow Ball Valve		\$2,916.95
AR121		5" Storz to (2) 5" Storz Super Flow Ball Valve		\$2,712.95

Adapters & Valves

Revolution Intake Valve

The Revolution has all of the standard features you expect from an intake valve with flows capable up to 2000 gpm (7600 lpm) making it ideal for the most demanding apparatus intake applications.

- Robust, integrated Pyrolite patent-pending handwheel for easy operation
- Critical pump side waterway components constructed of non-corrosive stainless steel
- Durable, powder coated interior and exterior finish
- Field adjustable relief valve between 50-250 psi (requires 7/8" wrench to adjust), includes 1/2" NPT female thread
- Built-in Open/Close indicator
- All parts that stay in contact with water are constructed of stainless steel
- Field serviceable design
- 10-year heavy-duty warranty against manufacturing defects and corrosion
- Quick turn Bleeder valve operation - vents into relief discharge
- NFPA 1901 compliant - Current Edition



Revolution Intake Valve Straight Inlet

Revolution Intake Valve Swivel Elbow Inlet

Cat#	Storz		Price
	Female Inlet	Outlet	
BN088	4"	5" Rocker Lug	\$2,132.95
BN089	4"	6" Rocker Lug	\$2,132.95
BN090	5"	5" Rocker Lug	\$2,132.95
BN091	5"	5" Long Handle	\$2,132.95
BN092	5"	6" Rocker Lug	\$2,132.95
BN093	5"	6" Long Handle	\$2,123.95
BN094	6"	5" Rocker Lug	\$2,501.95
BN096	6"	6" Rocker Lug	\$2,501.95
BN097	6"	6" Long Handle	\$2,501.95

Cat#	Storz		Price
	Female Inlet	Outlet	
BN098	4"	5" Rocker Lug	\$2,059.95
BN099	4"	6" Rocker Lug	\$2,059.95
BN100	5"	5" Rocker Lug	\$2,059.95
BN101	5"	5" Long Handle	\$2,059.95
BN102	5"	6" Rocker Lug	\$2,059.95
BN103	5"	6" Long Handle	\$2,059.95
BN104	6"	5" Rocker Lug	\$2,427.95
BN105	6"	5" Long Handle	\$2,427.95
BN106	6"	6" Rocker Lug	\$2,427.95
BN107	6"	6" Long Handle	\$2,427.95

Butterfly Valves

- Rotating the handle to open disc 1/4 turn allows an almost unrestricted water flow
- The 10 position lever handle with positive detents allows the valve to be opened or closed incrementally for a controlled water flow
- Comes standard with a bleeder valve
- Available with 4", 4 1/2", 5" or 6" male or female hose
- Ship. wt. 45 lbs.



Lever Handle

BL272	6" NHSWFLH x 6" NHM	\$967.95
BL273	5" NHSWFLH x 5" NHM	\$962.95
BL274	4.5" NHSWFLH x 4.5" NHM	\$974.95
BL275	4" NHSWFLH x 4" NHM	\$1,026.95

Handwheel

BL276	6" NHSWFLH x 6" NHM	\$1,069.95
BL277	5" NHSWFLH x 5" NHM	\$1,037.95
BL278	4.5" NHSWFLH x 4.5" NHM	\$1,050.95
BL279	4" NHSWFLH x 4" NHM	\$1,078.95

Permanent Hydrant Adapter

- Connect Fire Hose to Hydrant in Seconds
- No more time-consuming threading and tightening
- Only 1/4 turn connects hose to hydrant
- A must where multiple steamer thread sizes are used in your area
- Special threads also available
- Ship wt. 5 lbs.



AS225	4" Storz x 4 1/2" NST	\$303.95
AS226	5" Storz x 4 1/2" NST	\$385.95

No PFAS Chemicals



Solberg Spartan 1% A/B Foam Concentrate

Solberg Spartan 1% A/B Foam Concentrate is a high-performance firefighting solution engineered for rapid and effective suppression of both Class A (ordinary combustibles) and Class B (flammable liquids) fires. Its advanced formulation delivers fast knockdown and reliable extinguishing power, making it a trusted choice for fire safety professionals. Mixed with water at a 1% ratio, this foam concentrate is compatible with standard firefighting equipment including nozzles, monitors, and proportioning systems. Environmentally responsible and versatile, Solberg Spartan is ideal for use in municipal fire departments, industrial facilities, and military operations.

Sold in various volume and quantities, see below

BR063 | Solberg Spartan 1% A/B - 5 gal. pail | \$173.95

BR064 | Solberg Spartan 1% A/B - 55 gal. drum | \$1,831.95

BR065 | Solberg Spartan 1% A/B - 265 gal. tote | \$8,932.95



3 x 6% Fluorine Free Class B Foam Concentrate

This environmentally responsible next generation foam concentrate meets the current needs for Class B hydrocarbon and polar solvent fuel fires when used with fresh water. Designed for to fight a broad range of Class B flammable liquid fires including hydrocarbon fuels such as gasoline and diesel and polar solvents such as ketones and alcohol. Unlike legacy C8 foams which are considered to be bioaccumulative PHOS-CHEK 3X6% fluorine free alcohol resistant foam concentrate does not contain PFAS chemicals including but limited to, PFOS or PFOA. This foam can be used with most existing foam equipment such as eductors and onboard foam systems that are designed for traditional 3%-6% B foam systems. Never to be mixed with other Class B foam concentrates. Meets UL 162 Listed, EN 1568-3:2008 (Class IA) and EN 1568-4:2008 (Class IB).

Sold in 5-gallon pails

BP333 | 3 x 6% Fluorine Free Class B Foam | \$235.95/pail



3% x 3% Non-Fluorinated Class B Foam Concentrate

Chemguard NFF 3x3 UL201 foam solution utilizes three suppression mechanisms intended for rapid fire knockdown and superior burnback resistance:

- The foam blanket blocks oxygen supply to the fuel and suppress fuel vapor with extended drain times for better vapor suppression after extinguishment
- On polar solvent fires, liquid drains from the foam blanket and forms a polymeric membrane which protects the foam from destruction by the polar fuel, suppresses vapors, and seals the fuel surface
- The water content of the foam solution produces a cooling effect for additional fire suppression

Chemguard NFF 3 x 3 UL201 is defined as a non-fluorinated firefighting foam concentrate, produced in equipment free from the use of PFAS chemistry. Since this product is free from any intentionally added PFAS chemistry, and precautions have been used to avoid PFAS contamination, it inherently complies with Directives (EU) 2017/1000 on PFOA and 2019/1021 (EU POPs directive) as a non-fluorinated product.

Sold in 5-gallon pails

BP451 | 3% x 3% Non-Fluorinated Foam Concentrate | \$285.95/pail



Foam

Class A Plus Foam Concentrate

Chemguard Class "A" is a non-corrosive, non-toxic, biodegradable foam concentrate. When mixed with water in the correct proportion, it changes the properties of water. It reduces the surface tension of the water, and produces foam, which allows the water to cling to vertical or horizontal surfaces without run off. This allows the water to absorb more heat and provides greater penetration into Class "A" fuels. Ship. wt. 45 lbs.



Sold in 5-gallon pails

AC721 | Class A Plus Foam Concentrate | \$115.95/pail

PHOS-CHEK First Response Class A Foam Concentrate

First Response is a new Class A foam manufactured by the makers of the well known Phos-Chek® brand fire suppression products. It's formulated to make water more effective by the reducing the water's surface tension and, when mixed with air, creates a foam blanket that surrounds fuels with a thick layer of water. Foam reduces the amount of water needed to extinguish the fire reducing water damage and increasing fire fighter safety through quicker knockdown and reduced mop-up/overhaul. Ship wt. 45 lbs.

- Wetting Agent: 0.2%
- Direct Attack: 0.6% to 1.0%
- Mop Up/Overhaul: 0.2% to 0.6%
- Tested and Qualified for USDA Forest Service
- Meets NFPA 1150
- Effective use in Compressed Air Foam Systems (CAFS)



Sold in 5-gallon pails

BL712 | Class A Foam Concentrate & Wetting Agent | \$165.95/pail

Phos-Chek® Class A Foam

Phos-Chek® Class A foam provides superior foam generation and is the most concentrated Class A foam product available today. Phos-Chek® is a unique combination of surfactants that make water more effective for fire fighting. Phos-Chek has been tested and approved for use by the U.S. Forest Service. U.S. Forest Service testing includes product Environmental, Health & Safety, and Corrosion criteria. Phos-Chek® is also a U.L. listed Wetting Agent at a very low use rate of 0.1% for Class A and 0.25% for Class B fires. Phos-Chek® meets the requirements of NFPA 1150, contains no EPA listed hazardous materials, and is readily biodegradable. Phos-Chek® works extremely well with CAFS at ratios of 0.2 to 0.3%. Ship. wt. 45 lbs.

Sold in various volume and quantities, see below

AS285 | Phos-Chek® Class A Foam | \$185.95/5 gal. pail

AS289 | Phos-Chek® Class A Foam | \$1,959.95/55 gal. drum



AS286



Silv-EX Plus "Class A" Fire Control Concentrate

A multiple expansion Class A foam concentrate formulated from specialty hydrocarbon surfactants, stabilizers, inhibitors and solvents. Its combination of surfactants and solvents provide extremely good cold weather performance. The original forest fire control concentrate.

- Proven effective on many deep seated Class A fires
- Can be proportioned from 0.1% to 1.0% in fresh, brackish or sea water
- Ship. wt. 45 lbs.



Sold in 5-gallon Pails

AB410 | Silv-EX Plus "Class A" Concentrate | \$199.95/pail

Solberg 3% Mil-Spec SFFF Airport Foam Concentrate

SOLBERG 3% MIL-SPEC SFFF can be used with low-expansion discharge devices, including a variety of nozzles and monitors. It is fully compatible and easily proportioned with standard firefighting equipment, including in-line inductors, self-inducting nozzles, fire truck pumps, bladder tanks, pump skids, balanced pressure systems and more.

- No PFAS and bio-degradable
- Delivers excellent foaming, vapor sealing, and stability



BP916 | Solberg 3% Mil-Spec SFFF Foam | \$202.95/5 gal. pail

BP917 | Solberg 3% Mil-Spec SFFF Foam | \$2,144.95/55 gal. drum

BP918 | Solberg 3% Mil-Spec SFFF Foam | \$9,949.95/265 gal. tote

Everything You Need in One Portable Unit To Apply Foam Quickly

PRO/pak Foam System

Making great foam is easy with the PRO/pak. Everything you need is contained in one lightweight package that attaches to the end of your 1" fire hose. Works on pressures as low as 50 psi. With its small size and versatile nozzles you can have foam capability without the expense of built-in systems costing thousands of dollars. Features a high-impact 2½ gal. foam reservoir with built-in eductor that can be set to the ratio of your choice. Large, easy-open fill port has an indicator to show the type of liquid in the tank. The flow is controlled by a twist grip valve/carrying handle. Turn to select the discharge velocity for inlet pressures between 40 and 500 psi. System comes complete with a straight stream nozzle, low expansion nozzle and medium expansion nozzle. Nozzles can be directly attached to the eductor for one-handed operation, or a short section of hose can be added for maneuverability. Designed for Class A 3% or 6% AFFF & AR Foams. Ship. wt. 15 lbs.

- PRO/pak unit
- 3' extension hose
- Shoulder strap
- 3 - quick-connect nozzles

Specify inlet threads; 1" NH or NPSH

AJ255 | PRO/pak Foam System | \$1,325.95

AJ257 | Mounting Bracket | \$172.95

AJ258 | 25' Discharge Hose | \$381.95



Precision Foam Testing Kit

The Precision Foam Testing Kit is designed to simplify the process of testing foam systems for proportioning accuracy. This kit utilizes liquid conductivity and a precision digital scale to accurately prepare standards and test discharge samples; the same method used by nationally recognized testing laboratories when testing systems for listing and approval. Instruction manual included. Ship. wt. 6 lbs.

Includes:

- Protective carrying case with foam protective padding
- Precision digital electronic 250 gram scale with 0.1 gram accuracy
- 6 - 150ml graduated sample beakers
- 100ml graduated cylinder
- 250ml wash bottle
- 2 - 10ml sample pipettes (12"l)
- 5 - 3ml sample pipettes (6"l)
- 500ml water sample bottle
- 2 - 10ml sample syringes
- 10 - Test charts (reproducible)



AZ292 | Precision Foam Testing Kit | \$1,340.95

FoamPro® 1600 Series Proportioning System

No other system delivers foam as easily and accurately as the FoamPro®. All it takes is a flip of the switch to start the system. FoamPro® adjusts automatically to any changes in flow rate or pressures. Plus, the patented, high-tech, electronic controller does all of the work for you. To make the foam wetter or drier simply adjust the dial to change the foam concentrate level. When you use the FoamPro®, you don't have to worry if the foam solution is correct—the system does the proportioning all automatically. Simply set the percentage you want on the control module. Because the precise proportioning is done by measuring flow instead of pressure, you do not have to shut down to add lines, change pressure or refill the foam tank. What's more, the FoamPro® conveniently interfaces with Compressed Air Foam Systems. Meets NFPA Standards. Ship. wt. 68 lbs.

Exclusive Features:

- Automatic proportioning
- Adjustable dial control
- Proportions continuously
- No foam goes through the fire pump
- No in-line restrictions
- Installs in new or existing apparatus
- Delivers 0.1 to 1.7 gpm of concentrate



Tank Sensor Required

AJ247 | FoamPro® with 1½" Flowmeter | \$5,082.95

AJ248 | FoamPro® with 2" Flowmeter | \$5,505.95

AJ249 | Tank Sensor, Vertical Mount | \$123.95

Available Options

AJ251 | 8 gal Polypropylene Foam Tank | \$268.95

Foam

Class "A" Foam Proportioning System

Fast Foam 150

The Fast Foam 150 system offers a reliable, accurate, compact foam proportioning system at an economical price. This model treats up to 150 gpm @ 1% at pressures up to 175 psi.

Engine

- 12 VDC, 1/2 hp continuous speed electric motor. The maximum amp draw at full load, 175 psi (12 bar) is 39 amps. The pump is a continuous duty, piston type, positive displacement pump. The pump is rated at 1 1/2 gpm. Pump is supplied with a 250 psi (17 1/2 bar) safety relief valve for protection against over pressurization. The Venturi flows up to 150 gpm.

Applications

- Mini pumper, pumper, pumper tanker, rescue pumper, wildland/quick attack fire vehicle

Features

- 1 1/2 gpm/150 gpm, 1/2 hp 12vdc motor, pilot operated relief valve
- Low concentrate float switch
- Venturi 1 1/2" NPT
- Includes installation kit
- Control panel placard with on/off switch and low concentrate light, adjustable foam percentage valve

Performance

- Up to 150 gpm @ 1% at pressures up to 175 psi

Dimensions

- 21" L x 10" W x 12" H, 75 lbs.

FF150001 | Fast Foam 150



Additional Fast Foam Systems



Fast Foam 50

Fast Foam 250

Darley Foam Refill System

The Darley Foam Refill System is designed to create a safe alternative to refilling your Class A foam tank without the need to climb on top of your truck. The kit includes all the necessary equipment needed for a simple installation into new or existing apparatus. Once installed, simply attach the pickup hose, insert the tube into the foam pail, hold the switch to on, and fill your foam tank from a safe position until the green foam full light appears on. The pump and motor are 12 VDC capable.



Installation Options

- Panel Mounted Kit

Performance

- Pumps at 4 to 6 GPM and is capable of 10' of lift

Pump

- Pump utilizes a Nitrile impeller for optimal performance and durability

Operation Placard / Protection Box

- Made of 16-gauge stainless steel and mounted with stainless screws
- Bayfol UV-1 laminate overlay offers superior protection against UV exposure
- Includes momentary switch and green foam full indicator light

Pickup Tube

- Clear 3/4" plastic tube with a female camlock fitting to connect to the panel and a stainless pickup tube to easily utilize all of the foam in a pail

DFR5001 | Darley Foam Refill System Kit



CAFS Accessories



• 1/2", 2", 2 1/2", 3"

ODIN® Autofill™

Electronic control that fully automates the tank fill process from a pressurized source. System comes with operational control placard and wire harness complete with weather tight connectors. Requires a tank level gauge and sensor - sold separately.

DAF00025 | Odin® Autofill™

ODIN® Autovalve™

The AutoValve™ system has predetermined flow settings for simplified water and air valve operations with the push of a button. It is also equipped with a "Slug Flow Interlock" safety feature which is designed to prevent the slug flow that occurs when water and air are mixed without foam concentrate. The AutoValve™ is a user programmable electronic valve system that can be used in CAFS, powered by 12 or 24 volt battery power.

SAV00 | Odin® Autovalve™

In-Line Foam Eductors

In-line Foam Eductors have a metering head with easy-read knob for use with Class A foam at .25% and .5% and with ARC-AFFF foam at 1%, 3% and 6%. Extra large 36" pickup hose and stainless steel wand are ideal for use with high viscosity foams. The meter head is equipped with a unique backflush push-button for fast cleaning, and is secured to the eductor body with a rugged disconnect. All controls are easy to use with gloves. Made of hardcoat anodized aluminum for corrosion protection. The required inlet pressure is 200 psi. The maximum allowable back pressure is 130 psi.



Cat#	Description	Inlet	GPM	Price
BL376	In-Line Foam Eductor	1 1/2" NH	60	\$1,011.95
BL378	In-Line Foam Eductor	1 1/2" NH	95	\$1,014.95
BL379	In-Line Foam Eductor	2 1/2" NH	95	\$1,014.95
BL380	In-Line Foam Eductor	1 1/2" NH	125	\$1,014.95
BL381	In-Line Foam Eductor	2 1/2" NH	125	\$1,014.95

Portable By-Pass Eductor

The Portable By-Pass Eductor has a built-in by-pass chamber, allowing the operator to change from water to foam without shutting down.



- Brass with chrome trim
- 8 quick-change handle positions with a Swing-Out™ valve handle



Cat#	GPM	Inlet	Outlet	Price
BL032	95	1 1/2"	1 1/2"	\$2,665.95

"Through-the-Pump" Foam Eductor/Mixer

- Educts foam concentrate into hose lines through a pump's suction and discharge sides, also known as an "Around-The-Pump" system
- Will educt concentrates at percentages of 0% to 3.75% at flow rates from 15 to 125 gpm at 100 psi
- Maximum operating pressure of 300 psi
- Includes an 18" pressure hose and a 48" foam pick-up hose
- 1 1/2" and 2" cast aluminum connecting tee



AJ253 | "Through-the-Pump" Foam Eductor/Mixer | \$700.95

Pyrolite® In-Line Eductors

Akron Municipal Eductors feature a large, easy to read, and removable metering dial with infinite settings between 0 and 6%. Detents at 1/4, 1/2, 1, 3, and 6%. The Eductors are rated to flow at 200 psi (14 bar) inlet pressure and works well with nozzles rated at 75 and 100 psi (5 and 7 bar). Ship. wt. 8 lbs.

- 1 1/2" or 2 1/2" swivel inlet x 1 1/2" male outlet, except where noted
- 48" pickup hose standard on 250 gpm (950 lpm)



Cat#	GPM	Pick Up Hose	Price
AZ340	60 gpm	30"	\$1,427.95
AZ341	95 gpm	30"	\$1,425.95
AZ342	125 gpm	30"	\$1,416.95
AZ343	250 gpm	48"	\$2,121.95

Foam

ATP Foam Flurry™

The ATP FOAM FLURRY™ is our most economical proportioner. It is simple-to-install and operate. For your next Darley portable pump purchase, or for retrofitting your current pump, the ATP FOAM FLURRY™ will deliver foam cost effectively.

- All brass construction – no plastic
- Fast adjusting variable control ball valve
- Capable of .5% injection rate up to 130 gpm
- Remote mount operation placard
- Includes installation kit



ATP00001 | ATP FOAM FLURRY™ | \$785.95



Bubble Cup Nozzles

The dual or single-gallonage Bubble Cup nozzle is a uniquely designed aspirating fog/foam nozzle created to be used with AFFF and SFFF type foams for fire brigades and hazardous materials incidents or for structural and wildfire applications of Class A foaming agents. Capable of producing a conventional straight stream, wide protective fog pattern and aspirating foam, the Bubble Cup is a nozzle that provides an extra measure of protection. Nozzles are backed by a full 5-yr factory warranty and 24-hr. Certified repair. Ship. wt. 4 lbs.



AC990

Specify GPM: 20-60 or 20-95

AC990 | 1 1/2" Bubble Cup Nozzle Tip | \$436.95

AC991 | 1 1/2" Bubble Cup Nozzle with Shut-Off | \$752.95

AC992 | 1 1/2" Bubble Cup Nozzle with Shut-Off & Pistol Grip | \$641.95

Viper Foam Nozzle

- Durable Viper Ball Valve
- Up to 12:1 expansion ratio
- Available in your choice of 60 or 95 gpm
- Construction: Lightweight aluminum
- Length: 19"
- Ship. wt. 4 lbs.



Cat#	GPM	Inlet	Price
BL034	60	1 1/2"	\$478.95
BL035	95	1 1/2"	\$478.95



Expansion Aspirating Foam Attachment

Madd Dog Foam Nozzle

The Madd Dog Attachment makes better foam than any other multiple expansion aspirating nozzle. Designed by a fire captain with firefighter safety, quality, versatility, performance and cost in mind. Produces low-expansion foam with excellent stream projection or medium expansion foam with incredible production. The aspirating attachment is constructed of pressure-injected polymer resins which make it economical, lightweight and incredibly rugged and will fit a variety of combination nozzles. Ship. wt. 2 lbs.

AK244 | Madd Dog Foam Nozzle | \$207.95

L685 | 1 1/2" Lexan Nozzle | \$14.95



Pistol Grip Nozzles & Foam Gun

2¹/₂" CAFS Pistol Grip Nozzle

Do you want to pack the most CAFS punch possible in a 2¹/₂" hand line? Most 2¹/₂" nozzles are nothing more than a 1³/₈" waterway shutoff with a 2¹/₂" swivel inlet. Not this nozzle... this pistol grip ball shutoff features a 2¹/₂" swivel inlet and a 2¹/₂" threaded outlet with a full 2" internal ball opening. This allows more CAF to be propelled unobstructed through this lightweight pistol grip ball shut-off. We also finish off this Brutus of a shut off with a set of dual stacked tips so you can choose between the 2¹/₄" and a 2" tip opening. Easily flows 120 gallons per minute of foam solution and 120 cfm of compressed air at the NFPA recommended 125 psi. Ship. wt. 7 lbs.



BH190 | 2¹/₂" CAFS Pistol Grip Nozzle | \$1,029.95

CAFS Nozzles

BL036:

- Combination of the ball shutoff with full 1" inlet waterway and the 1⁵/₁₆" outlet smooth bore tip. Both parts are constructed of hard coated aluminum.

BL037:

- Combination of the ball shutoff with full 1¹/₂" inlet waterway and 1¹/₈" outlet smooth bore tip. Both parts are constructed of hard coated aluminum.



Specify NST or NPSH for inlet

Cat#	Description	Inlet	Length	Weight	Price
BL036	1" CAFS Nozzle	1"	10"	2 lbs.	\$298.95
BL037	1 ¹ / ₂ " CAFS Nozzle	1 ¹ / ₂ "	10 ¹ / ₂ "	4 lbs.	\$406.95

Foam Gun Combo

BN011:

- 1" shutoff with pistol grip
- 1" foam gun proportioner
- 1" nozzle tip ¹⁰/₂₃ gpm
- Length: 25"
- Ship. wt. 5 lbs.

BN012:

- 1¹/₂" shutoff with pistol grip
- 1¹/₂" foam gun proportioner
- 1¹/₂" nozzle tip ²⁰/₆₀ gpm
- Length: 25"
- Ship. wt. 5 lbs.



BN011 | 1" Foam Gun Combo | \$656.95

BN012 | 1¹/₂" Foam Gun Combo | \$677.95

BN076 | 12" Class A Foam Cartridge | \$82.95





Lower Cost, Lightweight, Compact, Mini-Cafs

Hornet™ | HOR00001

Engine

- Briggs & Stratton Vangaurd: 23 HP @ 3600 rpm, 4 cycle, air-cooled, gasoline-powered, pressure lubricated, 16 amp alternator, 12 vdc electric start

Pump

- Darley 2BE single-stage centrifugal pump

Dimensions & Weight

- 40" W x 24" H x 32" D
- 450 lbs. (204 kg)

Applications

- Wildland
- Quick Attack
- Rescue
- Skid Unit

Performance

- 80 gpm @ 40 psi @ 100 psi
- 250 gpm @ 40 psi - Water Only
- 40 gpm @ 125 psi - Air Only



Mongoose | MSG00001

Engine

- Kawasaki: 31 HP @ 3600 rpm, liquid cooled, V twin, 2 cylinder, gasoline-powered, 12 vdc electric start, multi-port digital fuel injected

Pump

- Darley Model 2BE: Fully adjustable 1½" CAF discharge mix point, 2½" water discharge, 2½" direct tank fill, 2½" NPT suction inlet, 2½" water and air pressure gauges, pump drain valve, stainless steel plumbing, Darley 12v primer

Dimensions & Weight

- 36" (+6") L x 47¼" W x 33" H
- 875 lbs. (397 kg)

Applications

- Wildland
- Rescue
- Quick Attack
- Skid Unit

Water Performance

120 gpm @ 100 psi
250 gpm @ 40 psi

Simultaneous Flow

46 gpm & 23 cfm @ 125 psi

Air Performance

50 cfm @ 125 psi

Simultaneous Flow

80 gpm & 40 cfm @ 100 psi



Mongoose Gas

Mongoose Diesel also available. Call for details.



WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Derringer 100/50 Diesel | DER00001

Engine

- Kubota V1505: 33.5 HP Diesel engine, liquid cooled, indirect injection, naturally aspirated, pressure lubricated 12VDC 40 amp alternator, glow plugs, remote oil drain

Pump

- Darley 1-1/2AGE single-stage centrifugal pump
- Designed to provide up to 130 gpm and pressures up to 170 psi

Dimensions & Weight

- 54½" L x 47½" W x 39" H
- 1,250 lbs. (567 kg)

Water Performance

135 gpm @ 150 psi
160 gpm @ 100 psi

Simultaneous Flow

100 gpm & 50 cfm @ 125 psi

Air Performance

60 cfm @ 125 psi

Simultaneous Flow

130 gpm & 60 cfm @ 100 psi

Applications

- Wildland
- Rescue
- Quick Attack
- Skid Unit



Weapon 200/100 | WPN00001

Engine

- Hatz 4H50TIC: 73 HP @ 2800 RPM, direct injection, exhaust gas turbo charged with intercooler and externally cooled EGR, remote oil drains

Pump

- Darley 2-1/2AGE single-stage, centrifugal pump
- Designed to provide up to 250 gpm and pressures up to 250 psi

Dimensions & Weight

- 56" L x 47½" W x 40" H
- 1¾ lbs. (794 kg)

Water Performance

250 gpm @ 150 psi
175 gpm @ 200 psi
125 gpm @ 250 psi

Air Performance

125 cfm @ 125 psi

Simultaneous Flow

200 gpm & 100 cfm @ 125 psi


Applications

- Wildland
- Rescue
- Quick Attack
- Skid Unit



LDMBC

Compressed Air
Foam System (CAFS)




LDMBC 1000-1750 Standard Features

- Complete discharge and suction manifolds provided
- 4 - 2 1/2" NH, 1/4 turn, self-locking ball valves
- 2 - 5" or 6" NH suction adapters and Darley caps
- Optional behind the panel intake valve(s) available
- Discharge and suction flanges as needed
- Air pump shift
- 1610 or 1710 full round yokes standard
- Extended pump shaft to drive 220 cfm compressor package
- Remote packing adjustment cables or mechanical seal
- Fully tested water and air systems

Available as a
complete module

LDMBC - Commonly Specified Options for a Complete Package

- FoamPro 2001/2002 foam System with paddle wheel
- CAFS/Foam stainless steel plumbing manifold
- Optional 1 1/2", 2", and 2 1/2" CAFS valve packages
- CAFS check valves for foam discharges
- Air flow control valves and check valves
- Optional manual or electric valve controls
- Can be used with AutoValve™
- Can be completely plumbed and service tested



LDMBC Front View

Applications

- Aerial
- Pumper
- Rescue pumper
- Pumper tanker

Dimensions & Weight

- 40" L x 76" W x 46" H
- 2,200 lbs. (997 kg)

Uses

- Single stage
- Centrifugal
- Midship mounted
- Pump forward

STL057 | LDMBC 1750

Simultaneous Water Performance

Up to 6624 L/M (1750 gpm) @ 8.6 bar (125 psi)
NFPA Ratings From 1000 - 1750

Simultaneous Compressed Air Performance

6229 L/M (220 cfm) @ 8.6 bar (125 psi)



AutoCAFS® Commander control system. Indicates and operates all CAFS functions and system information.

AutoCAFS

Call for pricing and an extended list of features 800-634-7812

Rescue Tools

Darley Fire Axes

Your choice of handles. Fiberglass handle fire axes are stronger than steel, lighter than aluminum and as flexible as hickory. Fiberglass handles won't splinter and will not conduct electricity. The Pick-Head Forged High Carbon Steel Axe Head is epoxy-bonded to a cushion grip fiberglass handle.



Darley Axes, 6 lbs.

- L957 | 36" Pick-Head Axe, Fiberglass Handle | \$85.95
- 370 | 36" Pick-Head Axe, Hickory Handle | \$96.95
- T225 | 36" Flat Head Axe, Fiberglass Handle | \$94.95
- J745 | 36" Flat Head Axe, Hickory Handle | \$83.95
- L958 | Replacement Fiberglass Handle | \$31.95

Other Weights

- BR003 | Ultra-Force Axe, Textured Heavy-Duty Grip | \$235.95

T-N-T Multi-Purpose Fire Tool

- Ventilate
- Pull ceilings
- Force entry
- Breach walls
- Cut holes
- Axe, bar, ram and a pike pole all in one
- Handle is solid fiberglass
- Head and pike ends are made from high-carbon, heat-treated steel
- Ship. wt. 14 lbs.



4 Tools in 1

- AJ237 | 8.5 lb. Head, 40" Handle | \$388.95
- AJ238 | 6.5 lb. Head, 40" Handle | \$364.95
- AJ239 | 6.5 lb. Head, 35" Handle | \$364.95
- AJ240 | 6.5 lb. Head, 30" Handle | \$364.95

Hi-Viz 36" Flat Axe

- Made in the USA
- Rugged and perfect for ventilation, forcible entry or overhaul
- Handle construction is solid Hi-Viz pultruded fiberglass with non-slip grip
- Yellow handle construction is a strong pultruded fiberglass core with an injection molded jacket for added strength
- Axe heads are bonded to the fiberglass handle with strong two part epoxy
- Axe heads are drop forged with high carbon steel



Specify Handle Color:

Hi-Viz Orange with Reflective Tape, Hi-Viz Lime with Reflective Tape, or Yellow

- BK382 | 6 lb. 36" Flat Axe | \$83.95
- BK384 | 6 lb. 36" Pick Axe | \$85.95

Leather Axe Sheath

Made from top-grain, tanned cowhide, sewn and riveted for strength. Features heavy-duty double belt clips. Fits 6 lb. pick head axe. Ship. wt. 1 lb.



- AF425 | Leather Axe Sheath | \$59.95

Flat Head Axe - 8 lbs.

NEW



The Flat Head Axe by Fire Hooks Unlimited is the ideal tool for forcible entry. Weighing 8 lbs., this axe is designed with a balanced structure and a large strike surface for maximum efficiency. The contoured head of the axe can be used as a wedge when necessary, adding to its versatility.

- BP865 | Flat Head Axe - 8 lbs. | \$122.95

A. Emergency Fire Tool Set

- 6 lb. or 8 lb. flathead axe
- Marringing strap
- 30" halligan bar

BR002 | Emergency Fire Tool Set with 8 lb. Ultra Force Axe | \$480.95
 BL534 | Emergency Fire Tool Set with 6 lb. Ultra Force Axe | \$391.95
 AJ114 | Velcro® Marringing Strap Only | \$25.95



B. Black-Maxx Sledge/Maul

- 8.5 pound striking-force head with a pointed blade cutter for easy forcible entry
- Provides an instant foot hold when the pointed end is sunk into a slanted or pitched roof
- Nesting slot for the fork of a Halligan tool to carry both tools with one hand
- Ship. wt. 12 lbs.

BN761 | Black-Maxx Sledge/Maul | \$144.95

C. Sledge Hammers

- Hi-Viz handle construction is solid pultruded fiberglass with non-slip grip
- Yellow handle construction is strong pultruded fiberglass core with injection-molded jacket for added strength
- Sledge head is bonded to the fiberglass handle with strong two part epoxy
- Sledge head is drop forged with high carbon steel

BH044 | 6 lb. Sledge Hammer 24" | \$73.95
 BH045 | 8 lb. Sledge Hammer 36" | \$70.95
 BK216 | 10 lb. Sledge Hammer 36" | \$73.95

Visit shop.darley.com for full list of features

The Biel Tool

The new Biel Tool is now one piece made out of heat treated, electro-polished stainless steel with an extremely durable ergonomically rubber molded handle. It incorporates many of the features found in the world famous Pry Axe®, but is much smaller and light enough to wear on a belt or carry in the pocket of a bunker coat. It is designed for forcing door and windows, prying and twisting hasps and locks, light overhauling, nail removal, gas shutoff, metal cutting and chopping. Ship. wt. 4 lbs.

W509 | Biel Tool | \$301.95
 W509A | Sheath | \$45.95



Multi-Purpose Pry Axe®

The Pry Axe® has been the best-selling tool for over 40 years and is used by departments worldwide. It's a lightweight, multi-purpose, slam and ram tool designed to pry, twist, chop, cut metal, twist off locks or latches and much more. Pry Axe® heads are forged from alloy steel and heat-treated for maximum strength. The claws are stainless steel investment castings that are heat-treated and electro-polished. Solid steel shaft extends the axe to 25" and rubber sleeve provides a sure grip. Ship. wt. 8 lbs.

Z117 | Pry Axe® with Metal Cutting Claw (18.33" Closed, 25.1" Open) | \$467.95
 Z118 | Pry Axe® with Standard Claw (18.33" Closed, 25.1" Open) | \$467.95
 Z119 | Pry Axe® with Both Claws | \$616.95
 Z123 | Sheath for Pry Axe® | \$50.95
 AF350 | Mounting Bracket | \$77.95



Darley Standard & Serrated Crash Axes

- Insulated steel handle to 20,000v. 15" long.
- Ship. wt. 3 lbs.

J728 | Serrated Crash Axe | \$103.95
 J729 | Standard Crash Axe | \$98.95
 J72801 | Leather Sheath | \$32.95



Ideal for Ventilation, Forcible Entry or Overhaul

A. Halligan Bars


- 100% manufactured in the U.S.A. with American materials and craftsmanship
- Perfect for ventilation, forcible entry or overhaul
- Available in 24" 30" and 36" lengths
- All forged design to last a lifetime
- Drop forged with high carbon steel, fully heat treated and zinc plated



Standard Claw

Halligan Bar – Forged

- BN226 | 24" | \$268.95
- BN227 | 30" | \$280.95
- BN228 | 36" | \$319.95



B. Forcible Entry Tool

The design of this tool stays true to the original halligan with the correct widths, lengths, and angles that firefighters worldwide have come to expect. Cast from high strength steel and heat treated to ensure durability; this tool is tough. However, just in case the unexpected happens it carries our industry leading lifetime warranty. The entire tool is coated in a textured silver powder coat that provides superior grip and control.

Forcible Entry Tool

- BN594 | 24" | \$197.95
- BN595 | 30" | \$196.95
- BN596 | 36" | \$204.95

- Textured silver powder coat
- Superior grip
- Lifetime warranty

C. Hooligan Tool

These heavy-duty tools were designed to pound, puncture, pry, twist, and cut most obstacles you may encounter. Features your choice of standard or metal cutting claw, machine-grooved non-slip grips. Duckbill has long, smooth incline to force windows and interiors doors. Pike is long, sharp, tapered and gently curved to fit a lock or latch. Electroless Nickel finish. Ship. wt. 13 lbs.

Best Seller

Standard Claw

Hooligan Tool

- R631 | 30" | \$289.95
- T982 | 36" | \$304.95
- T983 | 42" | \$318.95
- AF350 | Mounting Bracket | \$77.95

Metal Cutting Claw

Hooligan Tool

- AK176 | 30" | \$291.95
- AK177 | 36" | \$309.95
- AK178 | 42" | \$336.95
- AF350 | Mounting Bracket | \$77.95



Metal Cutting Claw

D. Pro Bar

A Halligan-type forcible entry tool. One-piece construction of aircraft alloy steel, drop forged. The fork, adz and point are designed with the correct lengths, widths and tapers to enable easy penetration and maximum leverage. Ship. wt. 10 lbs.

Pro-Bar

Specify Finish: Black or Silver

- Z150 | 30" | \$278.95
- BL802 | 36" | \$292.95

Bolt Cutter Mounting Kit

Finally, a complete PAC solution to mount your bolt cutters! Our Bolt Cutter Kit is versatile. You can mount your tool horizontally, or vertically. Hardware is included for mounting to our aluminum extrusions or to your flat surfaces.

- Heavy duty construction
- Flexible mounting positions
- Mounts most bolt cutters
- Weather, UV resistant
- Non-conductive
- Includes Stainless Steel fasteners
- Mounts to PAC tool boards and other flat surfaces
- Molded from high quality materials

BN315 | Bolt Cutter Mounting Kit | \$55.95



Fire Service Bolt Cutters

- High-carbon machined steel jaws cut rods, bolts, bars & chains, etc.
- Tubular steel handles with angled grips allow maximum leverage
- Turn 50 lbs. of hand pressure into 4,000 lbs. of cutting pressure
- Drop-forged jaws with center-cut blades
- Lifetime warranty

BK241 | 14" Fire Service Bolt Cutters | \$43.95
 BK242 | 18" Fire Service Bolt Cutters | \$45.95
 BK243 | 24" Fire Service Bolt Cutters | \$55.95
 BK244 | 36" Fire Service Bolt Cutters | \$86.95
 BK245 | 42" Fire Service Bolt Cutters | \$147.95



H.K. Porter Heavy-Duty Industrial Bolt Cutters

Extra-heavy jaw bolts and straps make these the most rugged around. Center cut, round edge cutters up to Brinell 455, Rockwell C48 hardness. Have nose straps for longer jaw life. Ship wt. 18 lbs.

- Heavy-duty
- Extended nose straps
- Extra heavy jaw bolts

H962 | 42" Chain & Padlock Cutters | \$459.95



Quic-Mount Bolt Cutter Bracket

Designed for use with 18" to 36" bolt cutters with adjustable stop and pin. Ship wt. 3 lbs.

- Designed for use with 18" to 36" bolt cutters with adjustable stop and pin
- Utility straps hold the bolt cutter handles firmly in place
- Comes with one fixed strap and one variable strap



AR158 | Quic-Mount Bolt Cutter Bracket | \$139.95

Pike Pole, Axe & Tool Brackets



P808 | Tool Bracket, Bottom Mount, Vinyl Covered, 1/2" to 2/2" OD | \$73.95
 P810 | Tool Bracket, Side Mount, Vinyl Covered, 1/2" to 2/2" OD | \$73.95
 U330P | Pike Pole Handle Bracket, Side Mount, 1/2" OD | \$29.95
 M754 | Pike Pole Ring, Aluminum OD, 2/8" | \$23.95
 AW202 | Axe Blade Bracket, Zinc CP | \$31.95
 BK215 | Axe Handle Side Mount Bracket, Zinc CP | \$22.95

Fire Rescue Tools

A. MAXXIMUS Forcible Entry Bar

The MAXXIMUS Forcible Entry Bar, designed and manufactured by Fire Hooks Unlimited, represents the next generation of Halligan bars. Lighter than the Pro-Bar, this ultimate tool ensures efficient handling and operation. Crafted from 4140 chrome vanadium steel, it features a wide adz for gapping doors, a Rex lock pulling feature, and depth gauge markings. The unique T.P.R. grip provides a sturdy handle, and its protective insulation ensures safety during use.

Forcible Entry Bar
BP867 | 30" | \$282.95

B. All Purpose Hook

The most versatile hook used in the fire service today. Multitude of uses, such as opening ceilings, walls, floors, moldings and casings to the rapid removal of wood, lath and plaster, tin and sheet metal, plasterboard, fiberboard and sheetrock. Features specially tapered hook-head point, two workable ends, super strength fiberglass pole, stainless steel wear sleeve, electrically non-conductive, and Celtex grips. Includes a standard gas shutoff end. Optional ramknob, D-handle, or chisel ends are available upon request for an additional charge.

All Purpose Hook
BL019 | 6' | \$139.95
BL799 | 8' | \$155.95
BL800 | 10' | \$207.95
BL801 | 12' | \$229.95



C. New York Hook

- Chisel end is ideal for prying, pulling and lifting during forcible entry and overhaul
- Ends forged with high carbon steel
- Heat treated to meet or exceed ANSI specifications
- Strong DROP-Forged for a lifetime of use
- Body is made of thick wall, carbon steel tube
- Made in the USA

Finish: Black Powder Coat
New York Hook

BN476 | 3' | \$106.95
BN477 | 4' | \$110.95
BN478 | 5' | \$122.95
BN479 | 6' | \$137.95
BN480 | 8' | \$178.95



D. Lockwood Hook

The Leatherhead Chisel End Lockwood Hook is designed to provide superior functionality to the Roof and Outside Vent Firefighter. All of the tool geometry is purposefully designed to optimize performance and efficiency, making for a high-performing fireground tool.

Lockwood Hook
BP408 | 4' | \$152.95
BP409 | 5' | \$163.95
BP410 | 6' | \$178.95
BP411 | 8' | \$215.95



Aluminum Wedge with Bungee

This Aluminum Wedge is indispensable to any emergency response or fire rescue toolkit, offering practical support during forcible entry operations.

Aluminum Wedge with Bungee
BP871 | Wedge | \$22.95




Leatherhead Pike Poles

Pro-Lite (Round Hollow) & Dog-Bone (I-Beam)



- Pro-Lite pike poles are constructed with hollow pultruded fiberglass
- Heavy duty light weight construction
- Choice of yellow or Hi-Viz lime color with reflective striping for locating in dark areas
- D-handle and heads are bonded to the fiberglass with strong two-part epoxy, Pro-Lite also features steel pins
- Hooks are fabricated in USA with American steel



Dog-Bone (I-Beam) Pike Poles

Specify Color: Hi-Viz Lime or Yellow	American Hook	Rubbish Hook	Drywall Hook
3' Dog-Bone Pike Pole with D-Handle	MBN371 / \$107.95	MBN377 / \$107.95	MBN383 / \$122.95
4' Dog-Bone Pike Pole with D-Handle	MBN372 / \$110.95	MBN378 / \$110.95	MBN384 / \$125.95
6' Dog-Bone Pike Pole with Butt End	MBN373 / \$88.95	MBN379 / \$88.95	MBN385 / \$102.95
*8' Dog-Bone Pike Pole with Butt End	MBN374 / \$97.95	MBN380 / \$97.95	MBN386 / \$111.95
*10' Dog-Bone Pike Pole with Butt End	MBN375 / \$106.95	MBN381 / \$106.95	MBN387 / \$120.95
*12' Dog-Bone Pike Pole with Butt End	MBN376 / \$112.95	MBN382 / \$112.95	MBN388 / \$126.95

Pro-Lite (Round hollow) Pike Poles

Specify Color: Hi-Viz Lime or Yellow	American Hook	Rubbish Hook	Drywall Hook
3' Pro-Lite Pike Pole with D-Handle	MBN389 / \$107.95	MBN395 / \$107.95	MBN401 / \$122.95
4' Pro-Lite Pike Pole with D-Handle	MBN390 / \$110.95	MBN396 / \$110.95	MBN402 / \$125.95
6' Pro-Lite Pike Pole with Butt End	MBN391 / \$88.95	MBN397 / \$88.95	MBN403 / \$102.95
*8' Pro-Lite Pike Pole with Butt End	MBN392 / \$97.95	MBN398 / \$97.95	MBN404 / \$111.95
*10' Pro-Lite Pike Pole with Butt End	MBN393 / \$106.95	MBN399 / \$106.95	MBN406 / \$149.95
*12' Pro-Lite Pike Pole with Butt End	MBN394 / \$112.95	MBN400 / \$112.95	MBN407 / \$155.95

Closet Hook

Ideal for opening halls, closets, crawl spaces or upholstery. Plastic core handle will not crack, splinter, warp, rot or absorb moisture. Malleable iron pike and "D" handle are bonded in epoxy.



P819 | 32" Closet Hook | \$146.95
 T981 | "D" Handle for Pike Pole | \$74.95

Fiberglass-Hollow or Wood Core Pike Poles



Length	T979 - Wood Core	T980 - Hollow Core
6'	\$176.95	\$120.95
*8'	\$195.95	\$169.95
*10'	\$239.95	\$198.95
*12'	\$270.95	\$228.95
*14'	\$305.95	\$280.95



*All 8' Pike Poles are an actual size of 79" unless specified. All Pike Poles 8' or longer will incur additional LTL Freight shipping cost.



A. Long Handle Firefighting Shovel

- Forged steel head
- Solid shank blade
- Rear turned steps
- 44" wood handle
- Ship. wt. 7 lbs.

AJ462 | Long Handle Firefighting Shovel | \$92.95

B. Collapsible Rescue Shovel

The Collapsible Rescue Shovel has been the tool of choice for many first responders. Its compact, lightweight design makes it easily transportable, yet rugged enough to get the job done under extreme conditions. The blade is engineered to be used as a shovel, axe, saw, hoe or piercing tool. Ship. wt. 3 lbs.

Uses:

- Shovel
- Axe
- Saw
- Hoe
- Piercing tool

Shop Mounting Brackets in Apparatus Equipment

AK010 | Collapsible Rescue Shovel | \$34.95

C. Firefighting Shovels

Round point shovels are hollow back with 8 1/2" x 12" blade. Square point shovels are also hollow back with 9 1/2" x 11 1/2" blades and rolled step. The fiberglass handles provide unsurpassed life, comfort and safety. Heat treated and tempered blades resist wear and breakage. Ship. wt. 5 lbs.



AZ378 | Round Point 48" Handle Shovel | \$96.95

AZ379 | Round Point 27" D-Handle Shovel | \$68.95

AZ380 | Square Point 48" Handle Shovel | \$93.95

AZ381 | Square Point 27" D-Handle Shovel | \$68.95

NEW

D. Aluminum Scoop Shovel

The large, heavy-duty square blade is heat treated and tempered to resist wear and breakage. Ideal for getting rid of fire debris, scooping gravel and other course materials. Shovel blade measures 15 1/4" x 19 3/4" with 27" handle. Ship. wt. 5 lbs.



BP813 | Aluminum Scoop Shovel | \$60.95

"V" Blade Rescue Knife

Cuts through seat belts. Precision made of high-strength aluminum alloy. Tip fitted with Dzus Key for opening aircraft panels. The blade will cut 10,000 lb. strength webbing with one stroke. Ship. wt. 3 lbs.

L470 | "V" Blade Rescue Knife | \$69.95
L470X | Replacement Blade | \$22.95



Removes Glass in Less Than a Minute

The Glas-Master

The Glas-Master is a manually operated tool; no electricity or hydraulics needed. No other tool cuts glass windshields faster and more effectively, helping reduce rescue time significantly. Cuts on pull stroke thereby pulling glass to the outside, away from the victim. It can also be used on fiberglass, wood, plaster or even underwater rescue. What's more, the Glas-Master has its own storage of the spring-loaded center punch so it won't get lost or misplaced when it is needed most. Ship. wt. 4 lbs.

- Window punch
- Blade with cover
- Front guard
- "T" handle
- Spike



AB885 | Glas-Master | \$199.95
AB885A | Glas-Master Replacement Blade | \$31.95

MV Fire/Rescue Crash Kit

- Hood release tool
- Quik-Kut glass removal tool
- Pyroshield rescue blanket
- Glass hammer
- MV plug pattie
- Battery cable cutter
- Pro hacksaw
- Spring window punch
- Valve stem tool
- 9 $\frac{1}{2}$ " tongue & groove pliers
- MX 4-in-1 screwdriver
- 8" adjustable wrench



BA125 | MV Fire/Rescue Crash Kit (Red) | \$1,090.95

Complete Crash and Rescue Tool Kit

Rescue Tools

All-purpose set of tools for use in crash and fire emergencies. Contains everything needed to quickly and efficiently cut through metal, webbing, wood, rope, and other obstructions. Ship. wt. 15 lbs.

- Metal cutting saw - 16" blade
- Aircraft cable cutter - cuts $\frac{1}{8}$ " to $\frac{1}{4}$ " capacity and 14" long
- Lineman's Pliers - 8" long/extra strong
- Hack saw frame - 12 in. 24 TPI Bi-Metal blade with a 45 degree angle blade position
- 3 - Hack saw blades - hard toothed, silver steel for fast cutting
- Grappling hook & rope - 52" sling
- 2 - Phillips head screwdrivers - 6" and 8"
- 2 - Slotted head screwdrivers - 6" and 8"
- 3 - Wooden plugs - plug fuel and control lines
- Vise grip wrench - 10" long
- Serrated edge hand axe - 15" long with handle insulated for 20,000v
- Safety V blade rescue knife
- Weather-resistant, mildew-resistant, rubber-coated nylon hi-vis yellow carrying case
- Complete kit folds into an easy-to-carry case



L471 | Complete Crash and Rescue Tool Kit | \$571.95

NFPA Tool Kit

NEW

The new Darley NFPA Tool Kit is a comprehensive, 21-pc set of essential tools designed to meet the rigorous standards of the National Fire Protection Association (NFPA). This kit is ideal for firefighters and emergency responders, providing the necessary equipment for various tasks during firefighting operations, rescue missions, and maintenance activities.

- Hacksaw with blade
- Spare hacksaw blades (2)
- Keyhole saw
- AMPCO hammer
- Slip joint plier
- IRWIN plier
- Screwdriver set (8 pc)
- Adjustable wrench set (3 pc)
- Straight pipe wrench - 24"
- Straight pipe wrench - 12"
- Latch toolbox



BL289 | NFPA Tool Kit | \$897.95

Rescue Tools

K12FD-E14 Rescue Saw

Built-in connectivity makes it easy to monitor saw location, runtime, service intervals and receive wireless updates through FOTA (firmware over the air). Powered by Husqvarna PACE battery system with high power and fast charging for impressive productivity and a well-suited match with our specially designed battery blade range for maximized cutting depth and optimized performance.



TEAM
EQUIPMENT, INC.

BP629 | Rescue 14" Battery Saw, 1 Piraya Blade, C900X Charger, 2 B380X Batteries, Carry Strap, Reflective Glow Lettering | \$3,828.95

Rescue Saws, Kits, Blades & Accessories

AM083 Contains: Partner/Husqvarna K-12 FD 94cc 14" firerescue saw, full size steel case or aluminum space saver case, fire-department carbide tipped blade, 2 combination steel/concrete rescue abrasive wheels, safety gas can, hearing protector, goggles, spare belt and air filter, air filter oil, 2-cycle engine oil, can of gasoline stabilizer, combination screwdriver/wrench and instruction manual.

AR179 Contains: Modified 94cc Partner/Husqvarna K970 94cc active 2 cycle gas engine. Fire Department modifications include: constant on "READY START" ignition switch, large "D" Handle starter grip, lightweight magnesium guard with welded "D" ring for attaching saw sling and saw carrying sling.

AW198 Contains: Partner/Husqvarna K-12 FD 94cc 14" saw, diamond plate aluminum case, Maxi blade, four rescue abrasive wheels for cutting both steel and concrete, safety gas can, hearing protector, goggles, spare belt and air filter, air filter oil, 2-cycle engine oil, can of gasoline stabilizer, combination screwdriver/wrench and instruction manual.

Kit Includes:

- Partner/Husqvarna K-12 FD 94cc 14" saw
- Steel case
- Carbide tipped blade
- 2-Rescue abrasive wheels
- Safety gas can
- Hearing protector
- Goggles
- Spare belt and air filter
- Air filter oil and engine oil
- Gasoline stabilizer
- Combo screwdriver/wrench
- Instruction manual

Features:

- 94cc 2-cycle gas engine
- Lightweight - 22.7 lbs.
- Lightweight magnesium guard
- Large "D" handle starter
- Carrying sling
- Reflective lettering



14" Saw

Blade sold Separately

AM083 | K-12 FD Standard 14" Rescue Saw Kit with Full Size Steel Case | \$3,077.95

AR179 | K-12 FD Fire Department Rescue Saw 14" Guard 94cc Gas Engine | \$2,225.95

TEAM
EQUIPMENT, INC.

Team/HUSQVARNA K-12 FD 74cc Rescue Saw

Contains: K-12 FD 74cc 12" fire rescue saw. Modified 74CC Partner/Husqvarna K760 Active 2 cycle gas engine. Fire Department modifications include: constant on "READY START" ignition switch, large D Handle starter grip, lightweight magnesium guard with welded "D" ring for attaching saw sling and saw carrying sling.

Features:

- Air-cooled 2-stroke engine
- Active Air Filtration™
- X-Torq®
- SmartCarb™
- DuraStarter™
- EasyStart™
- Reversible cutting arm
- Easy-adjust blade guard
- Wet kit
- Replaceable arbor bushing



Blade and sling sold separately

BL100 | Team/HUSQVARNA K-12 FD 74 Rescue Saw | \$1,937.95

BL101 | Optional Sling Assembly | \$247.95

BG238 | 12" Piraya Blade | \$212.95

TEAM
EQUIPMENT, INC.

VentMaster® 572 Heavy-Duty Fire Rescue Saws

- VentMaster® COBALT Guide Bar: Extremely hard COBALT alloy inserts at the wear points provide excellent wear, galling, and impact resistance. Retains these properties even at very high operating temperatures.
- Tool-Less KIS-40 Depth Gauge: Accurately control cutting depth, protect operator and safely speed cut. Fast, simple installation and removal, and eliminates the need to "roll the rafters."
- Raptor Carbide Chain: Engineered specifically to withstand the rigors of fire and rescue operations. Features an "open dual raker" design to protect the carbide cutters and control the depth of cut.
- Sealed & Protected Carburetor/Air Filter: Equipped with state-of-the-art filtration system 572HD® carries a large surface heavy duty filter for longer and better filtration. The filter has a larger filtration area compared to previous generation. Providing a chainsaw with a healthier engine optimized for long working hours.
- Centrifugal Force Air Cleaning System: Cleaner intake air means longer intervals between filter cleanings, longer runs at full power, and reduced internal engine wear.

The VentMaster® Fire Rescue Saws is ready for demanding work by Fire Fighters. At just 14 1/2 lbs., the 572HD has a better power-to-weight ratio and 12% higher cutting capacity than the previous 576HD model. Excellent cooling and heavy duty filtration maximize reliability, while a smart design accommodates longer guide bars.



BC065 | VentMaster® 572HD w/20" Guide Bar and Depth Gauge, .404 Pitch | \$3,254.95

AM115 | Raptor Carbide Chain, 16" with .404 Pitch | \$321.95

AM116 | Raptor Carbide Chain, 20" with .404 Pitch | \$388.95

TEMPEST



Enhanced Performance Blades

Piraya Diamond Blades

For years the fire service has requested "one blade that cuts all materials" for rescue saws. The Piraya Diamond Blade is as close to meeting this requirement as is technically possible in today's Diamond Blade industry. The Piraya Diamond Blade is vacuum-braided using high-quality grade diamonds for fast, smooth cutting and long blade life. Fits all rescue saws using 12" and 14" diameter blades. Fits 1" or 22mm arbor with included 22mm bushing.



Uses:

- Concrete
- Wood
- Auto parts
- Masonry
- Copper
- Aluminum
- Metal
- Glass block
- Stainless steel
- Plastic
- Windshields
- Corrugated roofing

BP310 | 9" Piraya Diamond Blade | \$149.95

BG238 | 12" Piraya Diamond Blade | \$212.95

BG239 | 14" Piraya Diamond Blade | \$230.95

TEAM MAXIBLADE Carbide Tipped Rescue Saw Blade

This 14-inch, 30-tooth carbide-tipped blade is designed to provide super-fast roof ventilation, making it an essential tool for fire departments and rescue operations. The deep gullet design ensures efficient debris clearance, enhancing cutting speed and performance.



- Cuts through materials quickly and efficiently
- Clears debris faster for improved cutting performance
- Durable and long-lasting
- Ideal for emergency use
- Used by fire departments, police, and rescue teams

BL460 | MAXIBLADE Carbide Tipped Saw Blade | \$156.95

Rapid Extrication Tools

Compatible with DeWalt® FlexVolt™ Batteries



Visit shop.darley for full list of features

DE625N-E Battery Powered Hydraulic Spreader

State-of-the-art tool designed for efficient and powerful vehicle extrication and rescue operations. Battery and charger not included.

- Max spreading distance: 24.6"
- Working pressure: 10,153 psi, 70 MPa (700 bar)
- Spreading force: 39,108 lbf, 174 kN (17.7 t)
- HSF Highest spreading force: 13,625 lbf, 60.6 kN (6.2 t)
- LSF Lowest spreading force: 7,394 lbf, 32.9 kN (3.4 t)
- HPF Highest spreading force: 10,341 lbf, 46 kN (4.7 t)
- LPF Lowest spreading force: 5,845 lbf, 26 kN (2.7 t)
- Squeezing force: 15,512 lbf, 69 kN (7.0 t)
- Motor: 54V / 60V BRUSHLESS
- EN 13204 classification: AS 45/625-19
- NFPA 1936 - Current Edition

- Equipped with a 54V brushless motor, ensuring efficient and long-lasting operation.
- Dimensions (closed): 31" L x 11.1" W x 9.6" H
- Dimensions (open): 27.6" L x 24.6" W x 9.6" H
- Weight: 47.4 lbs.




BP962 | DE645N-E Battery Powered Hydraulic Spreader | \$10,500.00

F150N-E Battery Powered Hydraulic Cutter

The F150N-E offers the freedom of cordless operation, allowing you to work efficiently without the constraints of power cords. Its powerful battery ensures long-lasting performance, making it perfect for on-site jobs.

- Effortlessly slices through tough materials including steel rods, cables, and chains
- Ergonomic handle and lightweight construction reduces operator fatigue and enhances maneuverability.
- Equipped with an automatic pressure release valve and a protective blade guard.
- Constructed from high-quality materials that ensure durability and longevity.
- Certified Compliant to NFPA 1960 - Current Edition

- Max Opening: 5.8"
- Working Pressure: 10,153 psi, 70 MPa (700 bar)
- Motor: 54V brushless
- Protection Rate: IP54
- Dimensions (closed): 30.6" L x 11.2" W x 9.5" H
- Dimensions (open): 30.0" L x 10.7" W x 9.5" H
- Weight: 46.08 lbs.



BP960 | F150N-E Battery Powered Hydraulic Cutter | \$10,300.00

MU16 USAR Battery Powered Hydraulic Rebar Cutter

The MU16 is designed to be easily portable, allowing rescue teams to maneuver it in tight spaces and challenging environments. It features a 360° swiveling head, providing maximum flexibility and ease of use in various cutting situations.

- Built to handle various materials encountered during rescue operations, including steel mesh, rebars, chains, padlocks, and security seals.
- Equipped with a 18V brushed motor, ensuring efficient and long-lasting operation.
- Built with high-quality materials designed to withstand the rigors of rescue operations.

- Cutting capacity: $\frac{5}{8}$ " (Rm: 70 daN/mm²)
- Working pressure: 8122 psi, 56 Mpa (560 bar)
- Cutting force: 38,450 lbf, 171 kN (17.4 t)
- Head rotation: 360°
- Dimensions: 19.13" L x 7.24" W x 11.93" H
- Weight: 18.96 lbs.



BP964 | MU16 USAR Battery Powered Hydraulic Rebar Cutter | \$3,800.00

Powerful Cordless Performance

NEW

Compatible with DeWalt® FlexVolt™ Batteries


Battery and charger not included

MDC390N-E Battery Powered Hydraulic Combi-Tool

The MDC390N-E Cordless Battery Powered Combi-Tool by Edilgrappa is a versatile and powerful tool designed for demanding extrication operations. Combining the functionalities of a cutter and a spreader, this combi-tool is ideal for urban search and rescue (USAR) missions.

- Efficiently cuts, pulls, and spreads, making it a must-have for rescue operations.
- Provides enhanced durability and performance.
- NFPA 1960 - Current edition
- Ensures safety and reliability.
- Lightweight and ergonomically designed for ease of use in critical situations.
- 54V brushless motor
- Whether you're a professional rescuer or part of an emergency response team, the MDC390N-E offers the power and versatility needed to handle the toughest challenges.

- Spreading distance: 15.5"
- Cutter opening: 7.2"
- Working pressure: 10,153 psi, 70 MPa (700 bar)
- Cutter rating: A6 / B7 / C6 / D7 / E7
NFPA 1960 - Current edition
- Highest spreading force: 8,918 lbf, 39.7 kN (4 t)
- Lowest spreading force: 6,655 lbf, 29.6 kN (3 t)
- Dimensions (closed): 33.9" L x 10.8" W x 9.5" H
- Dimensions (open): 29.7" L x 14.2" W x 9.5" H
- Weight: 48.9 lbs.



BP961 | MDC390N-E Battery Powered Hydraulic Combi-Tool | \$10,200.00

MT730N-E Battery Powered Hydraulic Telescopic Ram

Engineered to provide exceptional performance, versatility, and ease of use, making it an indispensable asset for rescue professionals.

- The MT730N-E is equipped with two plungers, allowing it to achieve an impressive extension of up to 574 mm. This feature ensures maximum reach and flexibility in various rescue situations.
- Despite its powerful capabilities, the ram is designed to be compact and lightweight, making it easy to maneuver in tight spaces and transport.
- Delivers consistent and reliable performance.
- Built with high-quality materials, this telescopic ram is designed to withstand the rigors of rescue operations, ensuring durability and reliability.
- 54V brushless motor
- EN 13204 classification: TR215/160-76.4/124-16.7
- NFPA 1960 - Current edition

- Max extension with extension: 49.6"
- Max height: 22.6"
- Working pressure: 10,153 psi, 70 MPa (700 bar)
- Highest spreading force (Piston 1): 48,379 lbf (24.1 tons), 215.1 kN (21.9 t)
- Spreading force (Piston 2): 17,179 lbf (8.6 tons), 76.4 kN (7.8 t)
- Dimensions (closed): 17.80" L x 7.28" W x 11.42" H
- Dimensions (open): 17.80" L x 7.28" W x 22.60" H
- Weight: 47.4 lbs.



BP963 | MT730N-E Battery Powered Hydraulic Telescopic Ram | \$9,400.00



Darley Ram Jammers

When doing a dash roll-up, place the Ram Jammers against the B-posts on each side of the vehicle. Then, instead of only getting one push with the medium hydraulic rams, Ram Jammers give you a secure base to make a second and then a third push for the "Maximum Dash Roll-Up." This will give you a large amount of room in the front of the patient, making it easier to apply spinal immobilization devices. They also absorb the force of the rams to prevent fractures at the B-post. Ship. wt. 45 lbs.



AF349 | Darley Ram Jammers | \$222.95/set of 2


HYDRA-RAM Hydraulic Emergency Entry Tool

10,000 pounds of force is presented by 138 lbs. of pumping to acquire 3/4" stroke to a maximum thrust opening of 4 inches. The Hydra-Ram can be placed in any position, even upside down, without any effect on its operation; this is a first in hydraulics. Because of its unique size, 13" and only 12 lbs., it can be slung or carried on your belt. The entire unit can be controlled by one user alone, making it truly a one-person operation tool. No hoses, tanks or pumps so there is no maintenance or leaking fluid. Jaws are made of stainless steel with 220,000 psi tensile strength. Special finger grips give a non-slip holding surface. Ship. wt. 15 lbs.



Closed

One-person operation



Includes:

- A. HYDRA-RAM tool
- B. Cordura® carrying bag
- C. Mallet
- D. Carrying sling



B



C



D

AE097 | HYDRA-RAM Hydraulic Emergency Entry Tool | \$2,722.95

Percussive Rescue Kit

You'll feel the difference as soon as you hold it. This slam and ram tool exerts a striking force as you've never seen. You'll hear the solid "thud" as the slam bar strikes one of the six assorted tool bits. The ram travels up to 13.6" for maximum impact. Whether you're breaking a brick/block wall or pounding through locks and latches, this tool makes you more efficient. With the slam and ram feature, there is no deflection of pounding force. All of the energy is used to strike effective, penetrating blows by a single person. When hydraulic, electric and pneumatic power is gone or unavailable, you'll still be punching and pounding with this rescue tool.

Complete Kit

Includes:

- Percussive tool bar
- Lockbreaker claw
- Metal cutting claw
- Bull point
- Chisel
- Wide chisel
- Carrying bag



Cat#	Description	Weight	Price
AC614	Complete Rescue Tool Kit	29 lbs.	\$1,436.95
AC621	Percussive Rescue Tool Only	14.2 lbs.	\$862.95





Air Hammer Rescue Kits

Rescue Tools

High-quality Air Hammer Rescue Kits have been designed specifically for extrication and are field-proven not only for emergency extrications but for all types of emergency cutting such as: factory doors, casement windows, fire doors and many other jobs. Release the trigger and the tool stops instantly. Completely portable and compact enough to be easily carried in fire trucks and rescue vehicles. Operated off fresh air tanks, compressors, nitrogen bottles, cascade systems or air brake outlets. Use with either 2216 or 4500 psi air tanks.

Axess XII Rescue Kit

Designed for cutting metal, chipping concrete or masonry brick, and digging in dirt or gravel.

- Hammer with 3700S-3 retainer
- Regulator
- $\frac{3}{8}$ " Male coupler with $\frac{3}{8}$ " NPT, $\frac{3}{8}$ " 90° swivel, $\frac{3}{8}$ " female coupler for hose ($\frac{3}{8}$ " NPT), $\frac{3}{8}$ " Female coupler for regulator ($\frac{1}{4}$ " NPT)
- 2 - Non-turn kwik cutters (9")
- 1 - Non-turn flat cutters (7")
- 2 - Non-turn kwik cutters (18")
- 1 - Non-turn flat cutters (18")
- 1 - Non-turn 1.5" wide chisel (18")
- 1 - Non-turn moil point
- 1 - Non-turn clay spade

BE313 | Axess XII Rescue Kit | \$3,682.95



811 Heavy-Duty Kit

Features Heavy-Duty Hammer with longer piston stroke for more powerful cutting action. Includes non-turn and turn-type chisels.

- Hammer for .401" shank tools
- Retainer
- Regulator
- 2 - Double blade panel cutter (non-turn)
- 2 - Kwik cutter (non-turn)
- 2 - 18" Kwik cutter (non-turn)
- 2 - Panel cutter (turn-type)
- 2 - Kwik cutter (turn-type)
- 2 - 18" Kwik cutter (turn-type)
- Ripper chisel (turn-type)
- Moil point (turn-type)
- 15 ft. $\frac{1}{4}$ " hose
- 2 - Male connector ($\frac{1}{4}$ " NPT hose and hammer)
- Male coupler ($\frac{1}{4}$ " NPT regulator)
- Female coupler ($\frac{1}{4}$ " NPT hose)
- Gauge guard
- 20" steel kit box
- Kit box liner
- 4 oz. oil
- Trim removal tool

AJ318 | Heavy-Duty Air Hammer Kit | \$2,276.95



911 Super-Duty Kit

Features Super-Duty Hammer, our most powerful and hardest hitting hammer. Includes non-turn and turn-type chisels.

- Hammer for .498" shank tools
- Retainer
- Regulator
- 2 - Ergo chisel grip (non-turn)
- 12" moil point (non-turn)
- 2 - Double blade panel cutter (non-turn)
- 2 - Kwik cutter (non-turn)
- 2 - 8" Kwik cutter (non-turn)
- 2 - Double blade panel cutter (turn-type)
- 2 - Kwik cutter (turn-type)
- 2 - 18" Kwik cutter (turn-type)
- 15 ft. $\frac{3}{8}$ " hose
- $\frac{3}{8}$ " Male connector ($\frac{1}{4}$ " NPT hammer)
- $\frac{3}{8}$ " Male connector ($\frac{1}{4}$ " NPT regulator)
- $\frac{3}{8}$ " Female coupler ($\frac{3}{8}$ " NPT hose)
- Gauge guard
- 20" steel kit box
- Kit box liner
- 4 oz. oil
- Trim removal tool

AJ472 | Super-Duty Air Hammer Kit | \$2,900.95





Doggie Bag

The uniquely engineered JYD Doggie Bag is designed as an economical solution for responders to conveniently carry specifically selected components to assist during the stabilization process as well as to work effortlessly with JYD Rescue Struts.

- 2 - Ratchet straps with 20' of webbing
- 2 - Axle straps
- 2 - Open hook straps
- 2 - Cluster hooks
- C-Hook on webbing



BP103 | Doggie Bag | \$549.95

Glass Knife Kit

Engineered to fit any drill and capable of cutting laminated glass in newer model vehicles. The Glass Knife and drill work independently for use in any position. Available to purchase with or without drill set.

- Glass knife head
- Bag pry bar
- 5 - N95 dust mask
- Safety glasses
- Can of wetting agent



BP098 | Glass Knife Kit | \$675.95

BP099 | Glass Knife Kit with 12v Milwaukee Drill | \$992.95

Mini Puller Kit

- 1/2 ton come along (1,000 lbs.)
- Compact, lightweight carbon steel design
- Short, non-slip rubber handle
- 5', grade 100, nickel-plated load chain
- Free chain mechanism
- Load chain guide for smooth operation
- Both hooks have notched safety latches
- Meets ASME b30, every hoist is tested to 125% of rated capacity
- 5' x 9/32" grade 100 adjustable anchor chain
- Labeled carrying bag



BP102 | Mini Puller Kit | \$1,112.95

Darley Deluxe Chain Kit

The Darley Deluxe Chain Kit can help save time and lives in a crash rescue situation involving pulling or moving of steering columns, seats, doors, dash boards, etc. Kit can be used separately or as a companion to your hydraulic equipment.

Includes:

- 20' slip hook/grab hook
- 20" "cheater" chain - dual grab hooks
- "J" hook assembly with round ring and shackle
- 6' chain with "J" hook on one end, "T" hook and grab hook other end
- 1 1/2 ton capacity series 653 lever hoist with 5' lift
- Carrying container

Grade 70 chain capacity



BN081 | Darley Deluxe Chain Kit | \$990.95

Darley Chain Kit

- 6' "J" hook
- 3' "C" hook
- 2' "T" hook
- 7' Pull chain assembly
- 12' Extension chain
- 2 - Cheater chains
- Carrying container
- Ship. wt. 50 lbs.



AZ525 | Darley Chain Kit | \$797.95

60 CFM Working Air Cylinder

- Aluminum working air cylinder, flat bottom
- 60 cfm capacity @ 2216 PSI service pressure
- CGA-346 fill valve
- Weight: 22.3 lbs.
- Dimensions: 22.9" L x 7 1/4" D
- DOT-3AL & TC-3ALM designed



BA025 | 60 CFM Working Air Cylinder | \$691.95



Crash Bag Kits

JYD Industries Crash Bag Kits were designed for responders to utilize as a first-in tool at a vehicle crash. With 18+ industrial quality tools carried in one bag, the Crash Bag Kit contains the basic equipment necessary to start initial stabilization and quick entry for patient assessment. Crash Bags contain a removable magnetic tool board with pockets for individual tools to magnetically attached to a vehicle with a built-in semi-removable divider to hold additional large tools.

Standard Features:

- Channellock® 6-in-1 screwdriver
- Channellock® pliers
- Channellock® 10" adjustable wrench
- Channellock® cable cutters
- Ajax Strip & Peek pry tool
- Rescue shears
- Spring-Ring window punch
- Lenox® 12" hacksaw
- 4 - Spare Lenox® hacksaw blades
- JYD Industries seat belt cutter
- 4 - Tire valve deflator/inflators
- GlassMaster saw with center punch
- Kovenex® rapid response rescue blanket
- Standard Crash Bag Kit: 25" (L) x 6" (W) x 19" (H), 13.5 lbs.
- Elite Crash Bag Kit: 25" (L) x 8" (W) x 19" (H), 28 lbs.



BP096 | Standard Crash Bag Kit | \$1,032.95

BP097 | Elite Crash Bag Kit | \$1,741.95

Engineered Scissor Operation Specifically Designed for Rescue

Sidewinder Jack Kit

Features:

- Enclosed threaded rod
- Roller bearings for smooth action
- Wide base - polymer coated bottom
- Tilted head for angled adjustment
- Pivoting carry handle
- Rate at WWL of 7,500 lbs.
- Lifts from 5.25" to 13.25"
- Attached clevis for securing with ratchet strap
- Can be operated manually or with power tools (sold separately)



BP095 | SideWinder Jack Kit | \$1,104.95

ZSTRUT Stabilizing Kit

JYD Industries ZSTRUT style Rescue Struts are designed with Patented ZipNut® Technology, an engineered deployment method that ELIMINATES THE NEED FOR PINS all together. ZSTRUTs allow for quick and simple deployment and adjustments with the ability to follow lifts and have a safe WLL of 5000 lbs. with a 2:1 Safety factor. Approach any scenario with confidence by arming your department with one of JYD's combination Stabilizing Kits. With x2 Small ZSTRUT Struts w/ accessories, x2 Large ZSTRUT Struts with accessories, x2 Sidewinder Jack Kits, x2 Cleat Bases and a Milwaukee Kit, JYD's Stabilization Kits have everything you need for conventional and unconventional stabilization needs, all in one convenient package.



BP110 | ZSTRUT Stabilizing Kit #1 | \$9,089.95

XTEND Stabilizing Kits

JYD Industries XTEND style Struts use heavy duty, top quality, stainless steel Locking Adjustment "T" Pins for quick and secure deployment and have a safe WLL of 5000 lbs. with a 2:1 Safety factor. Approach any scenario with confidence by arming your department with one of JYD's combination Stabilizing Kits. With x2 Small XTEND Struts w/ accessories, x2 Large XTEND Struts with accessories, x2 Sidewinder Jack Kits, x2 Cleat Bases and a Milwaukee Kit, JYD's Stabilizing Kits have everything you need for conventional and unconventional stabilization needs, all in one convenient package.

BP108 | XTEND Stabilizing Kit #1 | \$7,552.95

BP109 | XTEND Stabilizing Kit #2 | \$9,494.95

Vehicle Stabilization System Kit

NEW

Short Description Prospan shoring products are used extensively in automobile accidents to stabilize vehicles. Telescoping screw-jack system is recognized as one of the strongest globally, providing reliable support under the harshest conditions. The minimalist design ensures ease of maintenance and durability.

- Telescoping aluminum piston provides adjustable length for various applications
- Quick-connect attachment ensures fast and secure setup
- Tethered detent ball pin prevents loss and ensures secure locking
- Anodized finish offers enhanced durability and corrosion resistance
- Durable design built to withstand harsh conditions
- Maintenance-free and long-term reliability



BR007	23"-27 ¹ / ₂ " Vehicle Stabilization System Kit	\$3,044.95
BR008	31"-43" Vehicle Stabilization System Kit	\$3,327.95
BR009	44"-68" Vehicle Stabilization System Kit	\$3,417.95
BR010	65"-106" Vehicle Stabilization System Kit	\$3,795.95

L-2 Lightspeed RIT Bag

The ultra tough Iron-Cloth™ combined with the Heat-Shield™ Nylon 6.6 wear resistant skid plate makes the L-2 the toughest bag on the market, top-to-bottom. Innovative access-hatch design allows quick access to spare face piece and valve set. Repositionable 60" shoulder strap. Pulling the side zipper expands the bag to allow the addition of a rope bag (sold separately.)

BH113 Features:

- Designed to hold all makes of masks and bottles
- Quick-Draw transfill hose pocket
- Flashlight holder and two tool pockets
- 3M™ reflective tape



BH113
Flashlight not included



BP573

L-3 Lightspeed RIT Bag

Designed to maximize ease-of-use in low visibility, high-stress situations, the L-3 Lite Speed™ is built around the mission of getting air in and the firefighter out as safely as possible. Rope bag sold separately.

BP573 Features:

- Perfect for all RIT, F.A.S.T. and R.I.C. operations
- Impact-resistant, 3D molded Heat-Shield™ skid plate
- Works best with MSA, InterSpiro, and Drager systems



Cat#	Description	Dimensions	Price
BH113	True North L-2 Lightspeed RIT Bag	36" x 13" x 10"	\$280.95
BP573	True North L-3 Lightspeed RIT Bag	34" x 9" x 8"	\$305.95



Turtle Plastics® Cribbing and Chocks

The Most Popular Kits For Any Sized Fire Station



Auto X Crib Tool Kits

The most popular kits for any sized fire station. Turtle Plastics has worked with fire trainers and our fire customers to create different combinations of Dura Crib/Dura Stat items such as Hybrid Crib, Super Crib, Step Chocks, Lock Blocks, wedges and Mod Pads, into comprehensive auto extrication kits. Replace dirty and dangerous wood with engineered products that are washable, load rate, and ready for quick deployment.



Description	Kit A	Kit B	Kit C	Kit D
2" x 4" x 18" Pyramid Crib	6	12	12	12
2" x 4" x 12" Wedge	2	4	4	4
Hybrid Crib 4" x 4" x 18"	9	18	36	36
4" x 4" x 20" Wedge	2	2	8	8
6" x 7" x 24" Super Crib	-	-	8	8
6" x 7" x 24" Super Wedge	-	-	2	4
3"W x 8.5" Long Wedge	1	2	2	4
6"W x 8.5" Long Wedge	1	2	2	4
2" Thick x 9" Sq. Turtle Lock Blox	1	1	-	4
3" Thick x 9" Sq. Turtle Lock Blox	1	1	-	4
Standard Step Chock	2	2	4	4
Pair of Wheel Chocks	1	2	4	4
18" x 18" x 1.5" Mod Pad with Level	1	1	2	2
Cog Step Chock	-	-	-	2
Carrying Bag	1	2	4	4
Crib Toter	1	2	4	4

Cat#	Description	Ship. wt.	Price
AS273	Auto X Crib Tool Kit A	175 lbs.	\$1,224.95
AS274	Auto X Crib Tool Kit B	280 lbs.	\$1,717.95
AS275	Auto X Crib Tool Kit C	702 lbs.	\$3,907.95
AS276	Auto X Crib Tool Kit D	836 lbs.	\$4,525.95

Ideal for Rural Police, Chief's Vehicles and Small Rescues

Quick Response Tool Kits

Includes:

- 2 - Standard step chocks
- Double wheel chock
- 2 - 3" wedges
- 2 - 2" x 9" square lock blox
- 25" x 15" x 6" carrying bag
- Weight: 58 lbs.
- Color: Black (Wheel chocks are yellow)



BE295BK | Quick Response Tool Kit | \$473.95

Standard, Medium, and COG Step Chocks

- Quick stabilization and leveling
- Super stability for passenger cars, trucks, buses and heavy rescue
- Lightweight with very stable base dimensions
- Built-in hand hold
- COG features locking wedge and incline for maximum stability
- Compatible with Turtle Lock Box to increase base lift

Dimensions:

- AJ328 - 24¹/₂" x 5³/₄"(base) x 3³/₄"(top) x 10³/₄"H, step is 3³/₄"W
- BN305 - 29¹/₂" x 9"(base) x 4¹/₂"(top) x 17¹/₄"H, step is 4¹/₂"W
- BN301 - 24³/₈" x 6⁵/₈" x 10³/₄"H, step is 5"W x 3¹/₂"D

Color: Black



Cat#	Description	Weight	Price
AJ32801	Standard Step Chock	17 lbs.	\$112.95
BN305	Medium Step Chock	37 lbs.	\$279.95
BN301	COG Step Chock	24 lbs.	\$184.95

Rescue Tools

Aramid Lifting Bags

Matjack's unique construction of four full layers of aramid fiber provide for a lifting bag unequaled in strength and durability. All Matjack air lifting bags are marked with a distinct white numbered, "bulls eye" for ease of centering under the load, and have a conical, interlocking surface to limit slippage and aid in stacking. All Matjacks have either carry handles or tabs molded right on for lifting or attaching to fixtures. The Matjack "state-of-the-art" deadman controller allows for independent or simultaneous operation of one or more airbags. Supply hoses are color coded to help eliminate confusion during simultaneous operation of more than one airbag. Made in the USA.



BL979

Cat#	Dimensions	Capacity	Height	Weight	Eyelets	Tabs	Handles	Price
BL969	6" x 6" x 3/4"	1.5 tons	2.5" Lift	2 lbs.	2	-	-	\$378.95
BL970	6" x 12" x 3/4"	3.3 tons	3" Lift	3 lbs.	4	-	-	\$412.95
BL971	10" x 10" x 1"	6 tons	4.5" Lift	4 lbs.	4	-	-	\$707.95
BL973	15" x 15" x 1"	13 tons	7.5" Lift	11 lbs.	4	-	-	\$1,029.95
BL975	20" x 20" x 1"	22 tons	9.5" Lift	22 lbs.	-	1	1	\$1,291.95
BL977	21" x 25" x 1"	32 tons	12" Lift	28 lbs.	-	1	1	\$1,516.95
BL979	42" x 16" x 1"	37 tons	9" Lift	33 lbs.	7	2	2	\$1,821.95
BL981	29" x 29" x 1"	50 tons	15" Lift	45 lbs.	-	2	2	\$2,173.95
BL983	34" x 34" x 1"	70 tons	18" Lift	60 lbs.	-	2	2	\$2,572.95




BL966

High Pressure Air Lifting Bag Kits

BL966 Includes:

- 2 - 22 ton aramid reinforced high pressure air bag
- Dual deadman control with safety coupler
- 2 - 20' supply hose with safety coupler (blue & red)
- 10' regulator hose with safety coupler
- Regulator for 4500 air bottle with safety coupler



BL967 Includes:

- 2 - 22 ton aramid reinforced high pressure air bag
- 2 - 50 ton aramid reinforced high pressure air bag
- Dual deadman control with safety coupler
- 4 - 32' supply hose with safety coupler (red, blue, black, gray)
- 10' regulator hose with safety coupler
- Regulator for 4500 air bottle with safety coupler

BL966 | Small High Pressure Lifting Bag Kit | \$4,984.95

BL967 | Medium High Pressure Lifting Bag Kit | \$10,135.95

BL968 | Large High Pressure Lifting Bag Kit | \$14,348.95

BL968 Includes:

- 13 ton aramid reinforced high pressure air bag
- 2 - 22 ton aramid reinforced high pressure air bag
- 37 ton aramid reinforced high pressure air bag
- 2 - 50 ton aramid reinforced high pressure air bag
- 2 - Dual deadman control with safety coupler
- 4 - 32' supply hose with safety coupler (red, blue, black, gray)
- 2 - 10' regulator hose with safety coupler
- 2 - Regulator for 4500 air bottle with safety coupler

All Matjack high pressure air bags come with a 5-year warranty.

Spring Activated for Stabilizing Vehicles in Seconds

AUTO CRIB-IT™ Step Chock

- Automatically re-adjusts and locks during operations
- Super compact! Leaves storage space for other vital equipment
- Taller than most step-chocks
- Can be positioned completely under and parallel to rocker panels to avoid trip hazards
- Lightweight high-strength aluminum
- Easily decontaminated

BH117:

- Weight: 14.5 lbs.
- Height: 13"
- Rated for 2,000 lbs. max. load

BN077:

- Weight: 23.5 lbs.
- Height: 17"
- Rated for 2,800 lbs. max. load

BH117 | AUTO CRIB-IT™ Step Chock | \$1,377.95/Set of 2

BN077 | AUTO CRIB-IT™ for SUV's and Light Duty Trucks | \$1,285.95/Set of 2



BH117



TECGEN® 51 Gear

Less Exposure to Carcinogens

Wearing TECGEN51 on those 90% of calls eliminates potential exposure to hazards such as carcinogens and other harmful particulates that can accumulate on your turnouts.

Less Cardiovascular Stress & Fatigue

Breathable, lighter weight, single layer garment

Specifications:

- NFPA 1951- Current Edition (Technical Rescue)
- NFPA 1977- Current Edition (Wildland FF)
- Lightweight and provides enhanced mobility for confined spaces
- Repels moisture while remaining breathable
- Flexible TECGEN® fiber provides increased durability over typical carbon-based fibers

Full list of specifications on pages 38-39

Specify Color: Tan or Black

Specify Size: S-XXL

Specify Inseam: 28", 30", 32", 34" or 36"

BN235 | TECGEN® 51 - Coat - Standard | \$479.95

BN236 | TECGEN® 51 - Pants - Standard | \$427.95

BN237 | TECGEN® 51 - Coat - Deluxe | \$590.95

BN238 | TECGEN® 51 - Pants - Deluxe | \$590.95



Deluxe Gear has all the same features as standard gear plus:

- 2" Reflective Triple Trim
- STEDSHIELD® FR reinforced elbows, knees with replaceable padded inserts and cuffs
- Pass-through pockets on pants
- Thermoplastic zipper
- Articulated knee
- Handwarmer pockets on coat



R-347 Rescue Extrication Gloves

Ringers Gloves R-347 Rescue Extrication Gloves feature a reflective, hi-vis top and a padded palm for maximum safety and comfort.



- TPR impact protection on top of hand with full coverage for knuckles & fingers
- Knuckle TPR design with two detached fingers for better flexibility
- Padded palm panels & finger tips with reinforced stitching
- Secured cuff closure with hook and loop TPR pull tab closure
- High visibility colors for increased safety
- Reflective finger tips and stripe for better visibility
- Kevlar stitching



Specify Size: S-XXL

BP063 | R-347 Rescue Extrication Gloves | \$31.95

Industrial, Collapse, and Extrication Gloves

This is the closest thing to wearing steel! Designed for severe industrial collapse, urban search and rescue and extrication -- our new I.C.E. gloves feature ultimate cut protection while maintaining maximum dexterity, grip, flexibility and comfort.



Specify Size: S-XL Outer body is entirely knitted 100% Kevlar with a silicon coated palm side for enhanced cut resistance, fully lined 100% Kevlar

- Reinforced Kevlar® coated thumb crotch (level 5 cut resistance)
- Kevlar® reinforced finger backs and sides (level 4 cut resistance)
- Silicon finger tips for enhanced grip and protection

Specify Size: S-XL

BK277 | Industrial, Collapse, and Extrication Gloves | \$50.95/pr.



Rescue Equipment

Xtrication® Rescue Gloves

Shelby Xtrication® Rescue Gloves features reflective finger tips and a Kevlar® reinforced palm for excellent protection and durability.



Quick access SIDE pocket for EMT glove storage



Features:

- Kevlar® reinforced palm and fingers
- Injection molded TPR padding covering back of hand and knuckles
- Cotton terry brow wipe and lining
- Reinforced rubber pull with carabiner loop
- Custom finger-back rubber guards
- Reflective finger tips
- Quick access pocket for EMT glove storage

Fit/comfort:

- Pre-curved glove with two-way stretch
- Air flow Cordura back
- Soft cotton terry lining with “snuggler” and taslon debris blocker

Specify Size: S-XXL

BN618 | Xtrication® Rescue Gloves | \$65.95/pr.



Darley Multi-Purpose Utility Gloves



Great for light extrication, mop-up, as a general work glove around the fire scene, the firehouse and at home. New design includes comfortable Spandex fabric that keeps it's elasticity even after multiple washings. Tough goatskin palm and fingers remains soft and pliable even after drying

Features:

- Mesh top
- Lycra fourchettes
- Lycra piping
- Fleece sweat wiper
- Goatskin leather palm

Specify Size: M-XL

BL292 | Darley Multi-Purpose Utility Gloves | \$11.95/pr.



Darley

Hybrid Extrication Hi-Vis Gloves



- ResQLoc Grip System
- SuperCuff technology for full range of motion
- CE Rated 4343, Level 3 cut and puncture protection
- TPR impact protection on top of hand and full length of fingers
- High visibility for increased safety

Specify Size: S-XXL

BK277 | Hybrid Extrication Hi-Vis Gloves | \$50.95/pr.

911 Barrier Extrication Gloves



- Waterproof and breathable Hipora® barrier to protect hands from micro-organisms such as TB, Hepatitis, Staph and HIV
- O.S.H.A. Bloodborne Pathogens Standards (29CFR 1910.1310)
- Molded TPR (Thermal Plastic Rubber) knuckles reduce impact and increase dexterity
- Boxed finger tip design for better fit and comfort
- Cut resistant Kevlar® palm, thumb, finger and side panels

Specify Size: S-XXL

BD141 | 911 Barrier Extrication Gloves | \$66.95/pr.

Vertex® Vented Helmet

- Six-point mesh liner conforms to the shape of the head for improved comfort
- Shock absorption achieved through deformation of the outer shell
- CenterFit adjustment system ensures centering and optimal stability of the helmet on the head
- Adjustable ventilation holes with sliding shutters
- Side slots for mounting hearing protection
- Inserts for accepting a VIZIR face shield
- Slot for mounting a PIXA headlamp
- Four clips for mounting a headlamp with an elastic headband
- Chin strap designed to limit risk of losing helmet during a fall (strength greater than 50 daN)



Specify Color: Red, Black, Yellow or White
BK351 | Vertex® Vented Helmet | \$95.95



USRX Urban Search & Rescue Helmet

- Urethane impact liner
- M-Pact shell
- Sure-Lock® ratchet suspension
- Black rip-stop Nomex® ear/neck protector
- Quick-Attach™ faceshield
- Quick release 3-point chinstrap
- Edge beading
- Leather ratchet cover



Specify Color: Red, Black, Yellow, White, Blue or Lime Yellow
BC075 | USRX Urban Search & Rescue Helmet | \$296.95

Fire Rescue Harness™

UL Classified to NFPA 1983- Current Edition

The Fire-Rescue Harness™ remains one of the most versatile, multiple-use harnesses available. Used worldwide by fire department rescue teams, USAR teams, helicopter crews and wilderness SAR teams, this popular harness features multiple D-ring attachment points and CMC's JackBack™ removable padding with breathable D3 cloth.

- Dorsal D-ring allows adjustment for different size users, but stays in place when loaded
- Front waist D-ring allows a stable sitting position for rappels
- Gear loops offer easy access to equipment, and quick-connect shoulder straps
- Leg loops make donning the harness quick
- Pads on the leg loops can be adjusted to the most comfortable position
- Front lift assembly accepts screw links for adding a chest ascender or safety lanyards.



Specify Size:
S/M (26"-34" Waist) or L/XL (34"-46" Waist)
BP308 | Fire Rescue Harness™ | \$478.95

Atom™ Rescue Harness

UL Classified to ANSI Z359.1 and CSA Z259.10

The ATOM™ Series, CMC's most comfortable harness line ever developed, is the culmination of stripping harness design down to the basics and re-imagining a performance-enhancing tool for rescue and rope access. UL Classified to NFPA 1983- Current.

- Improved architecture molds to the user for a lightweight, low profile fit
- Ergonomic design for maximum comfort and support
- Y-back construction and bridged front lift
- Constructed with polyester webbing
- Gear loop over-braid is based on a 32-carrier polyester
- Multiple accessory attachment points provide ample space for stowing and organizing hardware and tools
- Made in the USA of domestic and foreign components
- Red webbing at the shoulders and front leg drop provide higher visibility
- Steel attachment points at the waist, chest and back
- Cobra quick-connect buckles at legs and right shoulder make donning quick and efficient
- Flexible gear loops offer a low profile gear stowage solution



Specify Size: Small (26"-32" Waist)
Medium (32"-42" Waist)
or Large (42"-48" Waist)
BP307 | Atom™ Rescue Harness | \$526.95

FCX Descent Control Device

Sterling Rope FCX Descent Control Device uses a unique cam feature that allows smooth modulation so the user can easily control the speed of descent with one hand and a click-to-neutral feature allows for easy horizontal movement.



- Compatible Ropes: FireTech2 and SafeTech
- NFPA 1983 - Current Edition: Escape Descent Device

BN707 | FCX Descent Control Device | \$127.95

FCX Escape Systems

With the introduction of the FCX Descent Control Device and the FireTech2 100% Technora® escape rope, Sterling is able to offer a wide range of the most advanced personal escape systems available. The FCX systems are customizable with your choice of escape rope, anchor hook and storage bag. FCX escape systems are NFPA 1983- Current.



- BN703 | FCX FireTech2 LGT Pkt Escape System | \$580.95
- BN705 | FCX SafeTech LGT Pkt Escape System | \$526.95
- BN709 | FireTech2 Escape Rope - 50' | \$187.95

1/2" (12.5mm) SuperStatic2™ (Nylon) and HTP™ Static Rope (Polyester)



- HTP - 100% high tenacity polyester
- SuperStatic2™ - a new core and 100% nylon construction
- NFPA 1983: General

Specify Length

Specify Color: Blue w/Tracer, Yellow w/Tracer, White w/Tracer, and Red w/Tracer

Cat#	Description	Tensile	Price
AW392	SuperStatic2™ Nylon 150'	9,284 lbs.	\$249.95
AW393	SuperStatic2™ Nylon 200'	9,284 lbs.	\$336.95
AW394	SuperStatic2™ Nylon 300'	9,284 lbs.	\$485.95
AW395	HTP™ Static 150'	9,081 lbs.	\$244.95
AW396	HTP™ Static 200'	9,081 lbs.	\$324.95
AW397	HTP™ Static 300'	9,081 lbs.	\$467.95

RIT Heat Resistant Search Rope

Rapid Intervention Teams (RIT) face the most demanding and extreme conditions during search operations. Overcoming extreme heat, ground obstacles, and poor visibility are just some of the hurdles faced when searching for and rescuing trapped firefighters or civilians. Firefighter safety and survival has become an important focus and Sterling RIT Lines are an integral rescue tool in search and bailout operations.



Cat#	Desc.	Tensile	150'	200'	300'
AS277	RIT 900	4,200 lbs.	\$254.95	\$338.95	\$501.95

Tubular Webbing

1" Mil Spec webbing is a must have for rescue personnel. It can be used for building anchors, making improvised harnesses, lashing litters, and many other uses. Mil Spec webbing is rated to 4,000 lbs.



Specify Color:

Red, Black, Yellow, Blue, Orange, Purple or Olive Drab
AW411 | 1" x 300' Tubular Webbing | \$150.95

CMC PMP Swivel Pulley

The Prusik-minding swivel pulley (PMP) is ideal building mechanical advantage in raising systems, high anchor points, or tripod use. The rotating swivel aligns the rope with the direction of the pull. Its stainless steel sheave can be used with either rescue rope or wire cable. By combining the swivel with the pulley, overall system length is minimized, increasing travel. The patented pivoting side plate allows the rope to be quickly inserted. The PMP Swivel Pulley can be used with confidence in work-at-height maneuvers for industrial rope access or technical rope rescue.

- Stainless steel sheave allows use with wire cable or rescue rope
- Prusik-minding side plate opens without having to disconnect the pulley from the anchor
- Double-detent button prevents accidental opening of side plate
- Sealed ball bearings provide maximum efficiency

BN219 | CMC PMP Swivel Pulley | \$168.95
 BP525 | CMC 1.5" Double Swivel Pulley | \$158.95



CMC MPD™

The MPD™ allows you to go from lowering to raising without changing hardware. The MPD's high-efficiency pulley, with an integral rope-grab mechanism, allows it to be used as a lowering device on the main line and belay line systems and be quickly changed over to a raising system without switching out or replacing hardware. The combination of essential features into a single device simplifies on-scene rigging, expediting the rescue.

- Variable-friction descent control device for rescue systems and rappels
- High-efficiency pulley with integral rope-locking mechanism (ratchet) for a haul system
- Built-in becket allows cleaner rigging and more efficient pulley systems
- MPD allows main line and belay line rigging or can be used as a two-tension system
- One device functions as both a lowering brake and ratcheting pulley for raising
- Converts rapidly to a retrieval line for confined space operations
- Meets BCCTR Rescue Belay Competency Criteria
- Red model accommodates 13 mm rope (11 mm blue model also available)
- UL Classified to NFPA 1983- Current Edition General Use

BL022 | CMC MPD™ 13 mm | \$888.95



CMC Clutch™ by Harken Industrial™

CLUTCH is the latest evolution in rescue and rope access hardware that enables the technical rope professional to do more with less. This multi-purpose device was designed and engineered in collaboration by two companies with a collective 90 year history in rope management under heavy loads: CMC, a company with roots in rescue and rope access, and Harken Industrial, a manufacturing company with roots in high performance sailing.

Suited to a multitude of rigging operations, the CLUTCH delivers efficient operation, ease of use, and optimal control. It moves seamlessly between anchor-based systems and personal use, offering unmatched versatility for the rope technician. With the CLUTCH, more is possible.

- BP521 is compatible with 10.5–11mm rope and certified to NFPA 1983- Current Edition General Use, ANSI, and EN standards. It's the only device for 10.5–11mm rope that carries all these certifications.
- BP522 is compatible with 12.5 – 13 mm rope and certified to NFPA 1983- Current Edition General Use and ANSI standards

Specify Color: Red or Gray

BP521 | CMC Clutch™ Gray by Harken Industrial™, 11 mm | \$647.95
 BP522 | CMC Clutch™ Red by Harken Industrial™, 13 mm | \$763.95



CMC SQUID™ Rig Plate



SQUID is a versatile tool for twin tension rope systems (TTRS) and load-sharing applications. Its multi-planar design allows for efficient side-by-side operation of two hardware devices, improving shared tension and enabling a single operator to control both. SQUID ensures safe rigging, smooth raising and lowering, and ideal spacing between devices. The attachment points are compatible with various connection methods, positioning rope hardware for easy loading and unloading. SQUID naturally orients toward the load, reducing the risk of binding or shifting. Strong and compact, it is suitable for TTRS, litter bridals, cross hauls, and more. It is CE marked and classified to NFPA General Use and Technical Use for specific configurations.



BP926 | SQUID CMC Rig Plate | \$148.95

RockSteel Auto-lock Carabiner

The rockSteel offers a surprising strength-to-weight ratio in a carabiner of its capacity. Most steel carabiners are made from 1/2" diameter steel. We use a lighter, 7/16" diameter steel that is heat treated for added strength. The rockSteel frames are CNC machined for precise fittings and exact tolerances. The result is a carabiner with a high strength-to-weight ratio, keylock snag-resistant nose and a feel like no other steel carabiner in the world. The rockSteel carabiner is ANSI Z359.12 (09) and NFPA G compliant. The gate/sleeve is rated at 16kN or 3600 lbs, to protect against inward force against gate.



- Large frame, with large, 1.2" gate opening
- Impressively strong, yet lightweight
- Rated for inward gate force
- ANSI Z359.12 (09) and NFPA G compliant

Cat#	Description	MBS	Price
BN531	RockSteel Auto-Lock Carabiner	3,600 lbs.	\$49.00

CMC ProSteel™ Carabiners

Strong and durable, CMC ProSteel™ Carabiners are classified to NFPA General Use and have a carbon steel body with a high breaking strength. Where noted, certain models are also certified to ANSI and include a reinforced gate for lateral stress. Designed with a keylock system, wide gate opening, glove-friendly sleeve, and burnished finish, CMC ProSteel™ Carabiners are built for heavy duty work in harsh environments, yet offer easy handling for everyday applications.

- Carbon steel carabiner with high tensile strength
- Wide gate opening for easy loading and unloading
- Keylock system prevents snagging on rope and bolts
- Sleeve is easy to open even wearing gloves
- Burnished finishing for greater visibility of markings
- Classified to NFPA General Use, select models also ANSI

Cat#	Gate Type	Finish	Price
BP724	Screw-Lock	Gray/Bronze	\$27.95
BP726	Auto-Lock	Gray/Silver	\$34.95



BP724



BP726



NFPA Ladder and Carabiner Hook Screw and Twist Locks

NFPA and UL certified high tensile steel Ladder Hook with captive pin is designed to fit over ladder rungs, pipes, safety rails, building apparatus or anywhere you may need the huge gate clearance of these exceptional and strong ladder hooks. The gate clearance of our zinc plated ladder hook is enhanced by our unique screw-lock gate mechanism, which enables the gate to open beyond the ladder hook spine, providing a massive gate opening, even for a ladder hook of this size!

- High tensile steel
- Zinc plated finish
- High strength
- Smooth operation

BN247	NFPA Steel Ladder Hook Screw Lock	\$23.95
BN249	NFPA Large D Carabiner Screw Lock	\$19.95
BN250	NFPA Large D Carabiner Twist Lock	\$24.95
BN251	NFPA Aluminum Carabiner Twist Lock	\$16.95



BN251



BN247

CMC AZTEK ProSeries® System

The CMC Rescue AZTEK ProSeries System leaves no detail ignored. Capable of more than 100 rigging solutions, it reflects the philosophy of keeping rigging equipment simple, efficient, non-specialized, light and small. The CMC Rescue AZTEK ProSeries System is the only AZTEK system UL Classified to NFPA 1983 (2012 Current Edition) General Use, Manufactured System.

- 2 - AZTEK double pulleys (1 - orange, 1 - blue)
- 1 - Quick Pin for AZTEK Pulley
- 1 - AZTEK ProSeries Cords (50', hi-vis orange)
- 1 - AZTEK Edge-Pro Tubular Webbing (24", blue)
- 1 - Protech™ Aluminum Auto-Lock Carabiner with removable keeper pin
- 2 - AZTEK Bound-Loop Prusik, 9" (1 - orange, 1 - blue)
- 1 - AZTEK Bound-Loop Purcell (42", blue)
- 1 - Maillon Rapide Quick Link
- Ship. wt. 4 lbs.



BL803 | CMC AZTEK ProSeries® System | \$498.95

Rope Rescue Cache Kit With Clutch



- 5 - Carabiners, PS lock BRT
- 3 - Single ProSwivel Pulley (1.5")
- 1 - Double ProSwivel Pulley (1.5")
- 2 - 1" Tubular Webbing (20", red)
- 2 - FastLink anchor strap
- 2 - Prusik, sewn loop (18", red)
- 2 - Sleeve anchor strap
- 1 - XL Edge pad
- 1 - Ultra Pro 4 edge protector
- 2 - Clutch (BR020: 11mm, BR021: 13mm)



BR020 | Rope Rescue Cache Kit with Clutch - 11mm | \$3,312.95

BR021 | Rope Rescue Cache Kit with Clutch - 13mm | \$3,312.95

CMC CSR2 Pulley System™

The patented locking mechanism in our updated CSR2 Pulley™ is easy to release under load, creating much greater efficiency with the lowering and raising necessary to a confined space rescue. The machined aluminum swivels at both ends of the system eliminate any potential twisting of the lines. This system is also an excellent choice for confined space entry or rope access work where a heavy-duty pulley system is desired.

- All-new stronger, lighter-weight design
- Available with either 11mm (7/16") or 12.5mm (1/2") Static-Pro Lifeline
- Systems are UL Classified to NFPA 1983 (2017 Current Edition) - General Use
- CSR2 Pulley MBS 46 kN (10,341 lbf)/CSR2 Double Pulley MBS 45 kN (10,116 lbf)
- Machined from solid block of aircraft-grade aluminum
- Includes (2) ProSeries® Aluminum Screw-Lock Carabiners, MBS 47 kN (10,566 lbf) - General Use
- Made in USA



Includes:

- 11mm (7/16") Static-Pro Lifeline, Blue (1 x 200') or 12 1/2 mm (1/2") Static-Pro Lifeline, Red (1 x 200')
- CSR2 Pulley
- CSR2 Double Pulley
- ProSeries Aluminum Screw-Lock Carabiner (2)
- #3 Rope Bag, Red

BG274 | CSR2 Pulley System™ | \$1,808.95



SearchLite Kit

Search kits come standard with our highly-reflective SearchLite rope. Large snap-hook on one end allows for connection to substantial objects, while the small snaphook secures the rope to the bag.

Includes:

- 220' of SearchLite Kit search rope
- Swivel Snap
- Double action snaphook
- SearchLite bag



BN706 | SearchLite Kit | \$572.95

Ice Commander™ Rescue Suit

The Mustang Ice Commander™ is the suit of choice for search and rescue teams, fire departments, and ice rescue professionals. The flotation and insulation performance of a snap in buoyancy liner allows users to immerse themselves for long periods of time in icy cold water and maintain mental and physical capabilities.

- Water-tight hood and face seal
- Integrated gloves and attached boots
- SOLAS™ reflective tape and Velcro® patch for light attachment
- Heavy duty, full-length, water-tight zipper
- Waterproof and durable welded nylon outer shell
- High performance urethane-coated nylon exterior
- Integral self-adjusting safety harness
- Ergonomic ice awl pockets - secured with Velcro® (ice awls not included)
- Reinforced knees padded with 2.5 mm neoprene
- Removable inner buoyancy liner - constructed of closed-cell AirSoft™
- Reinforced seat and elbows
- Measurements: Adult universal sizing, fits height: 4'11" - 6'6", and weight: 110 lbs. - 330 lbs.



BL315 | Ice Commander™ Suit (Universal Adult) | \$1,378.95



Universal Hi-Viz Yellow Ice Rescue Suit

Rescue professionals need gear that allows them to respond safely and quickly to emergency situations. The RS-1002 Rescue Suit has been engineered to don quickly for cold water and ice rescue operations. This universal suit features a rugged hi-tenacity nylon shell that is stitched and taped for the ultimate in durability. A snap out, internal laminated nylon/foam liner allows the user to easily slip the suit on and off.

- 400 Denier Nylon Shell and soft foam liner
- Construction Method: Seams are stitched and sealed (taped) (not RF welded)
- Harness System: Vertical and horizontal adjustment
- Ice Pick Pockets: Easy access and secure storage of ice picks
- Gloves are supple and felt lined
- Internal suspenders for height adjustment
- Knee and Elbow Patches: Foam padded with rough texture covering for extra grip
- Wear Patches: Reinforced butt, knees and elbows
- Boots: Size 13 for fitting wide range of users
- Adjustment Straps: At thighs and wrist for improved suit control
- Carry Bag: 500D bag is nylon lined for easy discharge of suit (from bag). Includes zippered mesh accessory pocket

BR175 | Universal Hi-Viz Yellow Ice Rescue Suit | \$1,071.95



NRS ATB Wetshoes

NEW

The NRS ATB Wetshoes are designed for all-terrain adventures, providing superior comfort and protection both in and out of the water. Whether you're tackling quick side-hikes or enduring grueling portages, these wetshoes ensure all-day comfort.

- Superior traction and support on varied terrain, wet or dry
- Upper: 5 mm neoprene
- Insole: 7 mm neoprene
- Heavy-duty lug sole
- Gusset-backed YKK® ankle zipper
- Wide hook-and-loop instep strap
- Swim fin tab on the back of the heel



Specify Size: 7-15

BR023 | NRS ATB Wetshoes | \$75.95

CMC Water Rescue Tether

NEW

The CMC Water Rescue Tether is an essential tool for water rescue operations, designed to enhance safety and efficiency. Crafted from durable 1-inch tubular webbing, this tether features a built-in bungee cord, making it an ideal attachment for your Personal Flotation Device (PFD).

- 1-inch tubular webbing
- Weight: 8 oz
- Extended Length: 46"
- Color: Yellow
- Internal bungee cord
- Bright double-locking connector
- Rated Strength: 11 kN (2,473 lbf)
- ISO 9001 certified
- Model: 201707



BR030 | CMC Water Rescue Tether | \$94.95

Integrated Flotation Harness with Lightweight Web Loops

NEW

The FirstWatch Harness Model is a top-tier integrated harness designed for maximum safety and comfort. This harness is ideal for first responders, rescue operations, and professionals who demand reliability and performance in critical situations.

- Provides over 40 lbs of buoyancy
- Neoprene collar prevents chafing and discomfort around the neck.
- Zippered closed cell cover protects internal components and ensures durability.
- 3-D foam molded back lining offers enhanced comfort and support.
- 1-F Single Point Inflator Status Indicator
- Mic loops for communication devices.
- Ultra-strong 2" nylon webbing waist belt
- Zippered accessory pocket
- Internal CO2 bottle stow pocket
- Activates automatically upon immersion in water.

Specify Color: Black, Hi-Vis Yellow, Olive Drab Green

BR031 | Integrated Flotation Harness with Lightweight Web Loops | \$255.95



AV-800 Four Pocket Flotation Vest

NEW

The FirstWatch AV-800 Four Pocket Flotation Vest is designed for maximum safety and convenience, making it an essential piece of gear for professionals and enthusiasts alike. Available in Hi-Vis Yellow and Hi-Vis Orange, this vest ensures you remain visible in all conditions, enhancing your safety on the water.

- Equipped with four large pockets, providing ample storage for essential gear and tools.
- Made from high-quality materials to withstand harsh marine conditions.
- Provides 15.5 lbs of buoyancy, suitable for most adults.
- Designed for comfort with adjustable straps to ensure a secure and snug fit.
- Meets United States Coast Guard standards for flotation devices, ensuring top-notch safety.

Specify Size: S/M, L/XL, 2XL/3XL

Specify Color: Hi-Vis Yellow or Hi-Vis Orange

BR034 | AV-800 Four Pocket Flotation Vest | \$104.95



Rescue Equipment

SKED-EVAC™ Tripod

The Sked-Evac™ Tripod extends to ten feet high at the three anchors which are available to clip into. Each of the anchors is anodized red for easy identification, and all are equally well centered to handle a load. The anchors, header, and legs are interconnected with 1/2" stainless steel bolts to provide maximum strength. When at full extension, this tripod allows you to bring the patient in a stretcher completely out of the hole. It is rated to handle an NFPA rescue load. Included with the tripod is a chain which passes through the feet to provide greater strength and stability. The legs are adjustable in 5" increments, and Skedco provides safe working load data for each tripod height on each tripod. Brackets are available for mounting most popular winches. Ship. wt. 74 lbs.

AS441 | Sked-Evac™ Rescue/Entry Tripod | \$1,843.95

AS442 | Sked-Evac™ Tripod Carrying Case | \$118.95




CMC Triskelion™ Tripod

The Triskelion's impressive working height range adapts to fit low-clearance areas and extends to haul patients in full-size litters. Unique features include its compatibility with cable and rope up to 13 mm (1/2"), anchor points for pulley systems, multiple winch mounting options, rectangular legs with built-in stoppers, tethered push pins, high contrast graphics, pivoting feet, quick-connect webbing hobble strap, and reinforced carry bag for single or two-person transport.

- Min Working Height: 1.7 m (5.5')
- Max Working Height: 3.1 m (10')
- Tripod Weight: 32 kg (70 lbs.)
- Tripod Footprint:
 - Inside Diameter of Feet:
 - Minimum Height: 1580 mm (62.2")
 - Maximum Height: 2820 mm (111")
 - Outside Diameter of Feet:
 - Minimum Height: 1930 mm (76")
 - Maximum Height: 3170 mm (124.8")
- MBS: Attached directly to head: 36 kN (8,093 lbf)
- Attached to leg over pulley: 22 kN (4946 lbf)
- Certification: NFPA 1983 (2017- Current edition) – General Use EN 795:2012 Type B for Single Person Use CEN/TS 16415:2013 Type B for 2 Person Use

BP524 | CMC Triskelion™ Tripod | \$2,575.95



Double Clutch Twin Tension Rope System (DCTTRS) Kit

The smooth, efficient action of the CLUTCH allows rescuers to haul more easily and lower with more control. Additional built-in features of the CLUTCH make it ideal for this kit including the ratcheting rotating sheave, Anti-Panic brake, force limiting protection, and integrated becket. When two CLUTCH devices are brought together in the Double CLUTCH Technique (aka "Double CLUTCH-ing"), rescuers can maintain nearly equal tension on both lines so that the load, often involving a rescuer, litter and a victim, is shared across two rope systems, reducing the risk of a single line failure. DCTTRS prevents 100% load transfer on the slack belay line and limits shock and extension in the system.

- Two self-contained, ready-to-go hauling/lowering systems with MA of 3:1 and 5:1
- Color-coded components including RigTech Packs, CMC G11 Lifeline, and webbing
- Compatible kit components for deploying a variety of twin tension rope systems
- CLUTCH ratcheting, rotating sheave increases hauling efficiency and lowering control
- CLUTCH Anti-Panic brake and force limiting features increase rope system safety Includes CMC DNA ANSI Carabiners for CLUTCH alignment on a single anchor plate
- Double CLUTCH Technique meet best practices while reducing personnel and risk
- NFPA G Rated CLUTCH and NFPA G Rated CMC G11 Lifeline 11mm (7/16") provide strength with less weight and volume



BP523 | Double CLUTCH Twin Tension Rope System Kit | \$5,156.95

Durable Rescue Kits and Systems

NEW

Rope Rescue Rigging Kit

This Rope Rescue Rigging Kit provides all the essential gear for high or low-angle rescue operations.

Kit Includes:

Gear Bag

- Shasta with shoulder strap red
- Truck cache, red
- Pack, litter
- Rope bag, #2 Org
- Rope bag, #2 Red

Patient Packaging

- Litter harness, ProSeries
- Patient tie-in sys, 1-PC litter
- Tie-in sys, pelvic harness
- Harness, lifesaver victim
- Strap, adjustable litter (4)
- Litter, STA/STL rescue, rectangle

Edge Protection

- Sleeve, anchor strap MD (2)
- Edge Pad, XL (2)
- Edge Protector, Ultra Pro 4

BP828 | 11 mm - Rope Rescue Rigging Kit | \$8,202.95

BP829 | 13 mm - Rope Rescue Rigging Kit | \$8,391.95



Technical Gear

- System, Aztek ProSeries LT
- Carabiner, PT Auto red (2)
- Carabiner, PS Lock BRT (9)
- Pulley, ProSwivel 1.5", PMP SS (3)
- Pulley, ProSwivel 1.5", double
- Web, 1" tubular, red (2x 20 ft)
- Web, 1" tubular, yellow (2x 12 ft)
- Strap, FastLink Anchor MD (2)
- Strap, FastLink pick-off
- Prusik, sewn loop 8mm red 18" (5)
- Manual, rope rescue

SKED® Basic Rescue System

The original and still the best solution for confined space, high angle or technical rescue, and traditional land based applications. The SKED® stretcher is a revolutionary design which provides outstanding patient protection and security. The Sked® comes equipped for hoisting by helicopter in horizontal position spaces. When the patient is packaged, the stretcher becomes rigid. The durable plastic provides protection for the patient while allowing extrication through the most demanding confined spaces. The stretcher is rolled for storage in a tough Cordura® backpack which is included with the system. The system ships at 19 lbs. and comes complete for most applications. Available in International Orange. Ship. wt. 19 lbs.




AS452 | SKED® Basic Rescue System | \$699.95

Trusted AEDs for Medical Emergencies

Not available for sale to Fire Departments and EMS and cannot be sold internationally.

Zoll AED 3

NEW



Zoll offers two exceptional Automated External Defibrillators (AEDs) designed to provide life-saving treatment for sudden cardiac arrest. Both models, BR040 and BR039, are equipped with advanced technology and user-friendly features, ensuring they are reliable and effective in emergency situations.

- AEDs feature clear, intuitive interfaces with voice prompts and visual indicators to guide users through the defibrillation process.
- Each model is equipped with the latest defibrillation technology, delivering precise and effective shocks to restore normal heart rhythm.
- AEDs are built to withstand harsh environments, making them suitable for a variety of settings, including schools, offices, and public spaces.
- With rapid charge times and easy-to-follow instructions, both AEDs ensure a swift response in critical moments.
- Each AED comes with a complete set of accessories, including pads, battery, and a carrying case, ensuring you are always prepared.
- Each AED is lightweight and easily portable

BR039:

- This model is slightly more compact and lightweight, making it perfect for environments where portability is a priority, such as mobile units or smaller facilities.

BR040:

- This model is designed with additional features for enhanced usability, such as a more detailed visual display and extended battery life, making it ideal for high-traffic areas and professional use.

BR039 | Zoll AED 3 - Semi-Automatic | \$2,240.95

BR040 | Zoll AED 3 - Fully-Automatic | \$2,240.95


Physio-Control/Stryker LIFEPAK CR2 AED

NEW

The Physio-Control/Stryker LIFEPAK CR2 AED is designed to provide lifesaving defibrillation in critical moments. Available in both Fully Automatic and Semi-Automatic models, this AED is equipped with advanced features to ensure ease of use and reliability. Choose between a convenient carry case or a handle for easy transport and accessibility.



BR041



BR042



- Dimensions: 10.8" x 8.6" x 3.4"
- 4.5 lbs. (with battery)
- 8 year warranty
- Fully Automatic: Delivers a shock automatically if needed, without requiring user intervention.
- Semi-Automatic: Guides the user to deliver a shock with a simple press of a button.
- ClearVoice™ Technology provides clear, step-by-step voice instructions to guide users through the entire rescue process, ensuring confidence and clarity even for untrained responders.
- cprINSIGHT™ Analysis Technology analyzes the patient's heart rhythm while CPR is being performed, reducing pauses and increasing the chances of a successful resuscitation.
- Easily switch to Child Mode for pediatric patients, delivering a lower energy shock suitable for children.
- Wi-Fi Connectivity enables remote monitoring and management, ensuring the device is always ready for use. Automatically sends device status and event data to a central system.
- Intuitive design allows for rapid deployment and minimal setup time, making it ideal for both professional and public environments.
- Built to withstand tough environments with an IP55 rating for protection against dust and water.
- High-capacity battery ensures the device is ready for use over an extended period, with minimal maintenance required.

BR041 | Physio-Control/Stryker LIFEPAK CR2 AED

- Semi Automatic, Carry Case, English Only | \$2,436.95

BR042 | Physio-Control/Stryker LIFEPAK CR2 AED

- Semi Automatic, Built-in Handle, English Only | \$2,255.95

BR043 | Physio-Control/Stryker LIFEPAK CR2 AED

- Fully Automatic, Carry Case, English & Spanish | \$2,680.95

BR044 | Physio-Control/Stryker LIFEPAK CR2 AED

- Fully Automatic, Built-in Handle, English & Spanish | \$2,581.95

Evac+Chair® PRO-EMS Stair Chair

The Evac+Chair® PRO-EMS series offers a range of advanced evacuation chairs designed to meet the diverse needs of EMS professionals. This comparison highlights the unique features and benefits of the three models: the Standard (BR004), the Battery Operated (BR005), and the Hybrid (BR006). Each model is engineered to ensure the safe and efficient transport of individuals during emergencies, providing unmatched reliability and performance.

- Dimensions: 37.5" H x 20.5" W x 8" D

BR004:

- Single-operator use for quick and efficient evacuation without additional personnel.
- Built with high-quality materials for long-lasting reliability.
- Secure safety restraints ensure the safe transport of patients.
- Easily folded for convenient storage and quick access during emergencies.
- 31.4 lbs.

BR005 & BR006:

- Supports up to 560 lbs.
- Automatic EVAC+TRACK® release system
- Orthopedic head support and four-point harness
- Non-sparking electrical components
- BR005: Battery Operated
- BR006: Hybrid Operation
- 56.4 lbs.

BR004 | Evac+Chair® PRO-EMS Stair Chair – Standard | \$3,645.95

BR005 | Evac+Chair® PRO-EMS Stair Chair – Battery Operated | \$4,995.95

BR006 | Evac+Chair® PRO-EMS Stair Chair – Hybrid | \$5,995.95



Water Rescue Manikins

These adult and adolescent models are made of durable vinyl plastic with rust-resistant skeletons, articulated joints, and optional CPR capabilities. When filled with water, the manikin will submerge to the neck. Add an additional 5-10 lb. weight to sink.



BA114 | Adult Water Rescue Training Manikin | \$1,129.95

BA115 | Adult Water Rescue Training Manikin & CPR | \$1,583.95



BA114



AC057

Rescue Randy™

Randy's fully articulated body duplicates the weight and resiliency of a human body and can be positioned for realistic patient handling or extrication in situations too hazardous or uncomfortable for volunteer victims. His rugged construction means years of use in any rescue training environment. Clothing not included. Ship. wt. 125 - 185 lbs.



AC057 | Rescue Randy™, 105 lbs. | \$1,334.95

AL246 | Rescue Rudy™, African American, 105 lbs. | \$1,334.95

AC058 | Rescue Randy™, 145 lbs. | \$1,701.95

AL247 | Rescue Rudy™, African American, 145 lbs. | \$1,701.95

AC059 | Rescue Randy™, 165 lbs. | \$1,827.95

AL248 | Rescue Rudy™, African American, 165 lbs. | \$1,827.95

AS369 | Rescue Randy™ Combat Challenge, 165 lbs. | \$1,830.95

AS370 | I.A.F.F. Rescue Randy™ with Additional Reinforcement, 165 lbs. | \$2,031.95



Plastic Backboard

Rugged, one-piece, lightweight polyethylene spineboard with twelve large handholds for easy handling, built-in runners, low profile and X-ray translucent. Bright yellow. Dimensions: 73" L x 16" W. Load Capacity: 400 lbs. Ship. wt. 20 lbs.

One-piece
polyethylene



AR226 | Plastic Backboard | \$257.95

Scoop Stretcher

- Thermally-treated polymer construction does not get too hot or cold
- Ergonomic ease of use X-ray translucent
- Twin safety lock for smooth and non-binding locking and unlocking
- Narrow foot-end frame
- Head section recessed to maintain proper cervical alignment
- 4 length options accommodates patients of different heights: 65", 70", 74", and 79"
- Easy-to-clean surface is impervious to fluids
- Folds to 47" for compact storage
- Includes three burgundy restraints



BD171 | Scoop Stretcher | \$1,740.95

BD172 | Storage Case | \$279.95

Ideal For Rugged Rescue Situations

Plastic Stretcher

Yellow high-density polyethylene shell, supported by a stainless steel outer rail, permanently attached with stainless steel semi-tubular rivets. Features molded runners, fully exposed outer rail, non-absorbent foam pad secured to stretcher and four patient restraint straps. Dimensions: 84 $\frac{1}{2}$ " x 24" x 7 $\frac{1}{2}$ ". Load Capacity: 1,200 lbs. Ship. wt. 31 lbs.

Plastic
stretcher



AF742 | Plastic Stretcher | \$954.95

Splint Stretchers

Standard Splint Stretcher

Nylon web straps at chest, abdomen, thigh, and calf. Adjustable foot rests for vertical lifting. Frame is $\frac{5}{8}$ " steel tubing: cross braces and runners $\frac{3}{16}$ " x $\frac{3}{4}$ " flat steel. Basket is 18 gauge. 1" hexagon steel mesh netting.



AW207 | Standard Splint Stretcher | \$406.95

Break-Away Splint Stretcher

The stretcher breaks into two halves which can be back-packed to the point of rescue and assembled in seconds. It can be secured to a standard back-pack for carrying. Three positive lock clamps secure two halves together. Four 60" web straps are standard. Stores in space 44" x 12" x 24".



AW208 | Break-Away Splint Stretcher | \$821.95

Stretcher Carabiner Lifting Bridle Sling

NEW

The stretcher bridle sling is designed to provide exceptional lifting capabilities for both horizontal and vertical applications, with a robust load capacity of up to 2,500 lbs. Constructed from durable 1" polyester webbing, this bridle sling ensures strength and reliability in demanding environments.

- Industry-standard twist-lock triple-action carabiners
- 3" ID forged steel suspension ring
- Ship. wt. 6 lbs.
- 8" H x 10" W x 4"
- Load Capacity: 2,500 lbs.



BR022 | Stretcher Carabiner Lifting Bridle Sling | \$307.95

Fully Equipped Trauma Kit Bags

Tactical MOLLE Med Backpack with Modular Pouches and Hydration Port with Trauma and Bleeding Medic Fill Kit

The Modular Tactical Medic Backpack is the culmination of two years of research, design and customer feedback by Lightning X for a practical and useful EMS bag for the tactical market. Far too often, tactical medics are forced to buy a military bag with no EMS features, or an EMS bag with no tactical features. Now you can have the best of both worlds, with a well organized and great looking bag all-in-one. The BP202 comes with two small and two large grab-n-go pouches with transparent windows plus one foam lined organizer with six dividers, all of which are completely removable or interchangeable within the main compartment.

- 1 - Tweezer
- 1 - Kelly hemostats
- 1 box of 10 - ammonia ampules
- 100 - $\frac{3}{4}$ " x 3" adhesive bandage
- 25 packs of 2 - 4" x 4" gauze pad 50
- 2 - 2" roll gauze
- 2 - 3" roll gauze
- 2 - 4" roll gauze
- 2 - Cohesive self-adherent bandage
- 2 - 5" x 9" ABD pad
- 2 - 8" x 10" ABD pad
- 1 - 1" Cloth medical tape
- 10 - Iodine wipes
- 10 - Alcohol prep wipes
- 1 - Triple antibiotic ointment $\frac{1}{2}$ oz.
- 1 - $7\frac{1}{2}$ Trauma shears
- 2 - Instant cold pack
- 2 - Oval eye pad
- 2 - Triangle bandage
- 1 - Sprague stethoscope
- 1 - Eye wash
- 1 - Berman airway / 6 pieces
- 2 Pairs - Nitrile gloves
- 1 - Universal finger splint
- 1 - Bandage shears
- 10 - Sting and bite relief pads



Color: Black, Desert Tan or Red

BP202 | Tactical MOLLE Medical Backpack with Medic Fill Kit | \$278.95

Completely Stocked Trauma Bag

Cordura® Trauma Bag features all the first aid supplies you'll need. Large main compartment divided into three sections along with a roomy front pocket plus two zippered side pockets. Dimensions: 20 $\frac{1}{4}$ " L x 7" H x 11 $\frac{1}{2}$ " D.

- 10 - Alcohol wipes
- 10 - Benzalkonium chloride towelettes
- 4 oz. eyewash
- 10 - Iodine swab sticks
- 10 - Triple-Antibiotic ointment
- 10 - Vionex® wipes and dry towelettes
- 5 - Water-Jel® Burn Jel®
- 6 - Eye pads
- 4 - Combine pads 5"x9"
- 10 - Gauze pads 2" x 2"
- 10 - Gauze pads 3" x 3"
- 10 - Gauze pads 4" x 4"
- 2 - Tapes 1"-2" x 5 yds.
- Trauma dressing - 10" x 30"
- 4 - Conforming bandages 2" x 4 yds.
- 2 - Conforming bandages 3" x 4 yds.
- 4 - Conforming bandages 4" x 4 yds.
- 100 - Plastic bandages $\frac{3}{4}$ " x 3"
- 2 - Bio-waste bags (1 gallon, 11" x 14")
- 1 - Rescue Space® blanket 56" x 84"
- 10 - Cotton applicator 6" 2 pk.
- 2 - Triangular bandages 40" x 40"
- 2 - Disposable cold packs
- Elastic bandage 3" x 5 yds.
- Blood pressure cuff
- Water-Jel® Burn dressing 4" x 4"
- Airway (6 sizes)
- 10 - Ammonia inhalants
- CPR Microshield®
- Bulb syringe
- 8 - Gloves
- Penlight
- Bite stick
- Sam® splint
- Paramedic scissors
- Splinter forceps
- Stethoscope
- 3 - Thermometers
- Glucose (15 gm)
- Poison antidote kit



AM253 | Trauma Bag Only | \$96.95

AM254 | Stocked Trauma Bag | \$282.95

Emergency Medical Supplies

Pro Response™ Basic Kit

The 1000 denier nylon bag has three main compartments and two side zippered end pockets. The inside top flap has a meshed zippered pocket to hold instruments. The bag also has a carrying handle and an adjustable detachable sling. The bag is trimmed with a reflective star of life emblem and reflective yellow trim on both sides.

Dimensions:

14" L x 9" W x 6" H.



BL612 | Pro Response™ Basic Kit | \$135.95

- Triangular bandage
- 1" adhesive tape
- 2 - 3" sterile conforming bandages
- 2 - 4" sterile conforming bandages
- 8 - 4" x 4" sterile pads
- 2 - 5" x 9" abdominal pads
- 25 - 1" x 3" adhesive bandages
- 3" elastic bandage
- Burn/blood stopper bandage
- Plastic bite stick
- CPR Lifeshield
- 2 - 4" x 4" instant ice packs
- 5" x 9" instant ice packs
- 8 - Antimicrobial handwipes
- 10 - Triple antibiotic ointments
- 4 - Ammonia inhalants
- Thermal rescue blanket
- Window punch
- EMI splint
- Starlite flashlight
- First in rescue knife
- 4 - Latex gloves
- Instrument Pack:
 - 4 1/2" splinter forcep,
 - 5 1/2" bandage scissor,
 - 5 1/2" St. Kelly forcep,
 - deluxe shears, penlight,
 - lifesaver seatbelt cutter

Bleeding Control Kits

Bleeding Control Kits are designed to provide essential equipment that empowers the general public to take action as immediate responders in stopping life-threatening bleeding.

Dimensions: 7" L x 5" W x 2.5" D.

Weight 15 oz. -17 oz.



BP481 | Basic Bleeding Control Kits | \$77.95

BP482 | Intermediate Bleeding Control Kits | \$105.95

BP483 | Advanced Bleeding Control Kits | \$167.95

Basic Level

- 1 - C-A-T Tourniquet®, orange
- 1 - 6" NAR® responder ETD, trauma dressing
- 2 - NAR® wound packing gauze
- 2 - Responder nitrile gloves, large
- 1 - NAR® trauma shears, 7.25"
- 1 - emergency survival blanket, 56" x 96"
- 1 - permanent marker
- 1 - just in time instruction card

Intermediate Level

- All basic level kit items
- 1- HyFin® Vent Compact, Twin Pack

Advanced Level

- All basic level kit items
- 1- HyFin® Vent Compact, Twin Pack
- 1 - Combat gauze LE, Z-fold hemostatic bandage

For more information, visit shop.darley.com

Large EMS Duffel with Supplies

Easily-accessible main compartment, ten inside pockets, four outside pockets and numerous elastic hold-downs. Removable padded insert to hold "D" sized oxygen tank.

- Oxygen cylinder "D" tank with toggle
- Bag valve mask resuscitator (adult)
- Sodium chloride irrigation 500ml
- Disposable airway kit boxed 6-sizes
- Sphygmomanometer economy (adult med.)
- Sphygmomanometer (pediatric)
- Utility scissors 5 1/2"
- Penlight flashlight
- 2 - Nitrile exam gloves, Large 1 pair
- Safety goggles (pair)
- Face mask - Earloop
- 3 - Non-rebreather O2 masks (adult)
- 2 - Non-rebreather O2 masks (pediatric)
- 3 - Nasal cannula (adult)
- Oxygen tubing 7' "Sure Flow"

- Oral glucose tube 31 gr.
- 2 - Multi-trauma dressing 12" x 30"
- 6 - Combine pads 5" x 9"
- 15 - Gauze pads 4" x 4"
- 10 - Gauze pads 2" x 2"
- 2 - Vaseline petroleum gauze dressing 3" x 9"
- Sterile burn sheet 60" x 90"
- 60 - Assorted sheer bandages (3/4" x 3", 1", 3 5/8" x 2 1/4")
- 6 - Roll gauze 3" x 4 yd.
- 6 - Roll gauze 4" x 4 yd.
- Tape 1" x 10 yd. uncovered
- Trainers tape 2" x 15 yd.
- Cloth surg tape 3" x 10 yd.
- 3 - Triangle bandages 40" x 40"
- 2 - Biohazard bags 10 gal.
- 3 - Instant cold packs 4" x 5"
- Obstetrical kit
- Sterile foil baby bunting 1/pkg
- 2 - Bulb syringe
- Emergency blanket 52" x 84"

- 3 - Disposable cuffed masks (adult)
- 2 - Disposable cuffed masks (child/sm. adult)
- Flashlight
- Elastic bandage 3" x 5 yd.
- Elastic bandage 4" x 5 yd.
- Pressure bandage super thick Dyna-stopper
- Dynarex compress bandage 4"
- Brass and aluminum no demand port 1 barb L
- Stethoscope dual head basic



BH039 | Large EMS Duffel with Supplies, Cylinder and Regulator | \$707.95

BH040 | Large EMS Duffel with Supplies | \$532.95

Water-Jel Fire Blanket

A one-step system for Emergency First Aid on a burn victim. It puts out the fire, stops burn progression and cools the skin, eases pain, and protects against airborne contamination. It consists of a scientifically formulated cooling gel and a special carrier. The 100% worsted wool blanket is soaked in a water-based/water-soluble, bacteriostatic and biodegradable gel. The full size blanket adequately covers a patient or can be used to douse a fire or dangerous white phosphorous. Dimensions: 5' x 6'. Shelf life: 5 years. Ship. wt. 21 lbs.



AA714 | Water-Jel Fire Blanket | \$296.95

Water-Jel Burn Wrap

Smallest and most versatile of the blankets, it is ideal for covering torso, leg, or entire back injuries. Dimensions: 3' x 2 1/2'. Shelf Life: 5 years. Ship. wt. 10 lbs.



X856 | Water-Jel Burn Wrap | \$120.95

The Ideal Emergency Blanket for Every Emergency Vehicle

Emergency Wool Blend Fire Blanket

The fire blanket measures 66" x 84" and can quickly and effectively smother flames to help minimize burn injuries. It is perfect for general first aid and emergencies. It is flame-resistant per Flammability Test #ASTM D4151.

- 55% Wool, 45% Synthetic Fiber
- Color: Maroon
- Machine Washable
- Ship. wt. 3.75 lb

BP808 | Emergency Wool Blend Fire Blanket | \$54.95



Emergency Oxygen

Durable emergency oxygen system packaged in an attractive and molded attach-type case. The system comes filled and ready-to-use. When full, the unit will deliver over 1 hour of emergency oxygen for use between the time of an incident that involves respiratory difficulty and the arrival of professionally trained personnel. Includes 0-15 lpm adjustable flow regulator. Unit is refillable for maximum economy. Ship. wt. 10 lbs.



U268 | Emergency Oxygen | \$377.95

Oxygen Case

Designed for an ambulance company to provide extra protection for regulator. 1/2" foam padding, four inside pockets for tubing and supplies. Holds a D-sized tank. Imported. 1000D nylon in green. Dimensions: 21 1/2" L x 8" D.

- Oxygen cylinder D-sized tank w/toggle
- Oxygen brass regulator 0-25 lpm left handed
- 2 - Non-rebreather masks - adult
- Non-rebreather mask - pediatric
- 2 - Nasal cannula - adult
- 2 - Oxygen tubing supply
- 4 - Gloves (latex/vinyl)



BB081 | Oxygen Case with Supplies | \$285.95

Hi-Vis Safety Vests

Ultrabright Red-Fire Class II Public Safety Vest

Introducing the Ultrabright Red-Fire Class II Public Safety Vest. This product features a “zip-off” double Velcro® zipper front closure that allows the vest to breakaway from both sides of the zipper, making it the only 6 point breakaway vest on the market. The “performance cut” offers max comfort and allows access to turnout jacket pockets or portable radios at the waistline. The “chevron” reflective pattern on the back offers max visibility and distinct contrast. The shoulder breakaway points have been upgraded with 2” “re-force” Velcro® to ensure that the vest does not fall apart when donned over a turnout jacket but will still break away in emergency situations.



Specify Size: S, M, L

BN732 | Ultrabright Red-Fire Class II Public Safety Vest | \$53.95

5 Pt. Two Tone Break-Away Mesh Vest - 8 Pockets

Stay safe and visible with our 8 Pocket-5 Pt. Break-Away Mesh Two Tone Vest, designed for maximum functionality and comfort. This high-visibility vest is perfect for professionals who need to stay seen and organized on the job.

- Polyester mesh
- 2” reflective tape with contrasting trim
- Quick release zipper closure
- 5-point break-away system
- 2 mic tabs for radio attachment

Pockets:

- 1 - Double left chest pocket
- 1 - Right chest pocket
- 2 - Lower front pockets
- 2 - Lower inside pockets
- 1 - Inner lower flashlight pocket



Specify Size: M-3XL

BR019 | 5 Pt. Two Tone Break-Away Mesh Vest - 8 Pockets | \$14.95

Public Safety Vests

Public Safety Vests meet the new ANSI/ ISEA 207-2006: American National Standard for high-visibility public safety vests. Their breakaway design prevents entanglement. Easy on/off with hook and loop front closure and fully adjustable sides. Added features include mic tab, clear badge chest pocket with closure and radio chest pocket with flap closure. Made with ANSI tricot fabric and 3M™ Scotchlite® reflective tape.



Specify Size: M/L, XL/2X, 3X/4X

BG516 | Public Safety Vest FIRE | \$32.95

BG516

Keep Emergency Personnel Safe at the Scene

Roll-Up Stop/Slow Paddle

Roll-Up Stop/Slow paddle offers a full size paddle in a compact, lightweight, and easy to store design. Paddle comes in Super Bright reflective, double sided, 24" octagon material with an adjustable staff to 6' or 7'. The kit comes complete with double sided roll-up sign face, handle, and storage bag. Roll-up design protects sign face from damage and provides compact storage. Telescopic handle is ABS plastic with tube and socket connectors and locking spring buttons.

- Meets all MUTCD specifications
- 24" double side sign made of super bright reflective material
- ABS plastic staff adjusts to 6' or 7'



BP113 | Roll-Up Stop/Slow Paddle | \$146.95

Fold & Roll™ Sign System

Emergency personnel face not only the hazard at the situation they are attempting to suppress, but they are also facing hazards from motorists driving through or near an emergency scene. Advanced warning signs alert motorists of hazardous conditions ahead and create a higher level of awareness. Proper training in the use and deployment of signage is essential as are general safety guidelines to be used in hazardous situations. Ship. wt. for sign 8 lbs., sign and stand 27 lbs.

Legends:

- Accident Ahead
- Detour. Extra charge for arrows, call your Darley representative for pricing.
- Emergency Scene Ahead
- Collapse Zone
- Command Post
- Incident Ahead
- Fire Area Keep Out
- Traffic Emergency Ahead
- Fire Training Ahead

Specify Legend: See Above
Specify Color: Orange or Pink

- BA107 | 36" Sign/Stand Fold & Roll™ Sign System | \$292.95
- BA108 | 48" Sign/Stand Fold & Roll™ Sign System | \$389.95
- BA109 | 36" Sign Only | \$146.95
- BA110 | 48" Sign Only | \$209.95



Barricade Banner Tape

It's so inexpensive that you can carry a spool in every emergency vehicle. Each spool is 3" x 1000' and made of tough 2 mil. Polyethylene. Available in various colors and legends. Ship. wt. 4 lbs.

1000 ft. rolls!



Titles
FIRE LINE DO NOT CROSS
CAUTION DO NOT ENTER
DANGER DO NOT ENTER
CAUTION BIOHAZARD

Specify Legend

AJ351 | Barricade Banner Tape | \$15.95/roll

Day/Night Barricade Tape

The brand new technology of Day/Night visibility barricade tape is formulated with an exclusive night time visibility silver ink that is combined with our superior co-extruded polyethylene to provide a cost-effective and disposable solution to your night time needs. Length: 3" x 1000', thickness: 3 mil. Ship. wt. 4 lbs.



Specify Legend:

Caution, Danger, Fire Line Do Not Cross
BA101 | Day/Night Barricade Tape | \$18.95/roll

Traffic Cones to Fit Your Every Need

Darley Traffic Cones



Feature brilliant Day-Glo fluorescent orange color with ultraviolet additives to protect against color fading and wide base for maximum stability. Available with or without reflective collars.

Color: Orange

Without Reflective Collars

- T444 | 12" Traffic Cone | \$8.95
- T445 | 18" Traffic Cone | \$11.95
- T446 | 28" Traffic Cone | \$20.95
- T447 | 36" Traffic Cone | \$27.95

With Reflective Collars

- AK263 | 12" Traffic Cone with 4" Collar | \$11.95
- AK264 | 18" Traffic Cone with 6" Collar | \$15.95
- AK265 | 28" Traffic Cone with 4" and 6" Collars | \$28.95
- AK266 | 36" Traffic Cone with 4" and 6" Collars | \$33.95

All Cones		
Size	Case	Weight
12"	30	45 lbs.
18"	20	68 lbs.
28"	10	58 lbs.
36"	10	110 lbs.



Quick Deploy™ Spring Cone™ Tote and Bag System

- Compact for easy storage on any truck, or in vehicle trunk
- Meets MUTCD requirements for 28" highway traffic cone
- Flexible Spring Cone™ splits wind for increased stability
- Quickly deployed Spring Cone™ delineates traffic at any scene
- Cone is made of a durable, bright orange, flexible mesh material
- Rubber base holds cone in place and grips the road for stability
- Flexible spring allows cone to automatically self deploy
- Lightweight - cones are half the weight and pack in one-third the space of traditional highway cones

Spring Cones with Wire/Mesh Tote Storage System

- BB073 | (4) 28" Reflective (6" and 4"), 3 lb. Spring Cones and 1 Tote | \$211.95
- BG143 | (4) 28" Reflective (6" and 4"), 5 lb. Spring Cones and 1 Tote | \$234.95
- BB075 | (6) 28" Reflective (6" and 4"), 3 lb. Spring Cones and 1 Tote | \$285.95
- BG144 | (6) 28" Reflective (6" and 4"), 5 lb. Spring Cones and 1 Tote | \$336.95

Spring Cones

- BB077 | 28" Reflective (6" and 4"), 3 lb. Spring Cone | \$46.95
- BG145 | 28" Reflective (6" and 4"), 5 lb. Spring Cone | \$54.95



Pop-Up Flashing Cones

- Safe, compact, highly visible and collapses flat for easy storage
- Meets MUTCD Standards
- Constructed of orange waterproof nylon
- Internal light has two settings: Steady burn and flashing
- Replaceable lithium battery
- Cone light endures 100,000 flashes or 36 hrs. of steady burn
- Sold in packs of 4 or 5 cones with one carrying bag included
- Meets the new 2009 NFPA 1901- Current edition apparatus standard for fire apparatus
- Ship. wt. 17 lbs.



- BG503 | 28" Pop-Up Flashing Cones with Orange Plastic Base (Set of 4) | \$167.95
- BH143 | 28" Pop-Up Flashing Cones with Orange Plastic Base (Set of 5) | \$221.95
- BH144 | 30" Pop-Up Flashing Cones with Black Rubber Base (Set of 5) | \$244.95



Lightweight Megaphone

- Patented Piezo Dynamic technology allows efficient operation
- Lasts 40 hrs. Continuously on 8 "C" cells
- Weighs 50% less than a conventional model
- Adjustable volume
- Can also use rechargeable batteries
- Charge with 12V DC car cable or plug-in DC transformer
- Dimensions: 14 1/4" x 8 1/2"
- Ship. wt. 3 lbs.



BH058 | Lightweight Megaphone | \$99.95

Flight Site Landing Zone Kit

The Flight Site 5-strobe system, with it's 12,800' ceiling, identifies the landing zone to the pilots from great distances. It's easy-to-use and quickly deployed. Patented Weightwashers™ will not allow the strobes to move even under the heaviest rotor wash conditions. Enhance your medivac landing zones as well as emergency scenes. Ship. wt. 5 lbs.

This kit features built-in magnets, allowing weights to attach via magnet rather than a screw. As a result, all weights will now come without threads. This module no longer has a steady mode, but the light is approximately twice as bright as previous versions.



Includes:

- 4 - amber LED modules
- 1 - red LED module
- 5 - Weightwashers™ for Stabilizing strobes
- 10 - AA batteries
- Carrying bag

BR062 | Flight Site Landing Zone Kit | \$275.95

Darley Safety Flares

15 and 20-minute flares sold in cases of 72. 30-minute flares sold in case of 36.



Cat#	Description	Case Price
AF409	15 Minute, No Spike	\$158.95
W948	30 Minute, No Spike	\$128.95
W950	30 Minute, With Spike	\$150.95
AF411	30 Minute, With Stand	\$143.95

Three-Triangle Vehicle Warning Kit

No flares or electric flashers are necessary with the Vehicle Warning Kit. The kit includes three fold-out reflective triangles that snap into position in seconds. Each triangle is attached to a heavy four pound weighted base. Made of tough plastic with reflective red and fluorescent orange on both faces. Comes complete with handy carrying case for easy storage. Ship. wt. 15 lbs.



P639 | Three-Triangle Vehicle Warning Kit | \$28.95

Hand-Held Lights

Tactical Fire Light with Multi-Angle Helmet Mount

The Tactical Fire Light is rated at 180 Lumens and has a tight long-throw beam that is distance-rated at 190 meters. The entire system is IP-X7 waterproof and is drop rated at 2 meters. The mount can be attached to either side of the helmet to provide hands-free illumination for the wearer. Additionally, the user can set the angle of the mount through 140 degrees of adjustment to provide clearance around face shields, goggles or other helmet-mounted equipment.



BN166 | Tactical Fire Light w/Multi-Angle Helmet Mount | \$69.95

Vantage® 180X Helmet/ Right-Angle Flashlight

The Streamlight Vantage® 180X Helmet/Right-Angle Flashlight gives you the ultimate versatility in a firefighter's light and goes instantly from a helmet light to a handheld light to a right-angle light. So wear it, hold it, clip it, or even hang it!

- 250 lumens (high)
- Helmet/right-angle/handheld light
- 180° rotating head (for right-angle use)
- Rear LED taillight changes from blue to white



BN500 | Streamlight Vantage 180X Helmet/Right-Angle Flashlight | \$89.95

Recoil Led Technology™

Sabrelite™ 2010 LED™

- Lumen Value: 109
- 3 C alkaline batteries (not included)
- Run-Time: 32 hours
- O-ring sealed w/ twist-on shroud
- Polarity battery guard tray included
- Approvals: Class I, II, III, Div. 1 Gp. DFG T4, Class I, Div. 2, Gp. ABDCD T4 CE II 3 GD T135°C EEx nL IIC T4



Specify Color: Black or Yellow

BE045 | Sabrelite™ 2010 LED™ | \$72.95

3315 Compact LED Flashlight

The new 3315 LED flashlight is a lightweight, compact design housing only 3AA batteries powers a single LED for 113 lumens of super bright LED light. Safety approved for the most volatile work environments, the 3315 LED flashlight is safe, and one of the most efficient flashlights on the market today.



Color: Yellow

BL464 | 3315 Compact LED Flashlight | \$43.95



Ultra-Slim 20 LED Fire Helmet Light

FoxFury Command 20

Fits ALL fire helmets with goggles, Bourke eye shields, EZ-Flips, and Defender visors, and external face shields. Meets NFPA fire resistant requirements (500°F for 30 minutes). Ship. wt. 1 lb.

- 60 lumens
- 20 LEDs: 18 white, 2 green
- 4 AA batteries
- Battery Life: 7 to 12 hrs.
- 3 modes
- Optimized blend of focused, distance, and panoramic light
- Rear safety LED (Red)
- Tap on/off switch
- Polycarbonate housing
- Fire and impact resistant
- Waterproof to 20'
- Dimensions: 4.8" W x 0.7" D x 1" H



BK367 | Command 20 Fire Helmet Light | \$108.95

Helmet-Mounted Multi-Function Dual-Light™ Flashlight

Outshines the competition with its powerful 220 lumen tightly-focused Flashlight and a beam distance rating of 600'. Choose from two additional lower lumen settings at 100 or 30 lumens. User-selectable brightness Floodlight with a soft unfocused light pattern. Brightness and choice of 100 or 50 lumens for typical use, as well as a "Survival" mode at 15 lumens for emergency situations. Additionally, in Dual-Light mode the user can light up the distance and the ground at the same time. Also features a green, rear facing LED light for easy identification. Fits any fire helmet (or side-brim hard hat) thanks to the multi-angle adjustment feature. IP-X7 rated waterproof and meets the requirement for NFPA-1971- Current edition-8.6 (2013). Powered by 2 CR-123 batteries (included.)



- CREE LED technology - 50,000+ hours LED life
- Cast from ADC12 aluminum alloy
- Waterproof
- Impact and chemical resistant
- Meets the requirements for NFPA-1971- Current Edition 8.6 (2013)



BN171 | Helmet-Mounted Multi-Function Dual-Light™ Flashlight | \$113.95

Compact, Powerful, Shock-Proof & Virtually Indestructible

Vantage® Helmet-Mounted Light

- Lightweight, compact, low profile design easily attaches above or below full brim on fire helmets
- Anodized aircraft aluminum, high impact, chemically resistant engineering polymer LED housing
- Fits both traditional and modern style helmets & hard hats
- Solid-state current regulation for consistent illumination
- IPX7 rated, waterproof up to 1 meter for 30 minutes
- 115 lumens; 167 meter beam distance; runs 6 hours
- Meets NFPA 1971-8.6 (2013) requirements
- Length: 3.26"
- Ship. wt. 1 lb.



Ultra-Bright Blue Taillight LED



BG518 | Vantage® Helmet-Mounted Tactical Light | \$137.95

Tighten with your fingers

Textured parabolic reflector produces a smooth beam hotspot

C4 LED is 2-3X brighter than previous generation LEDs

Reflective strip

Uses two 3V CR123A lithium batteries (included)

Rotates 360°



Light on the Go

Vulcan® 180 LED Lantern

The lightest portable lantern of its kind, the Vulcan 180 is designed to burn brighter and run longer making it an essential firefighting tool. This rechargeable, waterproof lantern has a 180 degree tilting head which allows you to direct the light where you need it. Three ultra-bright white LEDs bring you extreme brightness along with two blue taillight LEDs for visibility in thick smoke.

- 1,200 lumens; runs 4.75 hours; 548m beam distance
- 180° articulating head aims the beam where you need it
- Flat base area allows light to stand on its own for scene lighting
- Two ultra-bright blue taillight LEDs make certain you can be seen even in thick smoke
- High-impact, super-tough nylon body; head constructed from high grade aluminum encased in super-tough nylon
- Taillight LEDs can be programmed on or off



BN672



BN672 | Vulcan® 180 LED Lantern Standard System | \$272.95
 BN673 | Vulcan® 180 LED Lantern Vehicle Mount System | \$253.95

Fire Vulcan® Lanterns

- Up to 80,000 candela peak central intensity; 150 lumens
- 2 lightweight lithium ion nanotechnology cells: recharges in 5 hrs.
- Charger base meets requirements of NFPA 1901
- IPX7 rated design – waterproof to 1 meter for 30 minutes
- Deep-dish parabolic reflector produces a tight beam with optimum peripheral illumination
- Rated product, Class I Division 2 Groups A, B, C, D, Temperature T4A; Class II Division 2 Groups F, G, Class III, Temperature T-54°C (T6)
- Run-Times:
 Steady high LED & taillights: Up to 3 hrs to the 10% output level low: Up to 6 hrs
- C4 LED, impervious to shock with a 50,000 hr lifetime
- 8 programmable functions
- About 45% lighter than the halogen Fire Vulcan®
- Ship. wt. 3 lbs.



BG522 | Fire Vulcan® LED Standard System w/AC/DC | \$212.95
 BG523 | Fire Vulcan® LED Vehicle Mount w/12v DC | \$201.95
 BG524 | Fire Vulcan® LED without Charger | \$180.95



BG522

Instant Duo Turbo Dual Angle Flashlight

NEW

This intrinsically safe, dual-light flashlight features a powerful LED beam with 200 lumens of brightness, perfect for hazardous environments. Its durable, impact-resistant design is waterproof and dustproof, ensuring it withstands harsh conditions.

- Dimensions: 6.25" L x 2.75" W x 2.5" D
- Weight: 11 oz.
- Head diameter: 2.75"



Specify Color: Red or Green
 BP951 | Instant Duo Turbo Dual Angle Flashlight | \$59.95





Vulcan® 180 HAZ-LO® Rechargeable Lantern

Developed for use in hazardous locations on a portable scene light platform, the Class I, Div. 1 safety-rated Vulcan 180 is lightweight and rechargeable. Combine the three extreme bright white LEDs with cordless operation to eliminate trip hazards while two ultra-bright blue taillights provide visibility in thick smoke.

- 180° articulating head, locks in-place in forward facing position
- Light output:
 - High for a bright, far-reaching beam: 400 lumens; 316 beam; runs 10 hours
 - Low for a less intense beam and longer run time: 130 lumens; 128m beam; runs 24 hours
- Rechargeable lithium ion battery; fully recharges in 15 hours with battery status indicator
- Includes quick release buckle strap, charging rack and AC/DC chargers

Specify Color: Orange or Yellow

BP405 | Vulcan 180 HAZ-LO Standard System - 120V/100V, AC/12V DC | \$280.95

BP406 | Vulcan 180 HAZ-LO Vehicle Mount System - 12V DC | \$271.95



E-Flood® LED Lanterns

The E-Flood® and E-Spot® models are industrial-duty, rechargeable, portable lanterns featuring power LED technology for high brightness, long runtime and high reliability. The E-Flood® models use 6 LEDs and wide pattern reflectors to produce a uniform flood pattern.

- Optimized electronics provide regulated intensity
- 2 Levels of Lighting:
 - High: 4,000 candela, 615 lumens, 8 hrs. run-time
 - Low: 2,150 candela, 330 lumens, 18 hrs. run-time
- Zero-maintenance, 6V, 12 amp-hr sealed lead acid battery is rechargeable up to 500 times
- High impact ABS thermoplastic housing
- Rubberized impact bumper, lens ring and cushioned-grip handle
- Fits existing LiteBox® chargers
- IPX4 Rated for weather resistant operation

BK047 | E-Flood® LiteBox® Standard System with AC/DC, Shoulder Strap & Mounting Rack | \$244.95

BK048 | E-Flood® LiteBox® Firebox Vehicle Mount System with DC, Shoulder Strap | \$235.95

BK049 | E-Flood® FireBox® Standard System with Dual Rear LED's, AC/DC, Shoulder Strap & Mounting Rack | \$255.95

BK050 | E-Flood® FireBox® Vehicle System with Dual Rear LED's, DC, Shoulder Strap | \$246.95

BK371 | E-Flood® Upgrade Kit | \$81.95



E-Spot® LED Lanterns

The E-Spot® model is an industrial-duty, rechargeable, portable lanterns featuring power LED technology for high brightness, long runtime and high reliability. Mounting rack meets NFPA requirements mounted in any position.

- 2 user programmable ultra-bright blue tail-light LED's
- 2 Levels of Lighting:
 - High: 55,000 candela peak beam intensity, 540 lumens, up to 7 hrs.
 - Low: 32,000 candela peak beam intensity, 330 lumens, up to 15 hrs.
- Shoulder strap

BK226 | E-Spot® FireBox® with 120V AC/12V DC | \$231.95

BK227 | E-Spot® FireBox® with Vehicle Mount System | \$223.95

BK228 | E-Spot® LiteBox® with 120V AC/12V DC | \$217.95

BK229 | E-Spot® LiteBox® with Vehicle Mount System | \$212.95

BK370 | E-Spot® Upgrade Kit | \$60.95



NFPA

Hand-Held Lights

Optimal Handheld Flashlights

NEW

Survivor Pivot® Light

- Housing, base, and battery housing are made from high-impact, super tough polymer
- Spring-loaded clip with a built-in D-ring easily attaches to belts and harnesses
- One-way valve for case venting
- 2.6 Ahr Li-Ion battery pack fully charges in 5 hours. Battery status indicator shows red when charging and turns green when fully charged.
- Height: 7.93"
- Width: 2.86"
- Thickness: 3.29" (without magnet) 3.64" (with magnet)



- BP957 | Survivor Pivot® Light - Alkaline | \$96.95
- BP958 | Survivor Pivot® Light - USB Rechargeable | \$107.95
- BP959 | Survivor Pivot® Light - 120vAC/12vDC Rechargeable | \$182.95

- BD203 | Survivor® Rechargeable with AC/DC | \$241.95
- BD206 | Survivor® (Alkaline Model) - Orange | \$73.95

Survivor® Flashlight

- Available in rechargeable and alkaline models
- Features LED technology with four lighting modes



INTEGRITAS™ Intrinsically Safe Rechargeable Lantern

- 1,750 Lumens on High, 600 Lumens on Low
- Class I, Division II intrinsically safe, meets NFPA 1971 - Current Edition -8.6 (2013) requirements
- Dustproof/Waterproof
- 180° Downward pivoting head
- Rear green safety lights
- Rechargeable Li-ion battery pack w/locking truck charger
- Extended run time to 11.5 hours
- AC and DC power supply
- Removable shoulder strap



- BP045 | INTEGRITAS™ Rechargeable Lantern | \$249.95

INTRANT™ Dual-Light™ Angle Light

- cULus, ATEX and IECEx listed Intrinsically Safe
- Flashlight/Floodlight/Dual-Light
- Flashlight pivots 90° with 45° downward angled floodlight



- BN718 | INTRANT™ Dual-Light™ Angle Light - 3AA | \$74.95
- BN719 | INTRANT™ Dual-Light™ Angle Light - Rechargeable | \$147.95

Portable Scene Light Rechargeable Lantern

Rapidly deployed and easily stowed, the Portable Scene Light brings 5,300 lumens to your work area. With its narrow footprint and 72" extension pole, this light goes almost anywhere, from wide open places to tight, confined spaces.

- Light Source: 12 LEDs and wide pattern reflectors produce a uniform flood pattern with two selectable beam widths and three light output intensities
- Battery: Zero-maintenance 12V, 7.2Ah sealed lead acid batteries are rechargeable up to 500 times
- 0 hour charge to 90% battery capacity
- AC charger included for continued use
- Packs to a compact size (22") for storage
- 90° swivel for optimum peripheral illumination
- Dimensions: 22" L x 6.5" W x 11" H
- Weight: 25 lbs. (11.3 kg) with batteries



BL661 | Portable Scene Light Rechargeable Lantern | \$814.95



Portable, Cordless & Deploys Quickly

Nomad 360 Rechargeable Scene Light

- 7000 lumens
- 3 Modes: Low, medium and high
- Use as 360° scene light, 120° area light or 12° spotlight
- Telescopes up to 99"
- Rechargeable Li-ion battery system
- Run-Time: 3-24 hours
- Charge Time: 7 hours
- Battery level indicator
- AC or DC charge/drive
- Weight: 23 lbs.
- Shoulder strap for easy carry
- Waterproof and fire scene ready



BL733 | Nomad 360 Rechargeable Scene Light | \$2,357.99



9490 Remote Area Lighting System

- Maintenance free LED array with 50,000 hour life expectancy
- Intelligent control (allows for various light output levels)
- Full time battery level indication with low level flashing indicator
- Quick release / hot swappable battery design with 12 volt power supply
- Deployable 6' mast with 340° rotation
- Multiple deployment positions
- Convenient shoulder strap
- Switch Type: Silicone rubber keypad
- Lumens: Up to 6,000
- Closed Dimensions: 6.5" x 20" x 11.25"
- Run-Time: Low: 24 hrs., Medium: 12 hrs., High: 3.5 hrs.
- Weight: 32 lbs.



Specify Color: Black or Yellow

BL827 | 9490 Remote Area Lighting System | \$1,225.95



Badges

Six Great Blackinton Finishes To Choose From

- Nickel Plate: Nickel plating over polished badge base
- Rhodium Plate: Platinum over nickel-brilliant white finish
- Gold Electroplate: Gold tone with rich, bright appearance
- Hi-Glo®: Gold tone with brilliant luster and clear coating
- Karatclad®: Gold tone with heavy coating of karat gold
- Two Tone: Combination of gold and silver colors



Badges shown
actual size

Blackinton®



B38



B957



B538



B296

Badge Centers

State Centers All 50 States Available



Plain
FREE with any badge purchase



Rim Color
FREE with Hi-Glo, Two-Tone or Karatclad® Badge (\$3.00 additional on other)



Full Color
FREE with Hi-Glo, Two-Tone or Karatclad® Badge (\$5.00 additional on other)

Badges shown
actual size

Firefighter Centers

All Levels of Command Available
Specify Style & Command On Ordering Form

Plain
FREE with any badge purchase



One Color
FREE with Hi-Glo, Two-Tone or Karatclad® Badge (\$3.00 additional on other)



B96



B537

EMS Centers

Specify Center Number & Style on Ordering Form

Plain
FREE with any badge purchase



One Color
FREE with Hi-Glo, Two-Tone or Karatclad® Badge (\$3.00 additional on other)



Two Color
FREE with Hi-Glo, Two-Tone or Karatclad® Badge (\$5.00 additional on other)



B519



B297



B39

Red Rack™ Storage Systems



The open air design of Red Rack™, along with our Dry Kwik accessories, provides for free air circulation and helps dry PPE much faster. As a result, mold and mildew will not prematurely destroy the fibers of your gear and it will last longer. Red Rack™ components are coated with a durable red powder coat finish.

- 20" and 24" wide sections
- 20" D x 72" H compartments
- Adjustable helmet shelf
- Adjustable boot shelf
- Adjustable apparel hooks
- 2 - Hanging hooks per compartment
- Heavy-duty powder coat finish
- Label holder for nameplate
- Horizontal hanger rod



A. Wall Mounted Red Rack™ Turnout Gear Storage Systems

Cat#	Openings	20" W x 20" D x 72" H (Per Opening)	24" W x 20" D x 72" H (Per Opening)
BD085	1	\$438.95	\$444.95
BD086	2	\$707.95	\$720.95
BD087	3	\$974.95	\$994.95
BD088	4	\$1,273.95	\$1,303.95
BD089	5	\$1,535.95	\$1,588.95
BD090	6	\$1,816.95	\$1,858.95
BD091	7	\$2,096.95	\$2,154.95
BD092	8	\$2,380.95	\$2,437.95
BD093	9	\$2,649.95	\$2,353.95
BD094	10	\$2,922.95	\$3,017.95

Call your Darley representative for pricing on more openings.

B. Single-Sided Mobile Red Rack™

Cat#	Three 20" Sections 64" L x 20" D x 81" H	Three 24" Sections 76" L x 20" D x 81" H
BD095	\$1,271.95	\$1,307.95

Units are supplied with four swivel caster - two with foot-operated brakes.

C. Double-Sided Mobile Red Rack™

Cat#	Six 20" Sections 64" L x 40" D x 81" H	Six 24" Sections 76" L x 40" D x 81" H
BD096	\$1,910.95	\$2,018.95

Units are supplied with four swivel casters - two with foot-operated brakes.



A



B



C



Storage Systems That Accommodate More Than Just Turnout Gear

Multiple Purpose Storage System

Designed with versatility and durability in mind, this storage system helps you keep your space tidy and efficient. Assembly Required. It is made with high-quality materials to withstand heavy use and maximizes storage capacity.

- Heavy-duty steel frame with a powder-coated finish for rust resistance
- Adjustable shelves

BR036

- More compact, making it ideal for smaller spaces
- Dimensions: 48" W x 18" D x 72" H
- Weight capacity: 600 lbs. per shelf

BR037

- Wider frame for larger items or bulk storage
- Dimensions: 36" W x 18" D x 72" H
- Weight capacity: 800 lbs. per shelf



BR036



BR037

BR036 | Multiple Purpose Storage System - Hose/Cylinder | \$998.95

BR037 | Multiple Purpose Storage System - Hose/Cylinder/SCBA | \$2,243.95

S.O.S. Racks

Design accommodates SCUBA cylinders, Oxygen bottles, and SCBA cylinders. The modular design allows you to configure each compartment with any combination of specialized shelves and/or flat shelving for gear bags, turnout gear and dive gear storage/drying. The S.O.S. Rack features four 1,050 lb. capacity casters and is constructed of heavy duty steel tubing with high strength wire. A durable powder coat finish protects the rack and will provide years of service.

- Dimensions: 32" D x 81" H x 76" L
- Flat shelves available for gear bags and other equipment
- Specialized bottle shelves hold up to 18 SCUBA, Oxygen, and SCBA cylinders securely per vertical section
- Legendary Ready Rack quality
- Ships knocked down to save you money



BH145

BH145 | S.O.S. Rack | \$2,130.95

BH146 | S.O.S. Rack Bag Storage with 12 HBS Shelves | \$2,210.95

BH147 | S.O.S. Rack Cylinder Storage with 12 V Shelves | \$2,210.95



BH146



BH147



Turnout Gear Extractors

Experience the reliability and efficiency of Circul-Air extractors, designed to meet the specific needs of fire stations and other facilities requiring clean PPE. Best-in-class programming designed to remove toxins and carcinogens quickly and efficiently to ensure NFPA 1851 - Current edition compliance. Circul-Air PPE extractors include a 2-year warranty.

Express Soft Mount Extractors

The Circul-Air CACSM Express series of front-load extractors offers unique features and benefits tailored to fire stations and other facilities needing clean PPE. With its exclusive 10-minute spin cycle, pre-programmed detergent dosing pump, NFPA 1851 recommended wash cycles, commercial quality construction, and 2-year warranty, this extractor ensures efficient and compliant laundry operations. Experience the Circul-Air difference and enhance your laundry system today.

- NFPA compliant wash cycles, proven and verified by multiple ISPs
- Complimentary 1 gal. of Citrosqueeze® to get you started
- Pre-configured dedicated Fire PPE Wash Cycles
- 2-year warranty



BP658 | Express Soft Mount Extractors - 22 lbs. | \$5,527.95

BP659 | Express Soft Mount Extractors - 30 lbs. | \$7,831.95

PPE Turnout Gear Extractors

Remove toxins and carcinogens with confidence with Circul-Air's selection of hard mount and soft mount extractors. Circul-Air offers the widest selection of extractors to suit your station's needs, space, and budget. All Circul-Air extractors feature best-in-class programming options designed specifically for the fire industry as per NFPA's latest edition.

- NFPA compliant wash cycles, proven and verified by multiple ISPs
- Chemical dosing pumps pre-configured to dose the right amount of ISP-verified detergent
- Commercial or industrial grade constructions available
- Hard or soft mount configurations available
- Easy and ready-to-use installation
- Complimentary 1 gal. of Citrosqueeze® to get you started
- 2-year warranty



BP243 | 35 lb. Mount Extractor | \$12,427.95

BP244 | 40 lb. Mount Extractor | \$14,608.95

BP245 | 55 lb. Mount Extractor | \$18,214.95



Dual Purpose Dryer

Get your turnout gear and hose back into circulation quickly with Circul-Air's time-tested Dual Purpose Dryer. Trusted since the 1940's, Circul-Air is not only confident that the durability of our cabinet dryers will exceed expectations, we stand by it with an industry-leading 10-year warranty.

Preprogrammed to be NFPA 1851 - Current edition compliant, the Dual Process Dryer dries gear quickly without damaging it. It includes 6 gear hangers, 6 glove hangers, and 10 wire racks, enabling you to dry 8-10 pieces of gear and up to 500' of 5" hose (separately).

All of our cabinet dryer varieties are proudly made in North America for the fire industry specifically. Choose from our 2-gear, 4-gear, 6-gear, or Dual Purpose Dryer varieties.



Specify voltage requirements

AJ457 | Dual Purpose Dryer | \$11,058.95

Roto-Decon SCBA Washer

NEW

The Roto-Decon SCBA Washer offers an intuitive, visual status provided on a large 7.0" touchscreen with access to features and cycles not offered by the competition. Working with industry experts we have developed different methods of cleaning, encouraging more separation of gear and the proper use of manufacturer accessories.

- Product uses clean water only with extra filtration for optimal cleansing power
- Cleans SCBA harness and mask, SCBA bottles or hardgoods, helmets, gloves, or boots
- Selectable extended fresh-water rinse, clean water only, extra filtration and boiler heat only features
- Proudly made in North America
- 3-year warranty
- Machine weight: 800 lbs.
- Shipping weight: 875 lbs.
- Dimensions:
 - Door open 90°: 52" x 51" x 80"
 - Door open 180°: 78" x 44" x 80"

5 Touchscreen Modes

- Mask & Harness
- SCBA Cylinder
- Boot & Glove
- Target Clean
- Cabinet Clean

Selectable Features

- Extra Freshwater Rinse
- Extended Filtration
- Clean Water Wash Only
- Boiler Heating Only

BP949 | Roto-Decon SCBA Washer 240 Volts | \$26,250.95

BP950 | Roto-Decon SCBA Washer 208 Volts | \$26,250.95



Portable Turnout Gear Dryer



Introducing our Portable Turnout Gear Dryer series, designed to efficiently dry your turnout gear and other essential equipment. Available in three models—PORT-2, PORT-4, and PORT-6—these dryers ensure your gear is ready for action when you need it most. The Portable Turnout Gear Dryer series is designed for ease of use and efficiency. Simply place your wet turnout gear on the dryer, connect it to a power source, and turn it on. The dryer uses a combination of warm air and ventilation to quickly and thoroughly dry your gear, ensuring it is ready for the next use. This process helps to maintain the integrity and longevity of your gear by preventing mold and mildew growth.

- Quickly and efficiently dries turnout gear
- Lightweight and easy to move
- Built to withstand the rigors of frequent use
- Multiple configurations available



- BR035 | Portable Turnout Gear Dryer - 2 Position | \$5,208.95
- BP833 | Portable Turnout Gear Dryer - 4 Position | \$7,488.95
- BP834 | Portable Turnout Gear Dryer - 8 Position | \$8,982.95

Cyclone Drying Systems

For all firefighters who need fast effective drying of their gloves, boots and turnout gear. Heated air blows through vented drying arms to quickly dry wet gear from the inside out - providing comfort, eliminating mildew and ensuring safety in high heat situations. Boots and gloves are dry in an hour. With drying arm extensions to reach further down the arms of coats or the legs of pants the BK402 can dry 1 set of wet turnout gear in about 2 hours, a fraction of the normal time. Cyclone Dryers can be plugged into an existing 120v wall outlet and once anchored to standard 16" wall stud centers extend less than 14" from the wall. Fit with an efficient, custom motor, these dryers boast very low operating costs and unbelievably low noise levels. A digital 120-minute timer allows you to set the time needed for drying and forget about it.



- Weight: 65 lbs.
- Dimensions: 17¹/₄" W x 66" H x 13¹/₂" D
- BK059 | Cyclone Boot/Glove Drying System | \$1,064.95
- BK402 | Cyclone w/ Drying Arm Extensions for Turnout Gear | \$1,064.95

Citrosqueeze® PPE/Turnout Gear Cleaner

Preserves the quality of gear with Citrosqueeze®, the turnout gear cleaner used by some of the largest US fire departments and by authorized turnout gear cleaning and repair centers nationwide. Citrosqueeze® is formulated to remove the harmful and stubborn hydrocarbons and soils resulting from fires and chemical spills while maintaining the integrity of turnout gear. Citrosqueeze® PPE cleaner is tested and proven safe by Dupont, Southern Mills, W.L. Gore & Assoc.. (Germany), 3M Products, Safety Comments International, Inc., and CIBA Specialty Chemicals.



BK065

Cat#	Description	Volume	Price
BK064	Citrosqueeze PPE/Citrosqueeze PPE	1 gal.	\$164.95/4 Bottles
BK065	Citrosqueeze PPE/Citrosqueeze PPE	5 gal.	\$188.95/1 Bottle

Fast Dry Coat Hanger

Keeps expensive coats organized and dry! Gear dries quicker because air circulates better inside the garment, allowing fabric-fibers to dry faster. Specify open or closed hook style. Ship wt. 1 lb.



- AF072 | Fast Dry Coat Hanger | \$16.95

Toolok HD

Performance Advantage Company Toolok HD Bracket is a cost effective, versatile and easy to use product, providing secure mounting for a wide variety of tools and equipment.

- Wider mounting base for increased stability
- Strength enhanced base material for more durability
- Thicker walled locking strap for more strength
- Molded from high quality materials
- High performance elastomer GRIPLOK is rated to 5400 psi
- The GRIPLOK strap easily adjusts for various size equipment
- Weather, UV resistant
- Non-conductive
- Certified for in-cab use per NFPA Standards



BN470 | Toolok HD | \$35.95

Ideal for Exterior Mounting

Stow-N-Loc

FAST tool storage with clamp-action brackets. PLUS simple positive locking strap when ready.

- Grip range 1" to 1 1/2" diameter
- Adjustable, high-strength, fast-action locking strap
- 2 Heights: Tall: For long hooks
Short: For close mounting
- NFPA 1901- Current edition
Compliant 9G impact



BL263 | Stow-N-Loc Tall | \$51.95

BL264 | Stow-N-Loc Short | \$48.95



Coil Lok

- Easily adjusted strap for various conditions and sizes
- Stainless steel fasteners provided
- Multiple objects can be hung together
- Non-conclusive
- Adjustable lock strap capable to 5400 psi tensile strength
- Strap retainer block included
- Adjusted to mount horizontally
- Mounts to PAC tool boards and other flat surfaces



BN317 | Coil Lok | \$45.95

Jumbo Lok

- 3 pivot positions
- Adjustable mounting bracket with grip range of .375" to 3.250"
- 3" square Hurst rams and 3" D Holmatro rams
- Mounts folding ladders, electric drills, heavy-duty jacks, nozzles, chains and more
- NFPA 1901- Current edition compliant 9G impact
- Dual poles
- Playpipes
- Ship. wt. 1 lb.



BC018 | Jumbo Lok | \$69.95

Handleloc Stretchlok System

- Innovative, adjustable mounting bracket
- Secure mounting for tools, axe handles, poles and equipment up to 1 3/4" in diameter
- Quick release for easy retrieval
- Made of elastomer
- NFPA 1901- Current edition compliant 9G impact
- Ship. wt. 1 lb



AF659 | Handleloc Stretchlok System | \$42.95

Keep Your Tools Organized with P.A.C. Mounts



Flexmount Brackets

Flexible Y-shaped mounting brackets designed to provide a secure grip-type mount that wraps around poles, nozzles and a wide variety of other tools and equipment with a grip range from 1 1/2" to 2 1/2". Made from a unique state-of-the-art elastomer that is exceptionally tough, non-sparking and resistant to impact. There's no springs to corrode or break. Hardware/fasteners included. Ship. wt. 1 lb.

AF658 | Flexmount Bracket | \$54.95

AW337 | Short Flexmount Bracket | \$52.95



Universal Saw Kit

The Universal Saw Kit provides a simple easy to use mount for rescue saws. This kit can also be used for many other saw mounting applications. Includes two Universal Mounts, Extended Super Adjustamount, Spacer Blocks and a 12" long unistrut section.

- Molded from high quality materials
- Includes stainless steel fasteners
- Weather, UV resistant
- Non-conductive



BN313 | Universal Saw Kit | \$147.95

Fast Lok Kit

- Track base provides fast setup and adjustment
- No metal to metal contact
- UV resistant
- Fast locking lever
- Adjustable strap length and width supports
- NFPA 1901 - Current edition compliant

Secures:

- Fire extinguishers
- Air cylinders
- Hydraulic pumps
- Rescue tools
- Chain saws
- Oxygen cylinders
- Much more

Easily and quickly secure equipment even with gloved hands



BL664 | Fast Lok Kit 12" Black Strap, 25" Usable Strap | \$135.95

BL665 | Fast Lok Kit 18" Black Strap, 25" Usable Strap | \$151.95

Ironslok and Ironslok HD

- Safe, secure and dependable storage
- Fits 30" halligan, 36" flathead, 6 or 8 lb. force axe
- Mounts horizontal or vertical
- NFPA 1901 - Current edition compliant 9G impact
- Ship. wt. 7 lbs

Ironslok HD

- Designed for larger irons, including the PIG axe



AW391 | Ironslok | \$283.95

BN314 | Ironslok HD Kit | \$353.95

Plastic Air Cylinder & Extinguisher Cradle with Tie-Down Strap

- Includes one plastic cradle and tie-down strap with easy-to-release buckle. Strap loops around the cylinder and tray for added security
- Great for shelves and side compartments
- Cradle measures 20 1/2" L x 6 7/16" W x 1 13/32" H

BP546 | Plastic Air Cylinder & Extinguisher Cradle | \$70.95



Air cylinder Sold Separately



Secure Your Tools With Ziamatic



Wall Mount Can Holders

Wall mount can holders lower the risk of rolling, falling, leaking, denting, and puncturing during transport. Keeps cans organized and easy to locate in a hurry. Mount it to a compartment wall and save space on the shelf below. Ship. wt. 3-5.1 lbs.

- BL674 and BL754:
Fits 32 oz. ($3\frac{3}{8}$ " diameter) cans
or 32 oz. ($2\frac{5}{8}$ " x $4\frac{1}{4}$ ") quart containers
- BL713: Fits 12 oz. cans up to $2\frac{3}{4}$ " diameter
- BL755: Fits 1 gallon cans (7 " x $4\frac{1}{2}$ ")



BL754



BL755

- BL674 | Premixed Can Holder | \$92.95
- BL754 | Double Premix Holder | \$164.95
- BL755 | Gallon Premix Holder | \$92.95

Dependable. Precise. Fast. Strong and Efficient.

SURE-GRIP Equipment Mount

- Dimensions: $\frac{3}{4}$ " to 4" diameter grip range
- UV-resistant materials
- Easier to use with gloved hands
- NFPA-compliant up to 20 lbs.



- BP536 | $\frac{3}{4}$ " to 4" Grip Range | \$41.95
- BP535 | 2" to 3" Grip Range | \$66.95
- BP534 | 3" to 4" Grip Range | \$66.95

Quic-Mount® Bolt Cutter Bracket


Designed for use with 18" to 36" bolt cutters with adjustable stop and pin. Utility straps hold the bolt cutter handles firmly in place. Comes with one fixed strap and one variable strap. Ship. wt. 3 lbs.



AR158 | Quic-Mount® Bolt Cutter Bracket | \$139.95

Chain Saw Mount

Mount chain saws, abrasive cut-off saws and other gasoline engine tools on these specially designed brackets. Absorbent pad collects fluids and may be changed as required. Safety strap secures the saw on the bracket. Ship. wt. 10-12 lbs.



Saw not included



AS326 | Large Mount - $11\frac{1}{2}$ " x $17\frac{1}{2}$ " | \$244.95
AS327 | Small Mount - 10" x 15" | \$222.95

Round Gas Can Mount

Round gas can mount was designed for safety cans with 9" and 13" diameter bases. The safety can is held in place by a 1" nylon safety strap with a quick-release buckle. Ship. wt. 7 lbs.




Can not included



AS328 | Gas Can Mount Up to 2 Gal. | $9\frac{3}{4}$ " ID x $2\frac{1}{8}$ " D | \$158.95
BD079 | Gas Can Mount Up to 5 Gal. | $13\frac{1}{2}$ " ID x $2\frac{1}{8}$ " D | \$184.95

Quic-Bar®/Axe Mounting Bracket Set

Brackets may be mounted to store the bar and axe combination either vertically or horizontally. Variable straps secure the tools for carrying. Add an adjustable shoulder strap and you are ready for business. Ship. wt. 7 lbs.



Tools not included

AS329 | Quic-Bar®/Axe Mounting Bracket Set w/Stop | \$266.95
AS330 | Straps for Quic-Bar® & Axe Mounting Bracket | \$132.95

Apparatus Equipment

Horizontal Mounting Posts

Want to eliminate the head-ache of stacking 1½"-2½" couplings, adapters and accessories? These remarkably simple and unique Horizontal Mounting Posts for double male or female configurations are designed to save cabinet storage space and improve overall truck neatness and efficiency. With no stacking, you can instantly spot the size adapter or coupling you need. Special stainless steel spring clip provides secure holding yet quick-action release. Durable construction materials will not corrode, swell or crack. Single screw mounting takes only minutes.



- BE304 | Double Female 1½" | \$33.95
- BE305 | Double Male 1½" | \$33.95
- BE306 | Double Female 2½" | \$41.95
- BE307 | Double Male 2½" | \$41.95

Mounting Plate

Male mounting plate is made of aluminum. Ship. wt. 1 lb.



- BL365
- | | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|
| 1½" | 2½" | 3" | 4" | 4½" | 5" | 6" |
| \$39.95 | \$44.95 | \$56.95 | \$78.95 | \$79.95 | \$77.95 | \$96.95 |

Holds Any Threaded Fitting Securely

Self-draining with three center mounting holes. Aluminum NST Threads.



- BL366
- | | | | | | | |
|---------|---------|---------|---------|----------|----------|----------|
| 1½" | 2½" | 3" | 4" | 4½" | 5" | 6" |
| \$37.95 | \$56.95 | \$61.95 | \$90.95 | \$118.95 | \$119.95 | \$143.95 |

Storz Hardcoat Mounting Plates

High-tensile aluminum construction with anodized finish to resist abrasion and corrosion. Ship wt. 1 lb.



- AF63801 | 4" Plate | \$47.95
- AF63802 | 5" Plate | \$48.95

Quick Action Nozzle Holder

Running board holder for nozzles and fittings. Positive grip, triple-lock lugs. Designed for NST threads, but will fit similar threads. The spring and lever handle permits proper tension with a quick, easy release. Ship. wt. 2 lbs.



- G321 | 2½" Chrome Plated | \$47.95
- G421 | 1½" Chrome Plated | \$46.95

Storz Lok

- Corrosion-free
- Mounts in any position
- Resistant to heat and cold
- Fast acting mount or dismount
- Easy-to-use with No moving parts
- Automatic lock on the coupling locks it in place
- Rattle Resistant: The "quiet mount" no metal-to-metal contact



BL265

- BC019 | Storz Lok 4" Mount | \$49.95
- BC020 | Storz Lok 5" Mount | \$58.95
- BL265 | Storz Lok 6" Mount | \$84.95

Two-Position Mounting Bracket For Versatility

Booster Nozzle Holder

This neoprene rubber cup mount is the ideal way to mount pre-connected nozzles on fire and emergency vehicles. Bracket sold separately. Ship. wt. 3 lbs.



Shown with optional U402

- U400 | Nozzle Cup Mount 3½" I.D. | \$98.95
- U401 | Nozzle Cup Mount 5½" I.D. | \$114.95
- U402 | Nylon Coated Bracket (Black) | \$58.95

Auto Charge 11-For Dual Batteries

Auto Charge 11 is a fully automatic battery charger for vehicles with dual battery systems. The unit contains two completely independent chargers to sense and control the current to the batteries. Thus parasitic loads on one battery have no effect on the second battery. Total output current is limited to protect the charger but may be supplied to either battery if the adjacent battery does not require it. Normally the current output is proportioned between batteries as required. Comes complete with charging indicator panel. 3-year warranty. 120v input. Ship. wt. 12 lbs.



Specify Voltage: 6, 12, or 24
Y644 | Auto Charge 11 | \$552.95

USB Dual Port

- Dual USB charging ports
- Quick and easy way to recharge electronic devices in a vehicle
- 3 Amps max output allows simultaneous charging of two USB devices
- Built-in LED indicator indicates device is powered
- Designed for easy installation in vehicle switch panels
- Reverse polarity protected
- Can be connected to 12V switched ignition or directly to battery
- Cut-Out-Size: 1.45" x 0.83"
- 3-year warranty
- Ship. wt. 1 lb.



BN592



BL645 | USB Dual Port | \$71.95
BN592 | USB Dual Port w/ Cover | \$84.95

Vehicle Charging Solutions

Air Compressor/Battery Charger Package

Pump Plus

The Pump Plus is a small air compressor and a completely automatic battery charger packaged together. The air compressor is designed to be mounted on vehicles with air brakes to maintain the air pressure in the air brake system while the vehicle is not in use. A pressure switch senses the system pressure and operates the compressor whenever the pressure drops below a predetermined level. Battery charger is completely automatic and is for vehicles with dual battery systems. The batteries are automatically charged and maintain full charge while still being isolated from each other. This unit contains two independent chargers to sense and control the current to the batteries. Designed to mount directly on the vehicle. 12v compressor has 1-yr. warranty; Battery Charger comes with 3-yr. warranty. Ship. wt. 20 lbs.



Automatic Dual Battery Charger



Z112A | Pump Plus HO Package | \$1,367.95
Z112 | 120v AC Auto Pump Compressor | \$654.95

Complete Charging System at An Affordable Price

Auto Charge 2000 Kit

The Auto Charge 2000 with Parasitic Load Compensation (PLC) is a compact, microprocessor controlled, completely automatic, dual channel battery charger designed for vehicles with a dual battery system. The PLC charger is designed to withstand the shock and vibration encountered by vehicle mounted equipment. This new Parasitic Load Compensation feature is designed especially to meet the heavy duty requirements of emergency vehicles. Most emergency vehicles have many parasitic loads on their systems (flash lights, gas detectors, computers, monitoring systems and other items) that can trick a standard 3-step charger into over charging the batteries. Parasitic load compensation allows you to input the total number of parasitic load amps on the vehicle. Then the charger will shift the absorption stage set point so the battery voltage will drop to the float voltage when the desired current is reached. In short the parasitic loads are invisible to the charger. This will lead to a longer battery life and no overcharging or overheating. Ship. wt. 11 lbs.

- Built-in battery saver output
- 3 hour safety timer while in 3-step mode
- Dual bar graph display



AC905 | Auto Charge 2000 Kit | \$1,172.95

Apparatus Equipment

Back-Up Camera Systems

Proven in the industry, 7" HD digital LCD monitor with ultra-clear imaging in a durable housing. It includes an IP69 waterproof camera with night vision (white infrared), a 65' camera cable, and a remote bracket. The Verity Rear Vision System also comes with a slim base heavy-duty mount for easy installation.



BN145 | Back-Up Camera System with 7" Diagonal Monitor | \$515.95

Super Auto Eject & Auto Eject

Super Auto Eject is a completely sealed automatic power line disconnect. This prevents contamination of the mechanism by road dirt and insures long, reliable life. Comes with a weatherproof cover that is spring loaded to close, preventing water from entering. A solenoid wired to the vehicle's starter is energized when the engine is started. This instantaneously drives the plug from the receptacle. This simple, reliable device eliminates the broken cables which result when drivers forget to remove the shore line when driving away. The Auto Eject comes without sealed housing. All units come with 120v AC connector. Both models are weatherproof. Ship. wt. 2 lbs.

Specify Color: Red, White, Yellow or Gray

AG130 | Super Auto Eject, 15 Amp | \$377.95

AG131 | Super Auto Eject, 20 Amp | \$490.95

Y885 | Auto Eject, 15 Amp | \$288.95

AF527 | Auto Eject, 20 Amp | \$338.95

Super Auto Eject
Rear housing included



Auto Eject
Rear housing
not included

InView 360 HD

The inView 360 HD is a revolutionary around vehicle monitoring system that eliminates blind spots by giving drivers a real-time, 360° view around the apparatus. The system increases visibility around the apparatus while also providing increased safety, protection from potential liabilities, and other advanced vehicle tracking capabilities.



- IR sensor
- Remote control
- 4 - HD Ultrawide 1080p cameras
- 1 - ECU with built in DVR (SD cards not included)
- 1 - Standard cable set (note: for longer vehicles an extension cable may be needed for rear camera)
- 1 - External GPS receiver
- 1 - Green pushbutton - screen control
- 1 - Red pushbutton - event
- 1 - Black pushbutton - overlay
- Standard definition splitter

BP560 | inView 360™ HD | \$2,598.95



Automatic Air Eject

This simple, reliable, solid brass device permits pressurizing the vehicle's air pressure system from an external source. Automatically, when the engine is started, the air line is disconnected. Comes with the mating connector, check valve and simple installation instructions. Full 2-year warranty. Ship. wt. 3 lbs.

- Automatically disconnects air line when vehicle is started
- Eliminates broken air lines



AG133

AB034 | Automatic Air Eject | \$379.95

AG133 | Weatherproof Adapter Kit | \$92.95

TankVision Pro 300

The TankVision Pro is the fire industry's first multi-color tank level display. It uses a pressure sensor to sense the amount of liquid in the tank and can be calibrated to accurately display the volume in tanks of all shapes and sizes. Ship. wt. 3 lbs.

- Various Programmable multi-color tank level displays available
- More accurate tank level display
- Fractional scale standard, also available with percentage scale
- 9 LED level indicators with fractional scale
- 10 LED level indicators with percentage scale
- Programmable brightness control
- Full 180° wide-view, easy to see display
- Available for water, class A foam, and class B foam tanks
- Each display has a distinctive color and style




- AR317 | TankVision Pro 300 Gauge Kit, with Master Display Sensor and 10' Cable | \$667.95
- AS309 | TankVision Pro In-Cab Mini Display for Water | \$267.75
- AS312 | TankVision Pro Remote Driver for "Large Light" Display | \$397.95

Heavy Duty Swing-Out™ Valves

Designed for the harsh realities of today's fire service when water contaminants challenge a valve's sealing capabilities. Swing-Out™ design for quicker and easier servicing. No need to remove valves from plumbing when servicing. Operating pressures to 250 psi (17 bar).

- 90° handle travel
- Stainless steel ball with Hydromax provides longer valve life and improved sealing abilities
- Simple two seated design



Cat#	Description	Size	Weight	Price
P880	Heavy Duty Swing-Out™ Valve	1"	6 lbs.	\$299.95
P881	Heavy Duty Swing-Out™ Valve	1½"	8 lbs.	\$298.95
P882	Heavy Duty Swing-Out™ Valve	2"	12 lbs.	\$405.95
P883	Heavy Duty Swing-Out™ Valve	2½"	24 lbs.	\$515.95
P884	Heavy Duty Swing-Out™ Valve	3"	28 lbs.	\$692.95

Valve Repair Kits

Valve repair kits are convenient, economical and easy-to-use. Each kit contains the most frequently replaced parts to help cut down on maintenance time and costs. Kits come sealed to ensure a clean and adequate supply of parts for each job. Kits now are with new Fusion CF™ Composite ball. Ship. wt. 1 lb.

- * Valve and nozzle repair kits are available for most Akron, Elkhart and more. Call for details.



- Kits for Akron 7800 & 7600 Swing-Out™ Series Valves w/Tork-Lok
- AK103 | 1" Valve Repair Kit | \$89.95
- AK104 | 1½" Valve Repair Kit | \$109.95
- AK105 | 2" Valve Repair Kit | \$136.95
- AK106 | 2½" Valve Repair Kit | \$137.95
- AK107 | 3" & 3½" Valve Repair Kit | \$196.95
- Kits for Darley Standard and Full-Flow Valves (excludes ball)
- KA00007 | 2½" Valve Repair Kit for Standard Valves | \$106.95
- KA00009 | 2½" Valve Repair Kit for Full Flow Valves | \$250.00

Eliminates Needle Pulsation for Accurate and Easy Readings

Liquid-Filled Gauges

Crystal-clear Interlube keeps needle fluctuation to a minimum. The SUBZ II freeze-proof isolator keeps gauge working down to -40°F. It's also weather tight so there is no condensation; stops corrosion. Lubricates internal parts, stops wear, maintains accuracy under temperature fluctuations. Zytel (nylon) case with bright stainless steel trim ring has plexiglass lens. 6" gauge has cast aluminum case. Gauges measure 0-600 psi and up to 30" vacuum. Ship. wt. 5 lbs.

Black and white face gauges without logo are available

- T179 | 2½" Liquid-Filled Compound Gauge | \$59.95
- AK075 | 2½" Liquid-Filled Compound Gauge with Bottom Connection | \$67.00
- T180 | 3½" Liquid-Filled Compound Gauge | \$87.95
- AK076 | 3½" Liquid-Filled Compound Gauge with Bottom Connection | \$83.95
- T181 | 4½" Liquid-Filled Compound Gauge | \$196.00
- U966 | Similar to T181 but with 1000 psi | \$129.95
- U967 | 6" Liquid-Filled Compound Gauge | \$329.95



Panel Hole Size Needed for Gauge Installation:

2.5"	3.5"
2.69" (68.33mm)	3.78" (96.01mm)
4.5"	Tolerance
4.85" (123.19mm)	-.020" (0.51mm)



**Attracts Rust & Corrosion
Magnesium Anode Pole**

Sacrificial catalytic action of these magnesium anodes can help to prevent rust or corrosion from attacking your booster tank. Threaded mounting plate suspends the 3/4" x 32" solid anode in the tank water. Bar is easily cut to fit tanks less than 32" deep. Comes with flange and gasket. Ship. wt. 3 lbs.

U971 | Magnesium Anode Pole | \$63.95



Z322



Z321

Ground Sweep Nozzle

Designed for use in fixed system applications. Adjustable nozzles can be pre-set at the factory or set in the field at time of installation. The fog pattern, which can be set up to 120°, can easily be set or adjusted at the job site. Ship. wt. 1 lb.

Specify male or female NPT (Tapered)
Z321 | 3/4" Fixed Nozzle | \$269.95
Z322 | 1" Fixed Nozzle | \$435.95



Mattydale Swivel

Rugged cast brass elbow for use with mattydale hose beds. 1/2" NPT female free swivel inlet with 1/2" NST male outlet. Rough brass finish. Ship. wt. 4 lbs.

BR198 | 1/2" NPT x 1/2" NST | \$186.95
U307B | 2" NPT x 1/2" NST | \$196.95
U307C | 2 1/2" NPT x 2 1/2" NST | \$473.95

Darley Heat Exchanger

Can be installed in the engine cooling system of any pumper. Instead of going directly into the engine cooling system, mixing with the anti-freeze solution, diluting it and then going out through the radiator overflow pipe, the flow of cool water from the pump bypasses through the condenser coils in the Heat Exchanger. The liquid in the cooling system circulates around the condenser coils and is completely cooled. Prevents loss of anti-freeze solution. Measures 24" long. Ship. wt. 10 lbs.



F618 | Darley Heat Exchanger | \$278.95

Fits Between Radiator Hoses

Radiator Heat Exchanger

Does the same job as our F618 Heat Exchanger but fits between the radiator hoses to make installation easier. Only additional connections required are tube lines from pump discharge to return line to suction side of pump. Measures 9 1/2" long. Ship. wt. 9 lbs.



Specify Size: 2 or 2 1/4"
R592A | Radiator Heat Exchanger | \$199.90

Vernier Throttle Control


Easily installed throttle designed for apparatus. Provides both instant and micro meter fine adjustment together with a locking action which is not affected by vibration while pumping. Throttles are shipped complete, ready-to-install in 15' or 20' lengths. Ship. wt. 5 lbs.



F62101 | 15' Vernier Throttle Control | \$71.95
F62103 | 20' Vernier Throttle Control | \$76.95
F62104 | 25' Vernier Throttle Control | \$81.95

Air Primer

- Super quiet; no moving parts
- Lightweight and small mounting space
- Corrosion resistant brass construction
- Oil-less, environmentally safe design
- Self draining
- Air operated (No electrical power required)
- Air Requirements: (2) Barrel = 7 cfm (3) Barrel = 10 cfm
- BL012 & BL013: For Darley/Waterous pumps
- BL014 & BL015: For Hale pumps



BL012 | Air Primer (2) Barrel .75" F NPT-Remote Mtd. | \$992.95
BL013 | Air Primer (3) Barrel .75" F NPT-Remote Mtd. | \$992.95
BL014 | Air Primer (2) Barrel H-Midship Direct Mtd. | \$992.95
BL015 | Air Primer (3) Barrel H-Midship Direct Mtd. | \$992.95

Emergency Stutter Tone Airhorn

Emergency vehicles can travel with more safety when equipped with emergency airhorns emitting directional, machine gun series of blasts. Operates on pressure up to 125 lbs. controlled by an electric valve. Connects directly to air brake junction box. Chrome plated; measures 24 $\frac{1}{2}$ " with 6" flare. Ship. wt. 7 lbs.



AA957 | Emergency Stutter Tone Airhorn | \$1,330.00

Decorative Chrome-Plated Fire Bell

Beautiful, large 12" Fire Bell, cast in bronze with polished chrome finish. Comes with stand and clapper. Available with your choice of decorative ornamental top eagle or acorn nut. Ship. wt. 40 lbs.



R181 | 12" Bell with Eagle, Chrome-Plated | \$2,206.95

R182 | 12" Bell with Acorn, Chrome-Plated | \$2,240.95

AS418 | 12" Bell with Eagle, Gold | \$2,489.95

Folding Step

- High quality CASS 24 chrome plate finish
- Dual LED light integration with full seal housing
- Ball-bearing rotation with no metal to metal contact
- Integral grab handle
- Largest platform on the market (8.7" x 6.7")
- Reflective tape with color options
- Cast recess for circular logo options on platform
- Bolt pattern retrofitable
- NFPA Compliant tread pattern for the most weatherable conditions



Folds up



BN604 | Folding Step | \$88.95

BN320 | Folding Step with Lights | \$100.95

Oversized Folding Steps

Easily installed on apparatus wherever a convenient assist step is needed. Folds up flush against mounting surface. Made of high-strength die cast, zinc/aluminum alloy with corrugated safety step to prevent slipping. Ship. wt. 1 lb.



AB043



AB990



AB990 | Oversize Folding Step | \$83.95

AB043 | Stainless Steel Folding Handhold | \$30.95

Quic-Choc® Folding Wheel Chock

This new folding aluminum wheel chock requires only a 6" H x 10 $\frac{1}{2}$ " W x 20 $\frac{3}{8}$ " D area for storage. Can be stored under fire or rescue vehicles. The collapsible design allows the chock to lock in the open position simply by pulling out the back casting and pushing down. Just release the safety latch to close back into the folding position. Convenient carrying handle makes transport and placement of chock a snap. Made of high-tensile strength aluminum with rear opening, hand grip and a double row of rugged teeth to grip almost any surface. Meets applicable NFPA standards.



- Can be used with tires up to 44" in diameter in the open position

Requires less storage space



AG083 | Folding Wheel Chock | \$347.95

AG084 | Folding Wheel Chock Horizontal Holder | \$117.95

Convert Your Wheel Chock for Wildland Fire Fighting

BA159 | Wildlands Adapter for Folding Wheel Chock | \$84.95


BA160 | Wildlands Adapter Horizontal Holder | \$202.95

Apparatus Equipment

Turtle Tile® Compartment Matting

- 3/4" profile
- Heavy-duty
- Fast and easy-to-install
- Open grid profile for instant drainage
- Made in USA from recycled plastic
- Modular and interlocking
- Resistant to most hydraulic fluids
- Mount brackets directly to tiles
- Dimensions: 12" x 12" x 3/4"

Color: Black		Box of 36	Each
AF680	Turtle Tile®	\$180.95	\$6.95
AF681	Male Edge	-	\$4.95
AF682	Female Edge	-	\$4.95
BP370	Male Corner Ramp	-	\$5.95
BP372	Female Corner Ramp	-	\$5.95



Shown With Optional Edge & Corner Ramps



"Organizing America's Fire Trucks"

Truck Made™ Storage Solutions



- Won't rust, crack or dent
- Mounts directly into compartments with the U308 equipment glides
- FDA-approved non-porous material
- Lightweight and stackable
- Custom sizes and engravable front plates are available. Call for details.



Specify Color: Matte Black, Gloss Black, or Gloss White

AZ526	3" x 22" x 30" Polypropylene Tray	\$291.95
AZ527	3" x 22" x 40" Polypropylene Tray	\$292.95
AZ528	10" x 10" x 22" Polypropylene Box	\$277.95
AZ529	10" x 10" x 40" Polypropylene Box	\$359.95



Fireman's Friend Drying Cloth



This large 17" x 27" drying cloth soaks up large volumes of water and other liquids quickly. The soft, absorbent material will not scratch or leave lint. It dries quicker and easier than chamois or any other towel you can find. Ship. wt. 1 lb.

T235 | Fireman's Friend | \$12.95



Salvage Covers and Runners

Canvas: Treated with a fire and water resistant finish. Meets requirements for California State Fire Marshall, NFPA-701 (large scale), and CPAI Section 6. Water-resistant finish and mildew inhibitors added. Color: Green.

Vinyl: Excellent wear and tear resistance, waterproof. Meets California State Fire Marshall requirements, UL-214 Classified, ASTM-E-84, Class A Flame standard. Easily wipes clean. Color: Red.

Salvage Covers with Grommets

Cat#	Material	Size	Ship. wt.	Price
J860	Canvas	12' x 14'	15 lbs.	\$172.95
J861	Canvas	12' x 18'	19 lbs.	\$219.95
J862	Canvas	14' x 18'	22 lbs.	\$255.95
J857	Vinyl	12' x 14'	20 lbs.	\$165.95
J858	Vinyl	12' x 18'	26 lbs.	\$210.95
J859	Vinyl	14' x 18'	30 lbs.	\$210.95



J860

Runners without Grommets

Cat#	Material	Size	Ship. wt.	Price
AR103	Canvas	24" x 20'	6 lbs.	\$55.95
AR104	Canvas	30" x 20'	6 lbs.	\$59.95
AR101	Vinyl	24" x 20'	6 lbs.	\$36.95
AR102	Vinyl	30" x 20'	6 lbs.	\$37.95



AR102

Best Seller
ISO Points

Little Giant Defender™ Ladder

The Little Giant Defender™ was specifically engineered for firefighters who need speed and strength in a rapid-response portable ladder system.

ISO
Points

- Reflective, heat sensitive labels
- Easy-to-use Rock Lock™ adjuster
- Tip & Glide™ wheels
- Wide-flared extension ladder for improved side-tip stability
- Adapts to almost any situation, offering a safe, stable climbing solution
- Capable of dozens of configurations, including A-frame, staircase, extension, and 90°
- Exceeds all OSHA & ANSI standards. Certified to NFPA requirements 1931/1932
- Rated to 300 lbs.
- Built-in dual Ratchet Levelers™ adjust up to 8.5" on each side over uneven ground
- Counts as ISO footage on apparatus

Cat#	Description	Stepladder		Extension		Wt.	Price
		Min Ht.	Max Ht.	Min Ht.	Max Ht.		
BN613	17' Defender™ Ladder	4'	7'	9'	15'	39 lbs.	\$604.95
BN614	22' Defender™ Ladder	5'	9'	11'	19'	47 lbs.	\$690.95



All ladders over 8' are shipped via motor freight. All orders **MUST BE** inspected before acceptance upon delivery.

Little Giant Overhaul Ladder

Little Giant Ladder Overhaul Ladder extends to 17', but it is small enough to carry into an elevator, up a flight of stairs, or around tight corners. The ladder is just 47" tall when retracted. Articulating ladder systems that meet the requirements of NFPA 1901-2009- Current edition.

ISO
Points

- Safety Insight™ photo-luminescent glowing rungs
- Patented Rock Lock™ adjusters
- Wide-stance leg levelers adjust over uneven ground
- Tip & Glide™ wheels
- 90° position for extraction rescue
- Access uneven surfaces, staircases, and hard-to-reach places
- Ratchet Levelers™
- Roof and rafter hooks
- Dual-position spike feet
- Counts as ISO footage on apparatus

Cat#	Description	Stepladder		Extension		Wt.	Price
		Min Ht.	Max Ht.	Min Ht.	Max Ht.		
BN615	17' Overhaul Ladder	4'	7'	9'	15'	52.3 lbs.	\$1,248.95



Use Skull Savers Don't Risk Ladder Injuries

Walking into the heel of a ladder is always painful and extremely dangerous. Skull Saver is easily visible and cushions any contact. Slight tug opens the Velcro® fastener, closes with finger pressure. Stays on in high winds, rain, or ice. Includes extra strap for permanent attachment to apparatus. Contact us for pricing on custom sizes. Ship. wt. 6 lbs.



AW345

- R891 | Single Leg 4" H x 9" W x 5" D | \$98.95
- R891XA | Super (A)* 23" H x 9" W x 8" D | \$166.95
- R891XB | Super (B)** 22" H x 5" W x 8" D | \$166.95
- U697 | Super Duper 27" H x 12" W x 8" D | \$186.95
- AW345 | USA Flag 23" H x 9" W x 8" D | \$166.95
- AW346 | USA Flag 27" H x 12" W x 8" D | \$219.95

*Super (A) model is for two-section ladders made after June 1984.
**Super (B) model is for two-section ladders made prior to June 1984.



Locking Ladder Bracket



Shop for more apparatus accessories on shop.darley.com

AF694 | Locking Ladder Bracket | \$144.95/ea.

Duo Safety Ladders

Aluminum Fire Ladders

Solid beam aluminum construction. Duo-Safety exclusive tongue & groove construction that holds sections firmly and rigidly, without brackets, hooks, or obstructions.

Two-Section (900-A Series)

Cat#	Length	Closed	Width	Weight	Price
S965A	20'	12'2 ³ / ₄ "	21 ³ / ₄ "	60 lbs.	\$985.95
S965	24'	14'2 ³ / ₄ "	21 ³ / ₄ "	71 lbs.	\$1,064.95

Banking thickness = 5³/₈"

Three-Section (1225-A Series)

Cat#	Length	Closed	Width	Weight	Price
S970A	30'	13'3"	24"	108 lbs.	\$1,626.95
S970	35'	15'3"	24"	130 lbs.	\$1,781.95

Banking thickness = 9¹/₈"

Folding Ladders

Lightweight, these ladders fold into a compact bundle for storing or carrying. In the open position, special locking devices keep the ladders absolutely rigid. Equipped with Duo-Safety Ladder shoes as an extra precaution. 300 lb. duty rated.

Aluminum (585-A Series)

Cat#	Length	Closed	Width	Weight	Price
S956	8'3 ¹ / ₄ "	9'3 ¹ / ₂ "	12 ¹ / ₈ "	14 lbs.	\$339.95
S956A	9'3 ¹ / ₄ "	10'3 ¹ / ₂ "	12 ¹ / ₈ "	16 lbs.	\$380.95
S957	10'3 ¹ / ₄ "	11'3 ¹ / ₂ "	12 ¹ / ₈ "	19 lbs.	\$403.95
S958	12'3 ¹ / ₄ "	13'3 ¹ / ₂ "	12 ¹ / ₈ "	21 lbs.	\$445.95
S959	14'3 ¹ / ₄ "	15'3 ¹ / ₂ "	12 ¹ / ₈ "	24 lbs.	\$469.95

Banking thickness = 1³/₄" x 3³/₄"

Fiberglass Fire Ladders

Fire ladders using extruded fiberglass channel rail construction and aluminum rungs welded to aluminum bocks and riveted to the fiberglass side rails. Safety yellow color for better visibility.

Two-Section Ladders (YGE-2 Series)

Cat#	Extended	Closed	Width	Nested	Weight	Price
R639	16'	10'	23"	7"	80 lbs.	\$1,146.95
R640	20'	12'3 ¹ / ₂ "	23"	7"	94 lbs.	\$1,424.95
R641	24'	14'3 ¹ / ₂ "	23"	7"	105 lbs.	\$1,709.95

Wall Ladders (YGW Series)

Cat#	Length	Width	Height	Weight	Price
R642	12'	19 ¹ / ₄ "	3 ³ / ₈ "	28 lbs.	\$436.95
R643	14'	19 ¹ / ₄ "	3 ³ / ₈ "	32 lbs.	\$582.95
R644	16'	19 ¹ / ₄ "	3 ³ / ₈ "	37 lbs.	\$549.95

Roof Ladders (YGR Series)

Cat#	Length	Closed	Width	Weight	Price
R645	12'	19 ¹ / ₄ "	3 ³ / ₈ "	33 lbs.	\$622.95
R646	14'	19 ¹ / ₄ "	3 ³ / ₈ "	38 lbs.	\$676.95
R647	16'	19 ¹ / ₄ "	3 ³ / ₈ "	42 lbs.	\$765.95

Aluminum Roof Ladders

Channel Rail construction gives extra strength without cumbersome weight.

(775-A Series)

Cat#	Length	Width	Weight	Price
S976	10'2 ¹ / ₂ "	19"	24 lbs.	\$429.95
S977	12'2 ¹ / ₂ "	19"	28 lbs.	\$470.95
S978	14'2 ¹ / ₂ "	19"	31 lbs.	\$512.95

Banking thickness = 2³/₄"

All ladders over 8' are shipped via motor freight. All orders **MUST BE** inspected before acceptance upon delivery.

Alco-Lite Aluminum Ladder Company

Truss Type Ladders

Two-Section Ladders (TEL Series)

Oversized 2 1/4" pulley for easy operation. 45' and larger ladders equipped with stay poles.

Ext. Closed		Banking		Wt.	Price
L	L	W	Thickness		
Z354	20'	13'0"	22 1/4"	6 7/16"	93 lbs. \$1,571.95
Z355	24'	15'4"	22 1/4"	6 7/16"	110 lbs. \$1,729.95
Z356	28'	16'6"	22 1/4"	6 7/16"	118 lbs. \$2,039.95
Z357	30'	17'8"	22 1/4"	6 7/16"	126 lbs. \$2,209.95
Z358	35'	20'0"	22 1/4"	6 7/16"	141 lbs. \$2,437.95
Z359	40'	22'4"	23 1/2"	8 3/8"	214 lbs. \$2,909.95

Three-Section Ladders (TEL3 Series)

3-fly section activated by cable and operates automatically with center section. Oversized 2 1/4" pulley for easy operation. 45' and larger ladders equipped with stay poles.

Ext. Closed		Banking		Wt.	Price
L	L	W	Thickness		
Z347	24'	12'0"	25 3/8"	9 1/16"	142 lbs. \$2,793.95
Z350	35'	15'6"	25 3/8"	9 1/16"	175 lbs. \$3,190.95
Z352	45'	19'0"	27"	10 3/4"	242 lbs. \$4,141.95
Z353	50'	20'2"	27"	10 3/4"	273 lbs. \$4,599.95

Roof Ladders (TRL Series)

Designed for scaling roofs. High-strength steel, 3/4" rotating roof hooks with reinforcing brace.

L	W	Wt.	Price
Z362	12'5"	19 1/16"	43 lbs. \$829.95
Z363	14'9"	19 1/16"	50 lbs. \$877.95
Z364	16'11"	19 1/16"	56 lbs. \$996.95
Z365	18'2"	19 1/16"	60 lbs. \$1,040.95

Z362-Z367 Banking thickness = 3 3/4"

L	W	Wt.	Price
Z366	20'6"	19 1/16"	65 lbs. \$1,145.95
Z367	24'0"	19 1/16"	76 lbs. \$1,342.95

Combination Ladders

Functionally engineered for ease of operation as a step or extension ladder with dozens of uses. Compact design converts easily to extension ladder or "A" ladder. Accessible from both sides. Special heavy duty "A" bracket allows for quick, easy set-up. Meets NFPA.

L	A-Ht	A-W	W	Wt.	Price
P704	6'2"	5'10"	4'3"	20 1/2"	27 lbs. \$808.95
P705	7'4"	7'0"	4'11"	20 1/2"	29 lbs. \$910.95
P706	8'6"	8'2"	5'4"	20 1/2"	33 lbs. \$964.95
P707	9'8"	9'1"	6'5"	20 1/2"	38 lbs. \$1,039.95

Banking thickness = 6 3/8"

Aluminum Pumper Type Ladders

Two-Section Ladder (PEL Series)

Oversized 2 1/4" pulley for easy operation.

Ext. Closed		Banking		Wt.	Price
L	L	W	Thickness		
Z373	12'	8'5"	21"	5 1/16"	48 lbs. \$766.95
Z374	14'	9'7"	21"	5 1/16"	53 lbs. \$845.95
Z375	16'	10'9"	21"	5 1/16"	59 lbs. \$927.95
Z376	20'	12'0"	21"	5 1/16"	66 lbs. \$1,041.95
Z377	24'	14'3"	21"	5 1/16"	75 lbs. \$1,158.95
Z378	28'	16'7"	22"	5 3/16"	114 lbs. \$1,503.95
Z379	30'	17'9"	22"	5 3/16"	122 lbs. \$1,622.95
Z380	35'	20'1"	22"	5 3/16"	139 lbs. \$1,828.95

Three-Section Ladders (PEL3 Series)

3-fly section activated by cable and operates automatically with center section. Oversized 2 1/4" pulley for easy operation.

Ext. Closed		Banking		Wt.	Price
L	L	W	Thickness		
Z368	24'	12'2"	23 1/2"	7 1/4"	105 lbs. \$1,656.95
Z369	28'	13'4"	25"	8 1/4"	145 lbs. \$1,812.95
Z370	30'	14'6"	25"	8 1/4"	158 lbs. \$2,003.95
Z371	35'	15'8"	25"	8 1/4"	170 lbs. \$2,147.95
Z372	40'	17'0"	26"	8 1/4"	220 lbs. \$3,191.95

Roof Ladders (PRL Series)

High-strength steel, 3/4" rotating roof hooks with reinforcing brace for durability.

L	W	Wt.	Price
Z381	8'5"	18 1/2"	27 lbs. \$394.95
Z382	10'9"	18 1/2"	33 lbs. \$494.95
Z383	12'0"	18 1/2"	36 lbs. \$527.95
Z384	14'3"	18 1/2"	42 lbs. \$564.95

Banking thickness = 2 5/8"

L	W	Wt.	Price
Z385	16'7"	18 1/2"	48 lbs. \$640.95
AR161	20'0"	18 1/2"	60 lbs. \$821.95

Banking thickness = 2 5/8"

Folding Attic Ladders

The ultimate in lightweight portability for low to medium height access. Folds laterally into 5 1/4" wide. Hinge locks ladder into position. Features carrying handles and large, heavy cast aluminum swivel safety shoes for traction. Meets NFPA.

Open		Folded		Wt.	Price
L	L	W	W		
Z390	8'3"	9'3"	5 1/4"	15 1/2"	12 lbs. \$345.95
Z391	10'6"	11'5"	5 1/4"	15 1/2"	14 lbs. \$410.95
Z392	12'8"	13'8"	5 1/4"	15 1/2"	17 lbs. \$447.95
Z393	14'11"	15'11"	5 1/4"	15 1/2"	21 lbs. \$488.95

Banking thickness = 2"



All ladders over 8' are shipped via motor freight. All orders **MUST BE** inspected before acceptance upon delivery.

Apparatus Equipment

Streamlight™ Portable Scene Light II

Turn to a higher power with the Portable Scene Light II. With zero deployment time, it features a compact footprint, a 360° rotating head, and it's stackable for "light tower" capability with multi-level lighting. Dimensions: 16" x 11" x 12".

- 18 LEDs within wide pattern parabolic reflectors produce a smooth, high lumen flood pattern
- Five intensity levels correspond to desired run time
- 360° rotating head
- High-impact, thermoplastic housing mounted in a virtually indestructible alloy steel frame IPX7 rated; waterproof to 1m for 30 minutes
- Lithium ion batteries charge in 6 hours
- Batteries will continue to charge while plugged into an AC or DC power source
- Limited lifetime warranty

BP080 | Streamlight™ Portable Scene Light II - 120 AC/12V DC | \$721.95



Stackable, sold individually



Honda Generator Lights

EU1000/EU2000 Honda Generator with 500W LED/quartz lamp head kit provides 500 watts of LED lighting. These generator/lighting units are powered by the Honda inverter-style generator and are light-weight and fold for compact storage.

- Clean power
- Eco-throttle technology
- Optional linking doubles power
- Simultaneous AC/DC

Uses

- Emergencies
- Public services and utilities
- Recreation

Cat#	Generator	Light Watts	Price
BN256	Honda EU1000	500 Quartz Lamp	\$2,078.95
BN257	Honda EU1000	500 LED Lamp	\$2,988.95
BN258	Honda EU2000	500 Quartz Lamp	\$2,468.95
BN259	Honda EU2000	500 LED Lamp	\$3,378.95



SPECTRA LED Lamphead Series

The SPECTRA LED lamphead outputs an impressive 20,000 lumens of super bright white light. The advanced lens and unique arrangement of LEDs generates a uniform flood and spot combination light pattern. This light pattern provides enhanced work area visibility as well as illuminates objects at a farther distance. The NEW SPECTRA MAX outputs an unmatched 28,000 lumens of ultrabright light making it the brightest LED scene light available. All SPECTRA series lampheads can be used with any FRC telescopic poles, tripods, non-telescopic mounts, and brow mounts.

- Available as 20,000 lumens SPECTRA or 28,000 lumens SPECTRA MAX
- Unique arrangement of LEDs provides more light in a compact lamphead
- Models available in 120/240 VAC or 12/24 VDC
- Whiter light, closer to natural sunlight
- Uniform high quality white light with the widest light pattern
- Long operating hours, rated at 50,000 hours
- Instant-on at full intensity
- 5-year LED lighting warranty

BL749 | SPECTRA LED Lamphead 120 VAC 20k Lumens | \$2,192.95

BL750 | SPECTRA MAX LED Lamphead 12/24 VDC 28k Lumens | \$2,223.95

BL751 | SPECTRA LED Lamphead 120 VAC 20k Lumens Portable with On/Off Switch | \$2,480.95

BL752 | SPECTRA MAX LED Lamphead 120 VAC 28k Lumens with Standard Tripod | \$3,102.95



BL751



PolyBilt® Truck Bodies

Tough and Rugged Bodies – Built for Life

PolyBilt® truck bodies feature integrated compartmentation that are so tough, they are virtually bulletproof. From Initial Attack to Heavy Duty Customs – We offer complete body solutions to meet your needs. PolyBilt® truck bodies are built and backed by the best, with over 100 years of combined fire industry support. Contact us today at 1.800.864.3817 or learn more at www.polybilt.com.



Selection

- Custom or standard designs built for OEMs, distributors, service centers and fire departments
- Choice of finished or unfinished construction
- Designed to fit any style
- Emergency vehicle and/or fire vehicle

Benefits

- Corrosion free
- Tough, durable Copolymer
- Limited lifetime warranty
- Lightweight
- Recyclable
- Safety: low center of gravity for improved stability

Multiple Applications

- Pumpers
- Fire/Emergency rescue response
- Quick attack
- Disaster response
- Wildland
- Tankers
- Service bodies

PolyBilt® body



Custom roll-up compartment doors`



Pumps available for standard & custom bodies



Corrosion free



Built bull tough in partnership with



Fire Extinguishers

Manufactured and tested to ANSI/UL standards. Complies with NFPA 10 standard. ISO-9001/ ISO-14001 certified. UL listed.



Halotron™ I Clean Agent For A, B & C Fires

Halotron™ I clean fire extinguishing agent discharges as a rapidly evaporating liquid, which is non-conductive, non-corrosive, and leaves behind no residue. Determined to be the most environmentally beneficial halocarbon agent on the market that meets wide performance standards. The primary raw material in the agent is HCFC-123, which has an outstanding profile of near-zero ozone depleting potential (0.0098, CFC-11=1.0) and a low global warming potential (77, 100 yr. CO2 time horizon). Bracket included.

- 6-year manufacturer's warranty
- Stored pressure design
- Dependable drawn steel cylinders
- Durable high gloss polyester powder paint
- All metal valve construction
- Temperature range -40°F to 120°F
- EPA approved "Clean Agent" for Class A, B and C hazards
- Low GWP (Global Warming Potential)
- Low ODP (Ozone Depletion Potential)
- Short atmospheric lifetime

Cat#	Size	UL Rating	Valve	Application	Bracket	Price
AR089	1.4 lbs.	1B:C	Alum.	Nozzle	Wall/Vehicle	\$217.95
AR090	2.5 lbs.	2B:C	Alum.	Nozzle	Wall/Vehicle	\$302.95
AR091	5 lbs.	5B:C	Alum.	Nozzle	Wall/Vehicle	\$455.95
AR092	11 lbs.	1A:10B:C	Brass	Hose & Nozzle	Wall	\$925.95
AR093	15.5 lbs.	2A10B:C	Brass	Hose & Nozzle	Wall	\$1,324.95



ABC Dry Chemical Extinguishers

ABC or Multi-Purpose extinguishers utilize a specially fluidized and siliconized mono ammonium phosphate dry chemical. It chemically insulates Class A fires by melting at approximately 350°F and coats surface to which it is applied. It smothers and breaks the chain reaction of Class B fires and will not conduct electricity back to the operator. Bracket included.

- 6-year manufacturer's warranty
- Stored pressure design
- Dependable drawn steel cylinders
- Durable high gloss polyester powder paint
- All metal valve construction
- Temperature range -65°F to 120°F
- Easy and economical to maintain
- Large loop pull pin
- Bar coded and bi-lingual labels

Cat#	Size	UL Rating	Valve	Application	Bracket	Price
P614	2½ lbs.	1A:10B:C	Alum.	Nozzle	Wall/Vehicle	\$60.95
P615	5 lbs.	2A:10B:C	Alum.	Hose & Nozzle	Wall/Vehicle	\$76.95
AF557	5 lbs.	2A:10B:C	Brass	Hose & Nozzle	Wall	\$124.95
AF553	5 lbs.	3A:40B:C	Alum.	Hose & Nozzle	Wall/Vehicle	\$84.95
AF554	10 lbs.	4A:80B:C	Alum.	Hose & Nozzle	Wall	\$94.95
AF558	10 lbs.	4A:80B:C	Brass	Hose & Nozzle	Wall	\$137.95
AF555	20 lbs.	20A:120B:C	Alum.	Hose & Nozzle	Wall	\$176.95
J559	20 lbs.	20A:120B:C	Brass	Hose & Nozzle	Wall	\$252.95



Purple K B:C Potassium Bicarbonate Extinguishers

Purple K extinguishers contain specially fluidized and siliconized potassium bicarbonate dry chemical which is particularly effective on Class B flammable liquids and pressurized gases. It is electrically non-conductive. Purple K has been the choice of oil, gas, chemical and utilities industries as the preferred fire fighting agent. Bracket included.

- 6-year warranty
- Stored pressure design
- Dependable drawn steel cylinders
- Durable high gloss polyester powder paint
- All metal valve construction
- Temperature range -65°F to 120°F
- Easy and economical to maintain
- Bar coded and bi-lingual labels

Cat#	Size	UL Rating	Valve	Application	Bracket	Price
AF569	2½ lbs.	10B:C	Alum.	Nozzle	Wall/Vehicle	\$78.95
AF570	5 lbs.	30B:C	Alum.	Hose & Nozzle	Wall/Vehicle	\$110.95
AF571	20 lbs.	120B:C	Alum.	Hose & Nozzle	Wall	\$290.95
AF572	10 lbs.	80B:C	Brass	Hose & Nozzle	Wall	\$195.95
AF573	20 lbs.	120B:C	Brass.	Hose & Nozzle	Wall	\$297.95





Peerless Pump Type Water Extinguishers

Rated 2A, Peerless Pump Type Water Extinguishers can be filled while in use and are simple-to-operate. You can test it without loss of water by directing the stream back into the tank. The operator controls the discharge. Moving parts made of corrosion-resistant brass and copper. Immediate operation; no priming needed.

2½ Gallon Size

- AF577 | Polished Copper | \$782.95
- R588 | Chrome Plated Copper | \$785.95
- R587 | Red Enamel Copper | \$610.95
- H897 | Red Enamel Steel | \$474.95
- R589 | Vehicle Bracket | \$292.95

5 Gallon Size

- AF578 | Polished Copper | \$809.95
- R591 | Chrome Plated Copper | \$755.95
- R590 | Red Enamel Copper | \$630.95
- H798 | Red Enamel Steel | \$565.95
- R592 | Vehicle Bracket | \$310.95



Manufactured and tested to ANSI/UL standards. Complies with NFPA 10 standard. ISO-9001/ ISO-14001 certified. UL listed.

Water Extinguishers

H795 Water Extinguisher: Utilizes the cooling, soaking and penetrating effect of 45-55' stream of water for Class A fires. Hose and nozzle application. Optional loaded stream/anti-freeze charge protects from freezing. Includes 5-year manufacturer's warranty.

- Stored pressure design
- Polished stainless steel cylinders
- All metal valve construction
- Temperature range -65°F to 120°F
- Exclusive crevice-free, butt-welded cylinders
- Maximum visibility during discharge
- Large loop stainless steel pull pin
- Bar coded and bi-lingual labels

Cat#	Type	Size	UL Rating	Bracket	Price
H795	Water	2½ gal.	2A	Wall	\$180.95

Options

BA180 | Loaded Stream/Anti-Freeze Charge (Two 2½ gal. Bottles) | \$213.95



Carbon Dioxide Extinguishers

Carbon dioxide is discharged as a white cloud of "snow" which smothers a fire by eliminating oxygen. It is effective for Class B flammable liquids and is electrically non-conductive. Carbon Dioxide is a clean, non-contaminating, odorless gas. Bracket included.

- 5-year warranty
- All metal valve construction
- Rust-free aluminum cylinders
- Durable high gloss polyester powder paint
- Temperature range -22°F to 120°F
- Large loop stainless steel pull pin
- Bar coded and bi-lingual labels
- Meets many hospital medical equipment requirements

Cat#	Size	UL Rating	Valve	Application	Bracket	Price
H790	5 lbs.	5B:C	Brass	Horn	Wall	\$219.95
H791	10 lbs.	10B:C	Brass	Hose and Horn	Wall	\$336.95
H792	15 lbs.	10B:C	Brass	Hose and Horn	Wall	\$395.95
H793	20 lbs.	10B:C	Brass	Hose and Horn	Wall	\$474.95



Universal Vehicle Chemical Extinguisher Brackets

Universal brackets have a heavy-duty steel back with weather and scratch-resistant polyurethane enamel paint finish. Large rubber grommets on bracket back cushion cylinder while strong securing cords keep the cylinder in place. Securing cords easily attach for either left or right hand closings and are impervious to extreme temperatures. There are no moving metal parts to break, loosen or wear out and the bracket is adjustable to several cylinder sizes. Ship. wt. 3 lbs.

- AF869 | Fits 2½ and 5 lb. Dry Chemical Extinguishers | \$39.95
- AF870 | Fits 6 and 10 lb. Dry Chemical Extinguishers, 5 lb. CO² Extinguishers, 11 and 15.5 lb. Halotron I Extinguishers | \$46.95
- AF871 | Fits 20 lb. Dry Chemical Extinguisher, 2½ gal. Water extinguisher, 15 and 20 lb. and CO² Extinguishers | \$70.95



Tactical Pumper™

International CV515 Chassis

Quick
Delivery



Chassis

- International CV515
- 4 door 4x4 chassis (199" wheelbase, 84" CA)
- 6.6 L diesel engine rated at 350 hp
- "shift on the fly" 4-wheel drive
- Automatic transmission
- Seating for four with two SCBA seats (Both rear SCBA seats)
- Battery conditioner with AutoEject™
- Polished aluminum wheels

Fire Pump

- Darley model PSMC midship pump with a UL rating of 1500 gpm at 150 psi
- Gear driven 120 cfm rotary screw air compressor for the AutoCAFS® pumping system with a FoamPro 2001 foam proportioner
- All stainless steel plumbing package
- Maintenance free reliable mechanical seal
- 3 CAFS crosslay discharges (2 - 1½" NSTM and 1 - 2½" NSTM)
- Rear preconnect and/or deck gun (optional)

Body

- PolyBilt™ copolymer
- Integral 400 gallon water tank (25 gallon foam tank)
- 7 large compartments with roll-up doors
- Enclosed ladder and suction hose storage
- Rear compartment (Can be used for optional 150' booster reel)

The Darley Tactical Pumper™ is a state-of-the-art apparatus designed to meet the dynamic needs of modern firefighting and rescue operations. It combines superior performance, reliability, and versatility, making it an invaluable asset for any emergency response team. With a price point 50% less than a traditional pumper, Darley's Tactical Pumper™ is a highly affordable, highly capable offering. Darley's Tactical Pumper™ comes standard with Auto CAFS ensuring efficient, effective water utilization and enhanced fire suppression capabilities. Customer can also configure their Tactical Pumper™ with a water only or water and foam pumping system. The Tactical Pumper™ is also available on a F550 Chassis.

Features

- NFPA compliant
- Rear receiver hitch with trailer wiring and optional portable winch power leads
- Includes a 2½" Darley AutoFill™ - Once connected to a pressurized source of water, this direct fill feature keeps the water tank between ½ and "FULL" automatically
- Low cost of maintenance
- Ease of driving - Drivers report having greater confidence when driving this vehicle over larger trucks
- Darley Auto CAFS advanced Firefighting technology optimizes water utilization and enhances fire suppression capabilities
- Standard light package includes LED Warning lights, 360 degree scene light coverage, & traffic advisor to aid in first responder safety when duty calls



Scan to learn more

Tactical Pumper™ Compartment Options



Officer Side (Right)



Driver/Operator Side (Left)



Rear compartment
backwall PACtrack



Medium fixed shelf – L3/R3



Roll out and down (top) and
roll out bottom



Small fixed shelf – L1/R1



Lazy susan – L3/R3



Swing out tool board – L2/R2 and
PACtrack rear wall – L2/R2



SCBA compartment – 4 bottle
holders and 2 pack holders

Max Tactical Pumper™

Equipped with Super Single Tire & Wheel Package

Quick
Delivery

Chassis

- Ford F550
- 4 door 4x4 chassis (203" wheelbase, 84" CA)
- 6.7 L diesel engine rated at 330 hp
- "Shift on the fly" 4-wheel drive
- Automatic transmission
- Seating for four with two SCBA seats (Both rear SCBA seats)
- Battery conditioner with AutoEject™
- Aluminum wheels
- Super Single Tire and Wheel Package

Fire Pump

- Darley model PSMC midship pump with a UL rating of 1500 gpm at 150 psi
- Gear driven 120 cfm rotary screw air compressor for the AutoCAFS® pumping system with a FoamPro 2001 foam proportioner
- All stainless steel plumbing package
- Maintenance free reliable mechanical seal
- 3 CAFS crosslay discharge (2-1/2" NSTM and 1-2/2" NSTM)
- Up to two optional discharges, including: hose bed preconnect, deckgun, or hose reel (optional 2/2" preconnect)

Body

- PolyBilt™ copolymer
- Integral 300 gallon water tank (25 gallon foam tank)
- 5 large compartments with roll-up doors, 1 SCBA Bottle Storage compartment, 1 Misc. tool storage compartment
- Open top mounted ladder and suction hose storage
- Rear compartment (Can be used for optional 150' booster reel)



Equipped with Darley's Super Single Tire & Wheel Package, the new Max Tactical Pumper™ is engineered to safely get to the fire quickly and into places that a full-size pumper just can't access. Upgraded taller tires on DOT rated wheels get the most power to the ground through all speed ranges and the lift package increases ground clearance for better off-road capability.

Features

- Lift package increases ground clearance for better off-road capability
- Single rear tire improves off-road traction
- 335/80R20 40" tall tires with fender flares
- Heavy duty front bumper with grille and headlight guards as well as a 2" receiver
- 7200 lumen LED driving lights



Scan to learn more

Super Single Tire & Wheel Package

Adds an Additional 6" of Ground Clearance to your Tactical Pumper™



Quick Response and Full Access

The Darley Super Single Tire & Wheel Package includes 335/80R20 Continental MPT81 tires on DOT rated wheels to get the most power to the ground through all speed ranges. A suspension lift is also provided both front and rear. This lift, along with the taller 40" tires will gain you an additional 6" of ground clearance under your Darley Max Tactical Pumper™. Contact Darley for a full set of specifications or to schedule a demonstration.



Custom front bumper with driving lights, brushguard with 2" receiver with power for portable winch.



Aluminum rim with aggressive tires to optimize off road drive ability.



Custom suspension & lift to enhance ride, maneuverability and ground clearance.



Scan to learn more

Light Tactical Pumper™

Quick
Delivery



Chassis

- Ford F550
- 4 door, 4x4 chassis (179" wheelbase, 60" CA)
- 6.7 L diesel engine rated at 330 hp
- "Shift on the fly" 4-wheel drive
- Automatic 10 speed transmission
- Battery conditioner with AutoEject™
- Super Single Tire & Wheel Package w/upgraded front bumper
- 3-1/2" suspension lift for 40" super single tires
- Front and Rear Receivers with trailer and portable winch wiring

Fire Pump

- Darley 2BE built into the Odin Mongoose Diesel Compressed air foam system (CAFS)
- Odin FastFoam foam proportioning system
- Stainless steel plumbing package
- Maintenance-free, reliable mechanical seal
- CAFS Discharges included: 1" hose reel, front bumper turret, front spray nozzles, 1.5" panel discharge
- Water only 2-1/2" NSTM discharge on rear pump panel
- Direct Tank Fill Inlet on rear pump panel
- Electronic Water and Foam Tank level gauges
- Foam Tank Refill pumping package in the right rear compartment

Body

- PolyBilt™ copolymer body with transverse storage to the front
- Integral 400-gallon water tank (25-gallon foam tank)
- 6 large compartments with roll-up doors (right rear compartment has booster reel)
- Enclosed slide in suction hose storage compartments
- Roll-up door at back covering the rear-mounted Mongoose CAFS pump
- LED strip lighting in all compartments
- LED Warning Light Package

The multipurpose emergency response vehicle on the Ford F550 platform features the Max-Super Single tire and wheel package and a mobile firefighting CAFS pump. It serves as an initial response/squad/mini pumper, capable of handling car accidents and brush or grass fires. The Darley Light Tactical Pumper, built with a Darley/PolyBilt PolyPak+ body and Darley/Odin Mongoose CAFS pump, offers excellent all-weather, off-road capability with pump n roll and an LED warning light package. Its corrosion-free body provides ample compartment space for lifesaving equipment, suitable for difficult-to-access homes, congested public gatherings, highways, farm fields, and off-road recreational areas. The PolyPak body includes a front transverse area for storing a backboard and long-handled tools, accessible from either side of the vehicle's front compartments. It can also accommodate a Gas Mongoose if a gas chassis is preferred, featuring a 400 gallon water tank and a 25 gallon foam tank. The Mongoose pump panel is protected inside the body behind an Amdor roll-up door. Standard outlets include items listed in the Mongoose specs, with Darley connecting into the CAFS mix point to feed the 100-150' booster reel in the right rear compartment, which deploys out the back. The front bumper is equipped with a joystick-operated, remote-controlled front bumper turret using the Elkhart Brush Hawk monitor, along with dual front spray nozzles adjustable for various flows and spray patterns, usable individually or together.

Features

- Lift package increases ground clearance for exceptional off-road performance
- Single rear tire design improves traction in most terrains (Mud/Snow/Sand)
- 335/80R20 40" tall tires with fender flares
- Heavy duty front bumper with grille and headlight guards as well as 2" receiver
- 7200 lumen LED driving lights



Scan to learn more

Ultra Light Tactical Pumper™



General Features

- Approximate weight: 3500 lbs.
- Vehicle dimensions: 152"L x 65"W x 85"H
- Wheelbase: 113"
- 6 passenger seating capacity
- Heat/AC AWD/2WD & defrost

Pump & Rescue Skid

- Darley Davey 9hp 2 Stage with electric start (self prime)
- Foam proportioner
- PVC suction hose
- Auxiliary rapid primer
- 70 gallon water tank
- 3 gallon foam cell, 2 piece Stokes basket
- Hose reel with 100' of $\frac{3}{4}$ " hose
- 1" twist tip nozzle

Emergency Pro Pack

- Custom body panels and graphics
- 100w siren and PA
- 360° selectable zone scene lighting
- 360° high intensity emergency lights

Tires and Wheels

- Front: 29 x 9-14 PRO ARMOR X-TERRAIN
- Rear: 29 x 11-14 PRO ARMOR X-TERRAIN
- Tire ply rating: 8 ply rated wheels = 14" aluminum

Chassis powered by 82 hp (999cc) 4 stroke twin cylinder EFI liquid cooled engine. Selectable drive type/s AWD/2WD. Automatic transmission featuring H/L/N/R/P. Hard sided enclosed Cab, crank windows, windshield wipers, heat, Air conditioning, defrost 100w Siren & PA, 360° scene lighting, high performance emergency light bar, emergency lighting on body panels, full size brush guard, High clearance A Arms in front and rear, Custom Door graphics & body panels, Integral lock and Ride pump and rescue skid featuring 9 hp 2 stage Davey electric start pump, ATP foam system, hose reel w 100' of $\frac{3}{4}$ " hose, 1" adjustable firefighting nozzle, two piece stokes basket, 70 gallon water tank, 3 gallon foam tank, PVC Suction hose, Primer, patient rescue position, & Stokes basket. Approximate ground clearance 14". Towing capacity 2,500 lbs. Payload Capacity 1,150 lbs. Fuel capacity 11.5 Gallons. 4 wheel disc brakes. 4500 lbs. winch with wireless remote.



Scan to learn more

Terms & Conditions



325 Spring Lake Drive
Itasca, IL 60143-2072
1-800-4-DARLEY
Monday - Friday
7:00 a.m. - 5:30 p.m. CT

Terms and Conditions

**100% Satisfaction Guaranteed
Or Your Money Back**

Pricing

Prices listed in this catalog are current as of March 1, 2025. Due to the wide selection of products being offered, prices may change without notice. We also reserve the right to make corrections in the event of a misprint. Please confirm pricing with a Darley representative at time of order. Volume discounts are available. Darley will match pricing on any lower offer from another supplier.

Open Account Terms

Terms of Net 15 Days shall be extended to city and other governmental agencies in good standing. These terms are also granted to businesses rated "good" or "high" and have a rating from CC to 5A by Dun & Bradstreet. Those companies that do not have a D&B rating in this range should contact our Credit Department at 1-630-735-3500 for a complete credit application. We encourage new customers placing their first order to make their initial payment by check or credit card. This will help avoid any shipping delays that may occur during the credit review process.

Orders Placed By Individual

All individual orders must be accompanied by full payment (cashiers check, money order or credit card) plus shipping charges and applicable state tax. We accept Visa, MasterCard, and American Express.

Sales Tax

Sales tax is applied everywhere.

Order Forms / Turnout Measurement Guide

Now available online at:
www.shop.darley.com/order-forms

Damaged Goods / Shortages

In the event that you receive a damaged or short shipment, you must immediately file a claim with the carrier. Under ICC regulations this claim is the consignee's (your) responsibility. Please contact our Customer Service Department 1-800-4-DARLEY for assistance.

No Hassle Returns

Please contact our Customer Service Department at 1-800-4-DARLEY. For return instructions. A return authorization number (RMA) will be required.

Restricted Sales Items

Darley carries a wide range of products intended for sale to public safety professionals. Orders for goods including, but not limited to, badges, personal identification, emblems and nameplates must be placed on department letterhead with official identification.

Change of Address / Duplicate Mailings

It's important for Darley to keep our mailing lists as current as possible. Please advise us of any change of address or personnel. In the event you've received duplicate mailings.

Government Orders

Darley offers many products throughout our catalog which can be ordered at substantially reduced government pricing through several of our contacts. Please contact Darley for more information.



Contract 02012024-WSD

Shipping & Handling Charges: Pre-paid Continental USA Domestic Orders

Shipping charges may be higher on some bulking items including foam, pike poles and hooks 8 feet and over, lightbars, shovels, fire swatters and ladders. Darley reserves the right to notify customers prior to shipment for acceptance of these final delivery charges.

- Order will ship most economical way unless otherwise requested.
- Rates apply to prepaid orders shipped via UPS Ground.
- All other orders will be invoiced at the actual freight charge plus \$2.50 for handling & insurance.
- Maximum weight allowed per package is 70 lbs.
- Maximum size per package is 108" (length & girth).
- Rates apply to U.S. Continental 48 States.
- Hazardous Material charges are additional.

Value of Merchandise	Charge
0 - \$25.00	\$7.95
\$25.01 - \$50.00	\$9.95
\$50.01 - \$100.00	\$11.95
\$100.01 - \$200.00	\$15.95
\$200.01 - \$300.00	\$19.95
\$300.01 - \$400.00	\$24.95
\$400.01 - \$500.00	\$26.95
\$500.01 and up.....	4.5% of Order



325 Spring Lake Drive
Itasca, IL 60143-2072
1-800-4-DARLEY
Monday - Friday
7:00 a.m. - 5:30 p.m. CT

Badge Order Form

**- No Phone Orders Accepted -
Please Mail or Fax Badge Order Form**

Step 1:


Name (please print) _____
Municipality / Agency / Company _____
Mailing Address _____
City _____ State _____ Zip _____
Phone _____ Fax _____
Signature _____ Title _____

Step 2:

Individual (Full payment enclosed)
 Bill Us (Cities, Towns, Gov. Agencies, etc. by officials authorized to purchase badges)
 Other (Orders from companies will be entered only after credit is established)

- We cannot ship to a P.O. Box
- Allow 30-60 days for shipment
- 3% discount for payment with order
- No credit card orders accepted for badges

Step 3:



Badge Style # _____ Quantity _____

**Lettering: (Please Print)
Fill in only those panels
Pertaining to badge selected**

1. _____
2. _____
3. _____
4. Seal or Center _____
5. _____
6. _____
7. _____

Lettering Color: Black Blue Red

Step 4:

Choose Badge Finish

Nickel Plate
 Rhodium Plate
 Gold Electroplate
 Hi-Glo
 Two-Tone Hi-Glo Panels on Rhodium Badge
 Two-Tone Rhodium Panels on Hi-Glo Badge
 Karatclad


Step 5:

Choose Your Attachment... No extra cost

Screw Back...for cap badge


Safety Catch...for shirt & coat badges


Clutch Back...for collar insignias & name bars


Wallet Clip...


Step 6:

Check Your Extras, if Any

One color hard enamel **\$3.00** (Included with Hi-Glo, Two-Tone & Karatclad) State Seal-lettered border only / Fire center...background only
Black Blue Red White

Seals or Centers with two or more colors **\$5.00** (Included with Hi-Glo, Two-Tone & Karatclad)

Lettered disc for center **\$4.60**

Hard enamel badge lettering **\$5.00** (Included with High-Glo, Two-Tone & Karatclad)

Extra panels, specify lettering **\$5.00** (if badge space allows)

Synthetic diamond, ruby or emerald stone set in the eagle's eye **\$7.60**

Engraving on back **.60 per letter**

Money clip attachment **\$3.40**

Extra Tabs, specify number or letters **\$3.40**

Orders By Toll-Free Fax: **1-800-932-9514**
Orders By Mail: **Darley
325 Spring Lake Drive
Itasca, IL 60143-2072 USA**

Badge Quantity Price Discounts

These quantity discounts apply to badges all lettered alike. Discount does not apply to badges with different wording, except for numbers or titles.

13-24.....	5%
25-49.....	10%
50-99.....	15%
100+.....	20%

Placing Your Badge Order

Please...follow all information when ordering. This will help us to enter your order without writing for more information. If more order forms are needed let us know. Prices include state seals, regular enamel lettering and the attachment you select. Please be sure to print clearly. All badges are made to order and not refundable unless we have made an error. Also, orders are not subject to cancellation once the order is received by the factory.

All Badge Orders Are Shipped Via UPS - charges apply

Index

A

Accountability Tags	34
Active Shooter	46-47
Adapters & Valves	115-124
AEDs	164
Air Bags	152
Air Carts	58
Air Cylinder	148
Air Hammer Kits	147
Air Mask Bags	59
Air Packs	56
Air Primer	81, 194
Air Systems	56-60
Airgun Kit	147
Airhorn	195
Ajax Tool Kits	147
Aluminized Gear	18
Anodes	194
Apparatus	204-209
Apparatus Equipment	187-201
ARFF Gear	18
Armor Plates	46
ATP Foam Flurry	130
Augustus Tool	125
Auto Chargers	191
Auto Crib	152
Auto Eject	192
Axe Brackets	137
Axe Sheath	134
Axes	134-135
Aztek ProSeries System	159

B

Backboards	166
Badge Order Form	210
Badges	180-181
Bags	
Air Mask	59
Gear	25-26
Hydrant	75
Medical	167-169
Lifting	152
RIT	150
Ballistic Helmets	47
Barricade Tape	171
Battery Charger	191
Battery Smoke Ejector	BC
BDU Pants	41
Bell	195

Belt, Pac Mule	Inside Back Cover
Biel Tool	135
Blades, Saw	143
Blanket, Fire	3
Blankets	169
BlastMask	59
Blowers	61-65
Body Armor	46-47
Bolt Cutter Bracket	189
Bolt Cutters	137
Booster Hose	69
Boots	
ARFF	18
Hazmat	50
Proximity	18
Structural	22-24
Wildland	36
Boot & Glove Dryer	186
Bottles, SCBA	58
Bourke Eye Shield	31
Brackets	
Axe	137, 189
Ladder	197
Pike Pole	137
SCBA	60
Tool	137, 187-190
British Instantaneous Fittings	115
Brush Gear	35-36, 38-41
Brute Bench	77
Bunker Gear	11-17
Bushings	115

C

Cache Kit	159
CAFS	132-133
Camera, Back Up	192
Cameras, Thermal Imaging	6-8
Can Holders	189
Caps, Pressure Gauge	108
Carabiners	158
Carriers, Ballistic Plate	46
Cart, Air	58
Carts, SCBA	58
Cascade Systems	57
Causality Kits	53
Cellar Nozzle	101
Chain Kits	148
Chain Saws	143
Challenger Door System	Inside Back Cover
Chargers, Battery	191
Chemical Suits	48-49

Chem-Tape	50
Chimney Snuffer	101
Chlorine Emergency Kits	54
Chocks	151
Chocks, Wheel	195
CitroSqueeze	186
Classification Kits	53
Cleaners, Turnout Gear	186
Closet Hook	139
Coats, Turnout	11-17
Coats, Wildland	38-40
Combat Sniper Hose	IBC
Combi-Tool, Hydraulic	145
Compartment Matting	196
Compressors	57
Cones, Spring	172
Cones, Traffic	172
Coveralls	40, 153
Crash and Rescue Tool Kit	141
Crash Axe	135
Crash Tool Kit	141, 149
Crescents	34
Cribbing	151
Cutters, Hydraulic	144
Cylinder Mate	58
Cylinders, SCBA	58

D

Decon PAK	55
Decon Showers	55
Decontamination Equipment	55
Defense Capabilities	216
Defibrillators	164
Descenders	156
Detectors, Gas	51
Detergents	186
Diffuser	108
Doggie Bag	148
Drip Torch	43
Drop In Units	88-89
Drum Spill Kits	52
Dryers	185-186
Dryers, Boot and Glove	186
Ducting, PPV	62
Dump Valve	114

E

Edilgrappa144-145
 Eductors, Foam129
 Ejector, Battery SmokeBC
 Elbows, Suction/Discharge115
 Electric Vehicle Nozzle4-5
 Electric Vehicle Solutions2-5
 Electric Vehicle Tank4
 Emergency Fire Tool Set135
 Emergency Medical Supplies164-169
 Emergency Plug2
 Encapsulated Suits48-49
 Escape System184
 Expansion Rings77
 Expansion Units77
 Extinguisher Brackets203
 Extinguishers202-203
 Extractors184
 Extrication Gear153
 Extrication Gloves153-154
 Eye Protection31

F

Faceshields31
 Fans61-65, Back Cover
 Fast Attack Units88-89
 Fast Foam128
 Fill Hose57
 Fill Stations57
 Fire Blanket3
 Fire Broom37
 Fire Eductor112
 Fire Extinguishers202-203
 Fire Hose66-69
 Fire Protection202-203
 Fire Rake37
 Fire Shelter42
 Fire Swatter37
 Fireman's Friend Drying Cloth196
 First Aid Kits167-168
 Flares173
 Flashlight174-179
 Flight Landing Zone Kit173
 Flotation161
 Flow Test Kits107
 Flowmeters111
 Foam125-133
 Foam Concentrate125-126
 Foam Eductor/Mixer129

Foam Nozzles130-131
 Foam Proportioners127-129
 Foam Refill System128
 Foam Testing Kit127
 Folding Steps195
 Forcible Entry Tools136-138
 Forestry Nozzles45
 Forestry Wye44
 Fronts, Helmet34
 Fyrestick99

G

Gas Detection51
 Gaskets for Chlorine Kits54
 Gaskets, Hose77
 Gated Wyes44-45
 Gauge, Hydrant108
 Gauge, Liquid Filled193
 Gauge, Tank Level193
 Gear Bags25-26
 Gear Racks182-183
 Generators200
 Glas-Master141
 Glass Knife Kit148
 Gloves
 ARFF18
 Extrication153-154
 Neoprene50
 Structural19-21
 Wildland36
 Goggles31, 35
 Ground Sweep Nozzle194

H

Halligan Bars135-136, 138
 Hand Tool Rescue Kit141
 Handheld Lights174-179
 Hangers186
 Harnesses155
 Hazmat48-55
 Hazmat Boots50
 Hazmat Suits48-49
 Headgear, Wildland35
 Heat Exchanger194
 Hebert Hose Clamp77
 Helmets
 ARFF18
 Rescue155
 Structural27-30
 Tactical47

Wildland35
 Hip Boots24
 Honda Generator Light200
 Hoods32-33
 Hook, Fiberglass138-139
 Hooks138
 Hooligan Tools136
 Hose
 Attack68
 Booster69
 Combat67
 Darley66, 68-69
 Double Jacket66-67, Inside Back Cover
 Forestry69
 LDH68
 Pencil Line44
 Racks71-72
 Suction73
 Hose Bracket71
 Hose Cart71-72
 Hose Clamp77
 Hose Clamp, Wildland44
 Hose Coiler71
 Hose Dryer71
 Hose Gripper74
 Hose Guards78
 Hose Jacket77
 Hose Rack71-72
 Hose Reducers116
 Hose Rollers78
 Hose Storage72
 Hose Straps74
 Hose Tester Cap110
 Hose Testers78, 110
 Hose Vice74
 Hose Washer72, 78
 Hose Winder72
 Hot Shield36
 Hydrant Adapters124
 Hydrant Bags75
 Hydrant Flags108
 Hydrant Flow Test Kits107
 Hydrant Gauge108
 Hydrant Testing108
 Hydrant Valves118, 124
 Hydrant Wrenches75-76
 Hydrant Wye119
 Hydra-Ram146
 Hydraulic Combi-Tool145
 Hydraulic Cutters144
 Hydraulic Spreader144
 Hydraulic Telescopic Ram145

Index

Hydraulic Tools144-146

I, J, K

Ice Rescue Suit160
In-Line Eductors129
Intake Siamese123
Inview Camera192
Jack, Vehicle149
Jumpsuits40
K-12 Saw142
Knife, Rescue141

L

Ladder Bracket197
Ladders197-199
Leader Line Wye119
Leak Sealing Kits52
Level A Suit48-49
Lexan Cap116
Life Jackets161
Lifting Bags152
Light Pumper208
Lights, Handheld174-179
Lights, Scene200
Lockwood Hook138

M

Manikins165
Masks, Wildland36
Master Stream Nozzle106
Matting196
Mattydale Swivel194
Maul135
Max Pumper206
Maxiwedge Kits52
McLeod Tool37
Medical Kits167-168
Megaphone173
Meters, Gas51
Mini Puller Kit148
Modules, Pump85
Monitors, Water102-106
Monitors, Gas51
Mount, Can189
Mount, Chain Saw189
Mounting187-190
Mounting Plates190
Multi-Use Adapter118
MV Fire Rescue Kit141

N, O

Neoprene Gloves50
New York Hook138
Nozzle Holder190
Nozzle, Electric Vehicle4-5
Nozzle, Master Stream106
Nozzles
 CAFS131
 Foam130-131
 Forestry45
 Structural90-98
 Wildland45
Odin CAFS132
Odin Foam Systems128
Oxygen Tanks and Accessories169

P

Pac Mule BeltIBC
Packs, SCBA56
Packs, Wildland42-43
Pants, Turnout11-17
Pants, Wildland38-41
Passports, Leather34
Patch and Plug Kits53
Personal Flotation Devices161
PFD161
Piercing Nozzles99-100
Piezometers108
Pike Poles139
Plate Carriers46
Playpipes92, 98
Plug and Wedge Kits52
Plug N' Dike53
Plugs116
Pole, Pro Lite139
Polybilt201
PPE, Wildland35-36, 38-41
PPV61-65, Back Cover
Pre-Con Valve114
Pressure Meter111
Primer
 Air81
 Pump194
Pro Bar136
Pro, Dog Bone139
Pro/Pak Foam System127
Proximity Gear18
PRT Rescue Kit146
Pry Axe135

Pulaski Axe37
Pulleys157, 159
Pump Accessories82
Pumper, Light208
Pumper, Max206
Pumper, Ultra Light209
Pumps
 Backpack42-43
 Darley79-89
 Davey81-82
 Diesel Portable85
 Engine Driven84-85
 Floating83
 Portable81-84
 PTO86-87
 Skid88-89
PVC Suction Hose73

Q, R

Quiklitter47
Rack, Portable Tank114
Racks, Gear182-183
Rakes37
Ram Jammers146
Red Racks182-183
Reels, Hose70
Relief Valves121
Remote Area Lighting179
Rescue Equipment153-163
Rescue Helmets155
Rescue Randy165
Rescue Tools134-152
Res-Q-Rench75
Revolution Intake Valve124
Rig Plate158
RIT Bags150
Roll Up Signs171
Roller and Spool70
Rope156
Roto-Decon Washer185, Back Cover

S

Salvage Covers and Runners196
Saw Blades143
Saws142-143
SCBA Brackets60
SCBA Carts58
SCBA Cleaner59, Back Cover
SCBA Mask Bag59
SCBA Packs56

Scene Lights 200

Searchlite Kit 159

Sheath, Axe 134

Shelters, Decon 55

Shields, Helmet 34

Shirts, Wildland 41

Shovels 140

Showers, Hazmat 55

Shutoff Nozzles 92, 94, 98

Siamese Valves 123

Signs 171

Simulated Training 10

Sked Rescue System 163

Skid Units 88-89

Skull Savers 197

Sledge Hammers 135

Slide In Units 88-89

Smoke Ejector Holder 63

Smoke Ejectors 61-65, Back Cover

Smooth Bore Tips 92, 101

Soap, Turnout Gear 186

Spanner Wrenches 75-76

Spill Kits 52

Splint Stretchers 166

Spreader, Hydraulic 144

Stabilizing Kit 149-150

Stacked Tips 92, 101

Stair Chair 165

Station Supplies 182-186

Steps, Folding 195

Storage Racks 182-183

Storage System 182-183

Storage Trays 196

Storz Adapters 120

Storz Caps 120

Storz Mounts 190

Strainer, Barrel 73

Strainer, Wildland 44

Strainers 73

Strainers 112

Strap, Hydrant 75

Straps, Mounting 188-189

Stretchers 166

Suction Elbows 115

Suction Strainer-Diffuser 73

Suction Valve 114

Suits, Hazmat 48-49

Suits, Ice Rescue 160

Swivel Joint 70

Syntho Plugs 53

T

Tactical Pumpers 204-209

Tags, Accountability 34

Tank Anodes 194

Tank Level Gauge 193

Tank Rack 114

Tank, Electric Vehicle 4

Tank, Portable Water 113

Tape, Barricade 171

Tee Valve 45

Telescopic Ram, Hydraulic 145

Tension Rope System 162

Tents 55

Terms and Conditions 211

Testing, Hose 110

Thermal Imaging Cameras 6-8

Throttle Control 194

Tips 90, 92, 98, 101

TNT Tool 134

Tool Kits 141

Tools, Hydraulic 144-146

Torch, Drip 43

Traffic Cones 172

Traffic Control 170-173

Training Door Inside Back Cover

Training Manikins 165

Training, SCBA 59

Triangle Warning Kit 173

Tripods 162

Turnout Gear 11-34

Turtle Plastics 151

U

Ultra Light Pumper 209

Ultrasonic SCBA Cleaner 59

Universal Pressure Test Kit 48

Unmanned Systems 9

USB Port 191

UxS And Sim T 9-10

V

Valves

Ball 121-123

Ball Intake 121

Butterfly 124

Dump 114

Gate 118, 121

Gated 44-45

Hydrant Gate 118

Manifold 122

Piston Intake 121

Repair Kit 193

Suction 114

Swing Out 193

Tee 45

Valves 193

Valves 118-119, 121-124

Wildland 44-45

Vehicle Jack 149

Vehicle Stabilization 149-150, 152

Ventilation 61-65

Ventilation Saw 142-143

Vernier Throttle 194

Vests

Body Armor 46

Flotation 161

Safety 170

Vests 170

Water Rescue 161

W, X, Y, Z

Walkaway Brackets 60

Washers 184-185

Water Jel 169

Water Rescue 160-161

Water Supplies 107-114

Webbing 156

Wheel Chock 195

Wildland 35-45

Wildland Boots 36

Wildland Gear 35-36, 38-41

Wildland Gloves 36

Wildland Helmet 35

Wildland Hose 44

Wildland Nozzles 45

Working Air Cylinder 148

Wrench Holder 76

Wrench, Hydrant 75-76

Wrenches 75-76

Wyes, Forestry 44



Defense Procurement Specialists

Right Item Right Price Right Time

Our Mission

To passionately serve the world's first responder and tactical communities by providing high quality, safe, and innovative products with unmatched commitment and service.

How We Do It

Capabilities

- C5ISR
- Clothing & Individual Equipment
- Expeditionary
- Fire & Rescue
- Kitting
- Medical
- MRO
- Optics & Visual Enhancement
- Simulated Training
- Special Operational Equipment
- Training
- Unmanned Systems
- Weapon Accessories

Contract Vehicles

- TLS
- SW MAC
- FASST
- CBRN COTS
- OPEN MARKET
- IDIQ
- BPA

Darley Customer Portal

- Custom profile
- Request quotes
- Order details & status
- Filterable content
- Shipping & tracking
- Account history

Defense Partner Program

Our Pre-Competed DLA Contracts Allow Us to Rapidly Deliver Your Products and Services to Your Federal Customers

A Leading Supplier to Warfighters

Experience our depth of perspective and passion on effective execution of mission-critical operations with rapid procurement solutions.

With a full range of solutions directed toward special operational and tactical initiatives, Darley provides high-quality, safe, and innovative products, backed by an unsurpassed commitment to service. Carefully vetted supplier relationships ensure that consistently high levels of quality, innovation, and trust inform every experience with our products and our people.

5,000+

Units using Darley solutions in the last 15 months

40%

Increase in military units choosing Darley in the last 5 years



Scan to learn more

Challenger Forcible Entry Training Door

Master 11 of the most challenging and realistic forcible entry techniques with the Challenger Forcible Entry Training Door System. This high-quality training system is designed to provide comprehensive training for firefighters and emergency responders, using minimal and inexpensive consumables.

- K-12 Rebar Cutting: Cut up to $\frac{3}{4}$ " #6 rebar at three heights and angles.
- Hinge Cutting Attachment: Cut and pull commercial and residential hinges, and cut flat plates up to $\frac{3}{8}$ " thick.
- Lock Cutting/Breaking: Combination and padlock cutting and breaking using irons, K-12, or bolt cutters.
- Conventional Forcible Entry: Practice inward and outward swinging door techniques.
- Hydraulic Forcible Entry: Compatible with rabbit tools for realistic training.
- Through-the-Lock Simulator: Manipulate actual commercial and residential deadbolt latch mechanisms.
- Plunge-Cut Window: Demonstrates plunge-cutting steel commercial doors with a K-12 saw. Rolls through standard commercial exterior doors (34" or wider, 82" or taller)
- Dimensions: 55" W x 33" D x 78" H
- Weight: 860 lbs
- Shipping weight: 1,050 lbs
- Tires: 10" solid, no-flat tires

1-year craftsmanship warranty



BP826 | Challenger Forcible Entry Training Door | \$10,399.95

The Ultimate Hands-Free Truckman's Belt Designed by Firefighters

Pac Mule Ultra Ladder Belt

These lightweight belts provide 4" of Coolmax back padding for wraparound support and keep SCBA from hitting your spine. Carry tools and equipment in any situation without slipping or tangling. D-rings Velcro® up and out of the way when not being used. Belt is made from 3M Scotchlite, flame-resistant, highly reflective material. Adjusts easily to fit over your turnout gear. Features rear carabiner slots, a carabiner and an 18" lanyard. BK122 has the same features as A2241 with added capabilities of making a ladder belt into a Class II harness by attaching the leg straps. Color coded by size for quick identification. Ship. wt. 2 lbs.



Waist Size and Color:
 Medium, Black: 28"-33"
 Large, Blue: 34"-40"
 X-Large, Yellow: 42"-50"
 XX-Large, Red: 52" & UP

A2241 | Pac Mule Ultra Ladder Belt | \$272.95

BK122 | Pac Mule Ultra Ladder Belt with Harness | \$294.95

Combat Sniper Double Jacket Attack Hose

An operational attack line with legendary, double jacketed, extruded through-the-weave nitrile/PVC tube construction and actual 1.78" diameter. Combat Sniper is engineered for low-pressure nozzle applications with targeted flow ranges of 145-175 GPM. This innovative design provides premium kink resistance that allows for precise handling during the push for tightly controlled water mapping. It packs on the shoulder and in the hose bed—combat Sniper, exclusively from the hose experts at Key.



- Heat, abrasion, and kink-resistant
- Hi-visibility stripes
- Chemical resistance
- 10-year written warranty, includes 1-year all hazards warranty.
- Tested in accordance with NFPA 1961 - Current edition, UL Standard 19, MIL-H-24606 and ASTM D1149-91 and ASTM D518-86 (R91), Procedure B.
- Aluminum 6061-T6 USA-manufactured couplings
- Length: 50'
- Diameter: 1.78"
- Weight Uncoupled: 0.40 lbs./ft.

Specify Color:

Red, Orange, Yellow, Green, Blue, Black, Tan, White

BP572 | 50' Combat Sniper Double Jacket Attack Hose | \$292.95





Corporate
Headquarters
325 Spring Lake Drive
Itasca, IL 60143-2072

PRSR.T. STD.
U.S. POSTAGE
PAID
PERMIT 335
ST. JOSEPH, MI

Code:

Account:

Roto-Decon SCBA Washer



The Roto-Decon SCBA Washer offers an intuitive, visual status provided on a large 7.0" touchscreen with access to features and cycles not offered by the competition. Working with industry experts we have developed different methods of cleaning, encouraging more separation of gear and the proper use of manufacturer accessories.

- Product uses clean water only with extra filtration for optimal cleansing power
- Cleans SCBA harness and mask, SCBA bottles or hardgoods, helmets, gloves, or boots
- Selectable extended fresh-water rinse, clean water only, extra filtration and boiler heat only features
- Proudly made in North America
- 3-year warranty
- Machine weight: 800 lbs.
- Shipping weight: 875 lbs.
- Dimensions:
 - Door open 90°: 52" x 51" x 80"
 - Door open 180°: 78" x 44" x 80"

5 Touchscreen Modes

- Mask & harness
- SCBA cylinder
- Boot & glove
- Target clean
- Cabinet clean

Selectable Features

- Extra freshwater rinse
- Extended filtration
- Clean water wash only
- Boiler heating only

BP949 | Roto-Decon SCBA Washer - 240V | \$26,250.95
BP950 | Roto-Decon SCBA Washer - 208V | \$26,250.95



Battery Smoke Ejectors



Compact, Lightweight, and Reliable. These Battery Powered Smoke Ejectors can operate at full speed on a full charge for up to 58 minutes (depending on battery choice and condition) while maintaining the same output as other 16" smoke ejectors. The fan comes standard with Shore Power (ability to run on a 115/230VAC source) to run the fan indefinitely. Super Vac Smoke Ejectors are designed to pull smoke from a structure using negative pressure or can be turned around for positive pressure tactics.

- 16" polymer blade
- Heavy-duty rubber feet for stability
- Dual inlet or outlet
- Compact, roll-cage frame
- 2,500 RPM, 6,700 CFM
- 38 lbs.
- 25.5" H x 18.875" W x 9.75" D

Free shipping on
SuperVac products
in Continental USA

BP928 | DeWalt FLEXVOLT Lithium-Ion | \$3,527.95
BP929 | Milwaukee REDLITHIUM™ 18V | \$3,527.95
BP930 | Milwaukee REDLITHIUM™ 28V | \$3,527.95
BP931 | Makita XGT 40V Lithium-Ion | \$3,527.95

