



Edilgrappa Rescue Tools


Compatible with DeWalt® Flexvolt™ Batteries

MDC390N-E Battery Powered Hydraulic Combi-Tool

The MDC390N-E Cordless Battery Powered Combi-Tool by Edilgrappa is a versatile and powerful tool designed for demanding extrication operations. Combining the functionalities of a cutter and a spreader, this combi-tool is ideal for urban search and rescue (USAR) missions.

- Efficiently cuts, pulls, and spreads, making it a must-have for rescue operations.
- Provides enhanced durability and performance.
- NFPA 1960 - Current edition
- Ensures safety and reliability.
- Lightweight and ergonomically designed for ease of use in critical situations.
- 54V brushless motor
- Whether you're a professional rescuer or part of an emergency response team, the MDC390N-E offers the power and versatility needed to handle the toughest challenges.

- Spreading distance: 15.5"
- Cutter opening: 7.2"
- Working pressure: 10,153 psi, 70 MPa (700 bar)
- Cutter rating: A6 / B7 / C6 / D7 / E7
NFPA 1960 - Current edition
- Highest spreading force: 8,918 lbf, 39.7 kN (4 t)
- Lowest spreading force: 6,655 lbf, 29.6 kN (3 t)
- Dimensions (closed): 33.9" L x 10.8" W x 9.5" H
- Dimensions (open): 29.7" L x 14.2" W x 9.5" H
- Weight: 48.9 lbs.



BP961 | MDC390N-E Battery Powered Hydraulic Combi-Tool | \$10,200.00

MT730N-E Battery Powered Hydraulic Telescopic Ram

Engineered to provide exceptional performance, versatility, and ease of use, making it an indispensable asset for rescue professionals.

- The MT730N-E is equipped with two plungers, allowing it to achieve an impressive extension of up to 574 mm. This feature ensures maximum reach and flexibility in various rescue situations.
- Despite its powerful capabilities, the ram is designed to be compact and lightweight, making it easy to maneuver in tight spaces and transport.
- Delivers consistent and reliable performance.
- Built with high-quality materials, this telescopic ram is designed to withstand the rigors of rescue operations, ensuring durability and reliability.
- 54V brushless motor
- EN 13204 classification: TR215/160-76.4/124-16.7
- NFPA 1960 - Current edition

- Max extension with extension: 49.6"
- Max height: 22.6"
- Working pressure: 10,153 psi, 70 MPa (700 bar)
- Highest spreading force (Piston 1):
48,379 lbf (24.1 tons), 215.1 kN (21.9 t)
- Spreading force (Piston 2):
17,179 lbf (8.6 tons), 76.4 kN (7.8 t)
- Dimensions (closed): 17.80" L x 7.28" W x 11.42" H
- Dimensions (open): 17.80" L x 7.28" W x 22.60" H
- Weight: 47.4 lbs.



BP963 | MT730N-E Battery Powered Hydraulic Telescopic Ram | \$9,400.00



Purchase on shop.darley.com
630.735.3500





Edilgrappa Rescue Tools


Compatible with DeWalt® Flexvolt™ Batteries

DE625N-E Battery Powered Hydraulic Spreader

State-of-the-art tool designed for efficient and powerful vehicle extrication and rescue operations. Battery and charger not included.

- Max spreading distance: 24.6"
- Working pressure: 10,153 psi, 70 MPa (700 bar)
- Spreading force: 39,108 lbf, 174 kN (17.7 t)
- HSF Highest spreading force: 13,625 lbf, 60.6 kN (6.2 t)
- LSF Lowest spreading force: 7,394 lbf, 32.9 kN (3.4 t)
- HPF Highest spreading force: 10,341 lbf, 46 kN (4.7 t)
- LPF Lowest spreading force: 5,845 lbf, 26 kN (2.7 t)
- Squeezing force: 15,512 lbf, 69 kN (7.0 t)
- Motor: 54V / 60V BRUSHLESS
- EN 13204 classification: AS 45/625-19
- NFPA 1936 - Current Edition

- Equipped with a 54V brushless motor, ensuring efficient and long-lasting operation.
- Dimensions (closed): 31" L x 11.1" W x 9.6" H
- Dimensions (open): 27.6" L x 24.6" W x 9.6" H
- Weight: 47.4 lbs.



BP962 | DE645N-E Battery Powered Hydraulic Spreader | \$10,500.00

F150N-E Battery Powered Hydraulic Cutter

The F150N-E offers the freedom of cordless operation, allowing you to work efficiently without the constraints of power cords. Its powerful battery ensures long-lasting performance, making it perfect for on-site jobs.

- Effortlessly slices through tough materials including steel rods, cables, and chains
- Ergonomic handle and lightweight construction reduces operator fatigue and enhances maneuverability.
- Equipped with an automatic pressure release valve and a protective blade guard.
- Constructed from high-quality materials that ensure durability and longevity.
- Certified Compliant to NFPA 1960 - Current Edition

- Max Opening: 5.8"
- Working Pressure: 10,153 psi, 70 MPa (700 bar)
- Motor: 54V brushless
- Protection Rate: IP54
- Dimensions (closed): 30.6" L x 11.2" W x 9.5" H
- Dimensions (open): 30.0" L x 10.7" W x 9.5" H
- Weight: 46.08 lbs.



BP960 | F150N-E Battery Powered Hydraulic Cutter | \$10,300.00

MUI6 USAR Battery Powered Hydraulic Rebar Cutter

The MUI6 is designed to be easily portable, allowing rescue teams to maneuver it in tight spaces and challenging environments. It features a 360° swiveling head, providing maximum flexibility and ease of use in various cutting situations.

- Built to handle various materials encountered during rescue operations, including steel mesh, rebars, chains, padlocks, and security seals.
- Equipped with a 18V brushed motor, ensuring efficient and long-lasting operation.
- Built with high-quality materials designed to withstand the rigors of rescue operations.

- Cutting capacity: $\frac{5}{8}$ ", (Rm: 70 daN/mm²)
- Working pressure: 8122 psi, 56 Mpa (560 bar)
- Cutting force: 38,450 lbf, 171 kN (17.4 t)
- Head rotation: 360°
- Dimensions: 19.13" L x 7.24" W x 11.93" H
- Weight: 18.96 lbs.



BP964 | MUI6 USAR Battery Powered Hydraulic Rebar Cutter | \$3,800.00